

The following catalog has gaps in its page numbers, or doesn't have any numbers. We have chosen to leave the page numbering in the order that Acrobat assigns it.

SPECIAL PARTS LIST FOR MODEL 4.0CCK-3CR SPEC 15735V
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 5
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)611-1142-05

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|--------------------|------|---|----------|------|-------------|
| Gas Fuel System | | | | | |
| Vacu-Flo Cooling | | | | | |
| Spin-On Oil Filter | | | | | |
| 102-0859 | 1 | Base, Oil | | | |
| 338-1147 | 1 | Harness, Wiring - Control (Refer To Standard Wiring Harness For Components) | | | |

SPECIAL PARTS LIST FOR MODEL 5.0CCK-4R SPEC 15735V
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 7
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. 611-1142-05

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|----------|------|------------------------|----------|------|-------------|
| | | Natural Gas Carburetor | | | |
| | | Vacu-Flo Cooling | | | |
| | | Spin-On Oil Filter | | | |
| | | Oil Base Heater | | | |

SPECIAL PARTS LIST FOR MODEL 4.0CCK-4R31 SPEC 15755R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 5
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. 611-1090-10

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|--------------------------|------|---|----------|------|-------------|
| Gas Fuel System | | | | | |
| Vacu - Flo Cooling | | | | | |
| Low Oil Pressure Cut Off | | | | | |
| 309-0237 | 1 | Switch, Low Oil Pressure | | | |
| 110-0893 | 4 | Washer, Valve Spring Retainer | | | |
| 150-1577 | 1 | Bracket, Governor Spring | | | |
| 526-0017 | 1 | Washer, Flat - Flywheel Mtg. | | | |
| 517-0035 | 1 | Plug, Dot Button (1 1/16 Hole) | | | |
| 134-2956 | 1 | Guard, Scroll Outlet | | | |
| 149-0558 | 1 | Strainer | | | |
| 166-0643 | 1 | Coil, Ignition | | | |
| 338-0738 | 1 | Harness, Wiring - Includes Fuse and Holder | | | |
| 307-0312 | 1 | Valve, Solenoid - Fuel | | | |

Sept 1, 1978

SPECIAL PARTS LIST FOR MODEL 5.0CCK-4XR SPEC 15882R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 7
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. 611-1108-03

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|------------------------------|------|---|----------|------|-------------|
| Gas - Gasoline Fuel System | | | | | |
| Vacu - Flo Cooling | | | | | |
| Low Oil Pressure Cut Off | | | | | |
| High Air Temperature Cut Off | | | | | |
| Housed | | | | | |
| Meter Panel | | | | | |
| 110-0893 | 4 | Washer, Valve Spring Retainer | | | |
| 309-0237 | 1 | Switch, Low Oil Pressure | | | |
| 526-0017 | 1 | Washer, Flat - Flywheel Mtg. | | | |
| 517-0035 | 1 | Plug, Dot Button (1 1/16 Hole) | | | |
| 134-2956 | 1 | Guard, Scroll Outlet | | | |
| 332-0556 | 1 | Connector, Quick Disconnect | | | |
| 134-2692 | 1 | Scroll, Air Duct | | | |
| 166-0643 | 1 | Coil, Ignition | | | |
| 338-0739 | 1 | Harness, Wiring - Includes Fuse and Holder | | | |
| 301-3206 | 1 | Panel, Meter | | | |
| 332-0142 | 1 | Terminal, Solderless - Meter Panel | | | |
| 332-0238 | 1 | Strip, Marker | | | |
| 332-0236 | 1 | Block, Terminal | | | |
| 308-0154 | 1 | Switch, Start - Stop | | | |
| 302-0612 | 1 | Voltmeter, AC (0-500 Volt) | | | |
| 302-0445 | 3 | Ammeter, AC (0-10 Amp.) | | | |
| 320-0482 | 1 | Breaker, Circuit | | | |
| 405-2147 | 1 | Panel, Housing - Rear | | | |
| 332-0527 | 1 | Terminal, Choke Cover Wire | | | |

SPECIAL PARTS LIST FOR MODEL 5.0CCK-3R SPEC 15920R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 7
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. 611-1104-03

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|------------------------------|------|---|----------|------|-------------|
| Vacu - Flo Cooling | | | | | |
| Low Oil Pressure Cut Off | | | | | |
| High Air Temperature Cut Off | | | | | |
| Housed | | | | | |
| Meter Panel | | | | | |
| 309-0237 | 1 | Switch, Low Oil Pressure | | | |
| 526-0017 | 1 | Washer, Flat - Flywheel Mtg. | | | |
| 517-0035 | 1 | Plug, Dot Button (1 1/16 Hole) | | | |
| 134-2956 | 1 | Guard, Scroll Outlet | | | |
| 332-0556 | 1 | Connector, Quick Disconnect | | | |
| 134-2692 | 1 | Scroll, Air Duct | | | |
| 220-1821 | 1 | Stator Assembly, Wound | | | |
| 201-1903 | 1 | Rotor Assembly, Wound | | | |
| 338-0739 | 1 | Harness, Wiring - Includes Fuse and Holder | | | |
| 166-0643 | 1 | Coil, Ignition | | | |
| 301-3114 | 1 | Panel, Meter | | | |
| 332-0142 | 1 | Terminal, Solderless - Meter Panel | | | |
| 332-0237 | 1 | Strip, Marker | | | |
| 332-0231 | 1 | Block, Terminal | | | |
| 308-0154 | 1 | Switch, Start - Stop | | | |
| 302-0213 | 1 | Meter, Frequency (59-63 Hz) | | | |
| 302-0465 | 1 | Meter, Running Time (120 Volt) | | | |
| 302-0421 | 1 | Voltmeter, AC (0-300 Volt) | | | |
| 302-0418 | 2 | Ammeter, AC (0-30 Amp.) | | | |
| 320-0019 | 2 | Breaker, Circuit (25 Amp.) | | | |
| 405-2147 | 1 | Panel, Housing - Rear | | | |
| 332-0527 | 1 | Terminal, Choke Cover Wire | | | |

SPECIAL PARTS LIST FOR MODEL 5.0CCK-4R SPEC 15977R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 7
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. 611-1117-04

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|------------------------------|------|--|----------|------|-------------|
| Gas Fuel System | | | | | |
| Vacu - Flo Cooling | | | | | |
| Housed | | | | | |
| Low Oil Pressure Cut Off | | | | | |
| High Air Temperature Cut Off | | | | | |
| Meter Panel | | | | | |
| 110-0893 | 4 | Washer, Valve Spring Retainer | | | |
| 150-1577 | 1 | Bracket, Governor Spring | | | |
| 102-0859 | 1 | Base, Oil - Includes Filler Neck | | | |
| 505-0110 | 1 | Plug, Oil Base (3/8) | | | |
| 505-0054 | 1 | Plug, Oil Base (1/4) | | | |
| 309-0237 | 1 | Switch, Low Oil Pressure | | | |
| 526-0017 | 1 | Washer, Flat - Flywheel Mtg. | | | |
| 517-0035 | 1 | Plug, Dot Button (1 1/16 Hole) | | | |
| 134-2956 | 1 | Guard, Scroll Outlet | | | |
| 332-0556 | 1 | Connector, Quick Disconnect | | | |
| 134-2692 | 1 | Scroll, Air Duct | | | |
| 166-0643 | 1 | Coil, Ignition | | | |
| 338-0722 | 1 | Harness, Wiring - Includes Fuse and Holder | | | |
| 320-0002 | 3 | Breaker, Circuit (15 Amp.) | | | |
| 301-1381 | 1 | Panel, Meter | | | |
| 332-0142 | 1 | Terminal, Solderless - Meter Panel | | | |
| 332-0238 | 1 | Strip, Marker | | | |
| 332-0236 | 1 | Block, Terminal | | | |
| 308-0154 | 1 | Switch, Start - Stop | | | |
| 302-0421 | 1 | Voltmeter, AC (0-300 Volt) | | | |
| 302-0460 | 3 | Ammeter, AC (0-20 Amp.) | | | |
| 405-2147 | 1 | Panel, Housing - Rear | | | |

SPECIAL PARTS LIST FOR MODEL 3.5CCK-53CP SPEC 16055R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. 602-0245

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|--|------|------------------------|----------|------|-------------|
| 220-1818 | 1 | Stator Assembly, Wound | | | |
| 201-2323 | 1 | Rotor Assembly, Wound | | | |
| 501-0015 | 1 | Line, Fuel - 16" lg | | | |
| 301-3571 | 1 | Bracket, Control | | | |
| 405-1013 | 1 | Hood, Engine Cover | | | |
| <p>Parts not furnished by Onan Carrying Frame</p> | | | | | |

SPECIAL PARTS LIST FOR MODEL 4.0CCK-3CR31 SPEC 16067R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 5
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. 611-1090-05

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|------------------------------|------|--|----------|------|-------------|
| Gas Fuel System | | | | | |
| Vacu - Flo Cooling | | | | | |
| High Air Temperature Cut Off | | | | | |
| 110-0893 | 4 | Washer, Valve Spring Retainer | | | |
| 150-1577 | 1 | Bracket, Governor Spring | | | |
| 526-0017 | 1 | Washer, Flat - Flywheel Mtg. | | | |
| 517-0035 | 1 | Plug, Dot Button (1 1/16 Hole) | | | |
| 134-2956 | 1 | Guard, Scroll Outlet | | | |
| 332-0556 | 1 | Connector, Quick Disconnect | | | |
| 134-2692 | 1 | Scroll, Air Duct | | | |
| 166-0643 | 1 | Coil, Ignition | | | |
| 307-0312 | 1 | Valve, Solenoid- Fuel | | | |
| 338-0723 | 1 | Harness, Wiring - Includes Fuse and Holder | | | |
| 149-0558 | 1 | Strainer | | | |

SPECIAL PARTS LIST FOR MODEL 4.0CCK-3CR31 SPEC 16067V
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 5
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. 611-1142-08

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|------------------------------|------|--|----------|------|-------------|
| Natural Gas Carburetor | | | | | |
| Vacu-Flo Cooling | | | | | |
| High Air Temperature Cut Off | | | | | |
| 167-0262 | 2 | Plug, Spark-Resistor Type | | | |
| 150-1467 | 1 | Linkage, Governor (Includes Parts Marked *) | | | |
| 150-0639 | 1 | * Joint, Ball | | | |
| 870-0131 | 1 | * Nut, Hex w/ET-Ball Joint (#10-32) | | | |
| 526-0196 | 1 | * Washer, Flat-Ball Joint | | | |
| 870-0053 | 1 | * Nut, Hex-Governor Rod (#10-32) | | | |
| 150-0430 | 1 | * Bracket, Governor Spring | | | |
| 150-0629 | 1 | * Rod, Governor | | | |

SPECIAL PARTS LIST FOR MODEL 5.0CCK-3CR31 SPEC 16067V
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 7
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. 611-1142-08

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|-------------------------------------|------|--|----------|------|-------------|
| Natural Gas or LPG Vapor Carburetor | | | | | |
| Vacu-Flo Cooling | | | | | |
| High Air Temperature Cut-Off | | | | | |
| 167-0262 | 2 | Plug, Spark-Resistor Type | | | |
| 150-1467 | 1 | Linkage, Governor (Includes Parts Marked *) | | | |
| 150-0639 | 1 | * Joint, Ball | | | |
| 870-0131 | 1 | * Nut, Hex w/ET-Ball Joint (#10-32) | | | |
| 526-0196 | 1 | * Washer, Flat-Ball Joint | | | |
| 870-0053 | 1 | * Nut, Hex-Governor Rod (#10-32) | | | |
| 150-0430 | 1 | * Bracket, Governor Spring | | | |
| 150-0629 | 1 | * Rod, Governor | | | |

SPECIAL PARTS LIST FOR MODEL 5.0CCK-3R SPEC 16082R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 7
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. 611-1104-03

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|------------------------------|------|--|----------|------|-------------|
| Vacu - Flo Cooling | | | | | |
| Low Oil Pressure Cut Off | | | | | |
| High Air Temperature Cut Off | | | | | |
| Housed | | | | | |
| Meter Panel | | | | | |
| 309-0237 | 1 | Switch, Low Oil Pressure | | | |
| 526-0017 | 1 | Washer, Flat - Flywheel Mtg. | | | |
| 517-0035 | 1 | Plug, Dot Button (1 1/16 Hole) | | | |
| 134-2956 | 1 | Guard, Scroll Outlet | | | |
| 332-0556 | 1 | Connector, Quick Disconnect | | | |
| 134-2692 | 1 | Scroll, Air Duct | | | |
| 220-1821 | 1 | Stator Assembly, Wound | | | |
| 201-1903 | 1 | Rotor Assembly, Wound | | | |
| 338-0739 | 1 | Harness, Wiring - Includes Fuse and Holder | | | |
| 166-0643 | 1 | Coil, Ignition | | | |
| 301-3114 | 1 | Panel, Meter | | | |
| 332-0142 | 1 | Terminal, Solderless - Meter Panel | | | |
| 332-0237 | 1 | Strip, Marker | | | |
| 332-0231 | 1 | Block, Terminal | | | |
| 308-0154 | 1 | Switch, Start - Stop | | | |
| 302-0213 | 1 | Meter, Frequency (59-63 Hz) | | | |
| 302-0465 | 1 | Meter, Running Time (120 Volt) | | | |
| 302-0421 | 1 | Voltmeter, AC (0-300 Volt) | | | |
| 302-0418 | 2 | Ammeter, AC (0-30 Amp.) | | | |
| 320-0019 | 2 | Breaker, Circuit (25 Amp.) | | | |
| 405-2147 | 1 | Panel, Housing - Rear | | | |
| 332-0527 | 1 | Terminal, Choke Cover Wire | | | |

SPECIAL PARTS LIST FOR MODEL 4.0CCK-4R SPEC 16168R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 5
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. 611-1117-06

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|------------------------------|------|--|----------|------|-------------|
| Gas - Gasoline Fuel System | | | | | |
| Vacu - Flo Cooling | | | | | |
| Low Oil Pressure Cut Off | | | | | |
| High Air Temperature Cut Off | | | | | |
| Housed | | | | | |
| Mounted Fuel Tank | | | | | |
| Meter Panel | | | | | |
| 110-0893 | 4 | Washer, Valve Spring Retainer | | | |
| 102-0859 | 1 | Base, Oil - Includes Filler Neck | | | |
| 505-0110 | 1 | Plug, Oil Base (3/8) | | | |
| 505-0054 | 1 | Plug, Oil Base (1/4) | | | |
| 309-0237 | 1 | Switch, Low Oil Pressure | | | |
| 526-0017 | 1 | Washer, Flat - Flywheel Mtg. | | | |
| 517-0035 | 1 | Plug, Dot Button (1 1/16 Hole) | | | |
| 134-2956 | 1 | Guard, Scroll Outlet | | | |
| 332-0556 | 1 | Connector, Quick Disconnect | | | |
| 134-2692 | 1 | Scroll, Air Duct | | | |
| 166-0643 | 1 | Coil, Ignition | | | |
| 338-0739 | 1 | Harness, Wiring - Includes Fuse and Holder | | | |
| 320-0002 | 3 | Breaker, Circuit (15 Amp.) | | | |
| 301-1381 | 1 | Panel, Meter | | | |
| 332-0142 | 1 | Terminal, Solderless - Meter Panel | | | |
| 332-0238 | 1 | Strip, Marker | | | |
| 332-0236 | 1 | Block, Terminal | | | |
| 308-0154 | 1 | Switch, Start - Stop | | | |
| 302-0421 | 1 | Voltmeter, AC (0-300 Volt) | | | |
| 302-0460 | 3 | Ammeter, AC (0-20 Amp.) | | | |
| 405-2147 | 1 | Panel, Housing - Rear | | | |
| 159-0592 | 1 | Tank, Fuel (6.5 Gal.) - Includes Cap | | | |
| 159-0594 | 2 | Band, Fuel Tank | | | |
| 501-0131 | 1 | Line, Fuel | | | |
| 159-0007 | 1 | Cap, Fuel Tank | | | |
| 332-0527 | 1 | Terminal, Choke Cover Wire | | | |

SPECIAL PARTS LIST FOR MODEL 5.0CCK-4R SPEC 16168R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 7
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. 611-1117-06

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|------------------------------|------|--|----------|------|-------------|
| Gas - Gasoline Fuel System | | | | | |
| Vacu - Flo Cooling | | | | | |
| Low Oil Pressure Cut Off | | | | | |
| High Air Temperature Cut Off | | | | | |
| Housed | | | | | |
| Mounted Fuel Tank | | | | | |
| Meter Panel | | | | | |
| 110-G893 | 4 | Washer, Valve Spring Retainer | | | |
| 102-0859 | 1 | Base, Oil - Includes Filler Neck | | | |
| 505-0110 | 1 | Plug, Oil Base (3/8) | | | |
| 505-0054 | 1 | Plug, Oil Base (1/4) | | | |
| 309-0237 | 1 | Switch, Low Oil Pressure | | | |
| 526-0017 | 1 | Washer, Flat- Flywheel Mtg. | | | |
| 517-0035 | 1 | Plug, Dot Button (1 1/16 Hole) | | | |
| 134-2956 | 1 | Guard, Scroll Outlet | | | |
| 332-0556 | 1 | Connector, Quick Disconnect | | | |
| 134-2692 | 1 | Scroll, Air Duct | | | |
| 166-0643 | 1 | Coil, Ignition | | | |
| 338-0739 | 1 | Harness, Wiring - Includes Fuse and Holder | | | |
| 320-0002 | 3 | Breaker, Circuit (15 Amp.) | | | |
| 301-1381 | 1 | Panel, Meter | | | |
| 332-0142 | 1 | Terminal, Solderless - Meter Panel | | | |
| 332-0238 | 1 | Strip, Marker | | | |
| 332-0236 | 1 | Block, Terminal | | | |
| 308-0154 | 1 | Switch, Start - Stop | | | |
| 302-0421 | 1 | Voltmeter, AC (0-300 Volt) | | | |
| 302-0460 | 3 | Ammeter, AC (0-20 Amp.) | | | |
| 405-2147 | 1 | Panel, Housing - Rear | | | |
| 159-0592 | 1 | Tank, Fuel (6.5 Gal.) - Includes Cap | | | |
| 159-0594 | 2 | Band, Fuel Tank | | | |
| 501-0131 | 1 | Line, Fuel | | | |
| 332-0527 | 1 | Terminal, Choke Cover Wire | | | |
| 159-0007 | 1 | Cap, Fuel Tank | | | |

SPECIAL PARTS LIST FOR MODEL 5.0CCK-4R SPEC 16231R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 7
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. 611-1090-10

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|--------------------------|------|--|----------|------|-------------|
| Gas Fuel System | | | | | |
| Vacu - Flo Cooling | | | | | |
| Low Oil Pressure Cut Off | | | | | |
| Housed | | | | | |
| 309-0237 | 1 | Switch, Low Oil Pressure | | | |
| 110-0893 | 4 | Washer, Valve Spring Retainer | | | |
| 150-1577 | 1 | Bracket, Governor Spring | | | |
| 526-0017 | 1 | Washer, Flat - Flywheel Mtg. | | | |
| 517-0035 | 1 | Plug, Dot Button (1 1/16 Hole) | | | |
| 134-2956 | 1 | Guard, Scroll Outlet | | | |
| 123-1311 | 1 | Indicator, Oil Fill - Includes Gasket and Chain | | | |
| 166-0643 | 1 | Coil, Ignition | | | |
| 338-0738 | 1 | Harness, Wiring - Includes Fuse and Holder | | | |
| 405-2147 | 1 | Panel, Housing - Rear | | | |
| 301-1385 | 1 | Panel, Control | | | |
| 308-0154 | 1 | Switch, Start - Stop | | | |

SPECIAL PARTS LIST FOR MODEL 5.0CCK-3CR SPEC 16298R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 7
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. 611-1090-02

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|---|------|---|----------|------|-------------|
| Gas Fuel System | | | | | |
| Vacu - Flo Cooling | | | | | |
| Housed | | | | | |
| Mounted Fuel Tank (Used as Oil Reservoir) | | | | | |
| 110-0893 | 4 | Washer, Valve Spring Retainer | | | |
| 150-0159 | 1 | Bracket, Governor Spring | | | |
| 526-0017 | 1 | Washer, Flat - Flywheel Mtg. | | | |
| 517-0035 | 1 | Plug, Dot Button (1 1/16 Hole) | | | |
| 134-2956 | 1 | Guard, Scroll Outlet | | | |
| 154-0670 | 1 | Manifold, Intake | | | |
| 148-0367 | 1 | Switch, Vacuum | | | |
| 502-0082 | 1 | Nipple, Hex - Vacuum Switch | | | |
| 220-1821 | 1 | Stator Assembly, Wound | | | |
| 166-0643 | 1 | Coil, Ignition | | | |
| 338-0719 | 1 | Harness, Wiring - Includes Fuse and Holder | | | |
| 405-2147 | 1 | Panel, Housing - Rear | | | |
| 301-1385 | 1 | Panel, Control | | | |
| 308-0154 | 1 | Switch, Start - Stop | | | |
| 159-0592 | 1 | Tank, Oil Reservoir (6.5 Gal.) Includes Cap | | | |
| 159-0594 | 2 | Band, Oil Reservoir Tank | | | |
| 501-0131 | 1 | Line, Oil | | | |
| 504-0013 | 1 | Valve, Oil Tank Shut - Off | | | |
| 159-0007 | 1 | Cap, Oil Tank | | | |

SPECIAL PARTS LIST FOR MODEL 5.0CCK-3R SPEC 16321R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 7
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. 611-1104-06

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|----------------------------|------|--|----------|------|-------------|
| Gas - Gasoline Fuel System | | | | | |
| Vacu - Flo Cooling | | | | | |
| Housed | | | | | |
| Low Oil Pressure Cut Off | | | | | |
| Meter Panel | | | | | |
| 110-0893 | 4 | Washer, Valve Spring Retainer | | | |
| 102-0859 | 1 | Base, Oil - Includes Filler Neck | | | |
| 505-0110 | 1 | Plug, Oil Base (3/8) | | | |
| 505-0054 | 1 | Plug, Oil Base (1/4) | | | |
| 309-0237 | 1 | Switch, Low Oil Pressure | | | |
| 526-0017 | 1 | Washer, Flat - Flywheel Mtg. | | | |
| 517-0035 | 1 | Plug, Dot Button (1 1/16 Hole) | | | |
| 134-2956 | 1 | Guard, Scroll Outlet | | | |
| 332-0527 | 1 | Terminal, Choke Cover Wire | | | |
| 154-0817 | 1 | Manifold, Intake | | | |
| 502-0065 | 1 | Elbow, Inverted Male - Carb Inlet | | | |
| 166-0643 | 1 | Coil, Ignition | | | |
| 220-1821 | 1 | Stator Assembly, Wound | | | |
| 201-1903 | 1 | Rotor Assembly, Wound | | | |
| 338-0724 | 1 | Harness, Wiring - Includes Fuse and Holder | | | |
| 301-3114 | 1 | Panel, Meter | | | |
| 332-0142 | 1 | Terminal, Solderless - Meter Panel | | | |
| 332-0237 | 1 | Strip, Marker | | | |
| 332-0231 | 1 | Block, Terminal | | | |
| 308-0154 | 1 | Switch, Start - Stop | | | |
| 302-0213 | 1 | Meter, Frequency (59-63 Hz) | | | |
| 302-0465 | 1 | Meter, Running Time (120 Volt) | | | |
| 302-0421 | 1 | Voltmeter, AC (0-300 Volt) | | | |
| 302-0418 | 2 | Ammeter, AC (0-30 Amp.) | | | |
| 320-0019 | 2 | Breaker, Circuit (25 Amp.) | | | |
| 405-2147 | 1 | Panel, Housing - Rear | | | |

SPECIAL PARTS LIST FOR MODEL 5.0CCK-5DR SPEC 16466R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 7
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. 611-1090-01

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|----------------------|------|--|----------|------|-------------|
| Vacu - Flo Cooling | | | | | |
| Spin - On Oil Filter | | | | | |
| 110-1860 | 1 | Block Assembly, Cylinder | | | |
| 526-0017 | 1 | Washer, Flat - Flywheel Mtg. | | | |
| 501-0003 | 1 | Line, Flexible - Oil Gauge | | | |
| 134-2786 | 1 | Housing, Blower | | | |
| 517-0035 | 1 | Plug, Dot Button (1 1/16 Hole) | | | |
| 134-2956 | 1 | Guard Scroll Outlet | | | |
| 332-0527 | 1 | Terminal, Choke Cover Wire | | | |
| 134-2237 | 1 | Housing, Cylinder Air - Right (No.2 Cylinder) | | | |
| 166-0643 | 1 | Coil, Ignition | | | |

SPECIAL PARTS LIST FOR MODEL 4.0CCK-3CR SPEC 16466V
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 5
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. 611-1142-02

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|--------------------|------|--|----------|------|-------------|
| Vacu-Flo Cooling | | | | | |
| Spin-On Oil Filter | | | | | |
| 167-0262 | 2 | Plug, Spark-Resistor Type | | | |
| 150-1467 | 1 | Linkage, Governor (Includes Parts Marked *) | | | |
| 150-0639 | 1 | * Joint, Ball | | | |
| 870-0131 | 1 | * Nut, Hex w/ET-Ball Joint (#10-32) | | | |
| 526-0196 | 1 | * Washer, Flat-Ball Joint | | | |
| 870-0053 | 1 | * Nut, Hex-Governor Rod (#10-32) | | | |
| 150-0430 | 1 | * Bracket, Governor Spring | | | |
| 150-0629 | 1 | * Rod, Governor | | | |

SPECIAL PARTS LIST FOR MODEL 4,0CCK-4R SPEC 16466V
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 5
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELC

WIRING DIAGRAM NO. 611-1142-02

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|--------------------|------|--|----------|------|-------------|
| Vacu-Flo Cooling | | | | | |
| Spin-On Oil Filter | | | | | |
| 167-0262 | 2 | Plug, Spark-Resistor Type | | | |
| 150-1467 | 1 | Linkage, Governor (Includes Parts Marked *) | | | |
| 150-0639 | 1 | * Joint, Ball | | | |
| 870-0131 | 1 | * Nut, Hex w/ET-Ball Joint (#10-32) | | | |
| 526-0196 | 1 | * Washer, Flat-Ball Joint | | | |
| 870-0053 | 1 | * Nut, Hex-Governor Rod (#10-32) | | | |
| 150-0430 | 1 | * Bracket, Governor Spring | | | |
| 150-0629 | 1 | * Rod, Governor | | | |

900-0043

Supplementary Parts List

for

Model 3.5CCK-53CE Spec 16511R

Standard Parts Catalog 927-0222 Parts Key _____

Parts Listed Below Apply to the Above Model. Use These Parts in Place of (or in Addition to) the Parts Listed in the Standard Parts Catalog.

| PART NO. | QUAN. | DESCRIPTION |
|----------|-------|--|
| | | This Model has been Modified for Mobile Application |
| 110-1860 | 1 | Block Assembly, Cylinder (Includes Bearings, Guides and Seats) |
| 155-0714 | 1 | Muffler, Exhaust |
| 505-0479 | 1 | Cap, Pipe - Exhaust Muffler |
| 502-0065 | 1 | Elbow, Inverted Male - Carburetor |
| 505-0019 | 1 | Bushing, Reduce - Oil Base |
| 122-0321 | 1 | Gasket, Oil Filter Adapter |
| 122-0320 | 1 | Adapter, Oil Filter |
| 122-0323 | 1 | Filter, Oil |
| 122-0345 | 1 | Tube, Oil Filter Drain |
| 122-0347 | 1 | Seal, Oil Filter |
| 309-0237 | 1 | Switch, Low Oil Pressure |
| 134-2111 | 1 | Scroll, Blower Housing (3 O'clock position) |
| 134-2956 | 1 | Guard, Scroll Outlet |
| 134-2775 | 1 | Housing, Blower |
| 517-0035 | 1 | Button, Dot |
| 308-0097 | 1 | Switch, Toggle |
| 134-2237 | 1 | Housing, Cylinder Air (Right Hand) |
| 145-0094 | 1 | Inlet, Carburetor Air |
| 166-0519 | 1 | Bracket, Timing |
| 140-1174 | 1 | Cleaner, Air |
| 149-1304 | 1 | Pump, Fuel (Electric) |
| 149-1397 | 1 | Screen, Fuel Pump Filter (Part of Fuel Pump) |
| 149-1399 | 1 | Gasket, Cap to Housing Valve (Part of Fuel Pump) |
| 149-1398 | 1 | Screen, Filter - (Part of Fuel Pump) |
| 149-1400 | 2 | Valve, Disc (Part of Fuel Pump) |
| 149-1401 | 1 | Gasket, Valve Housing to Pump Body (Part of Fuel Pump) |
| 149-1395 | 1 | Kit, Fuel Pump Point Repair |
| 149-1396 | 1 | Kit, Fuel Pump Bellows Repair |
| 330-0028 | 1 | Box, Outlet |
| 330-0006 | 1 | Cover, Outlet Box |
| 307-1498 | 1 | Relay, Start Solenoid |
| 508-0191 | 1 | Bushing, Nylon |
| 305-0235 | 1 | Rectifier |
| 308-0391 | 1 | Switch, Rocker (DPDT) |
| 301-3877 | 1 | Bracket, Control |
| 167-1520 | 1 | Lead, Hi Tension - Left Hand |
| | | Parts Not Furnished by ONAN |
| | | Electric Fuel Solenoid Valve |

SPECIAL PARTS LIST FOR MODEL 4.0CCK-3CR31 SPEC 16559R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 5
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. 611-1090-05

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|------------------------------|------|--|----------|------|-------------|
| Gas Fuel System | | | | | |
| Vacu - Flo Cooling | | | | | |
| High Air Temperature Cut Off | | | | | |
| 110-0893 | 4 | Washer, Valve Spring Retainer | | | |
| 150-1577 | 1 | Bracket, Governor Spring | | | |
| 526-0017 | 1 | Washer, Flat - Flywheel Mtg. | | | |
| 517-0035 | 1 | Plug, Dot Button (1 1/16 Hole) | | | |
| 134-2956 | 1 | Guard, Scroll Outlet | | | |
| 332-0556 | 1 | Connector, Quick Disconnect | | | |
| 134-2692 | 1 | Scroll, Air Duct | | | |
| 166-0643 | 1 | Coil, Ignition | | | |
| 307-0312 | 1 | Valve, Solenoid - Fuel | | | |
| 338-0723 | 1 | Harness, Wiring - Includes Fuse and Holder | | | |
| 149-0558 | 1 | Strainer | | | |
| 405-2147 | 1 | Panel, Housing - Rear | | | |
| 301-1385 | 1 | Panel, Control | | | |
| 308-0154 | 1 | Switch, Start - Stop | | | |

SPECIAL PARTS LIST FOR MODEL 5.0CCK-99E SPEC 16596R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 6
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW
 WIRING DIAGRAM NO. 606-0210-01

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|----------|------|-------------|----------|------|-------------|
|----------|------|-------------|----------|------|-------------|

NOTE: Contractors Model

| | | | | | |
|----------|---|-------------------------------|--|--|--|
| 201-2331 | 1 | Rotor Assembly, Wound | | | |
| 323-0213 | 2 | Receptacle, Duplex-240 Volt | | | |
| 502-0137 | 1 | Connector, Hose - Male (1/4") | | | |

SPECIAL PARTS LIST FOR MODEL 5.0CCK-3CR SPEC 16614R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 7
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW
 WIRING DIAGRAM NO. 611-1090-04

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|------------------------------|------|--|----------|------|-------------|
| Gas Fuel System | | | | | |
| Low Oil Pressure Cut Off | | | | | |
| High Air Temperature Cut Off | | | | | |
| Spin - On Oil Filter | | | | | |
| 110-1860 | 1 | Block Assembly, Cylinder | | | |
| 110-0893 | 4 | Washer, Valve Spring Retainer | | | |
| 150-1577 | 1 | Bracket, Governor Spring | | | |
| 114-0171 | 1 | Screw, Cylinder Head - High Air Temp. Switch Mounting | | | |
| 309-0255 | 1 | Switch, High Air Temperature | | | |
| 309-0237 | 1 | Switch, Low Oil Pressure | | | |
| 501-0003 | 1 | Line, Flexible - Oil Gauge | | | |
| 502-0017 | 1 | Connector, Female - Oil Gauge | | | |
| 134-2710 | 1 | Housing, Blower | | | |
| 148-0147 | 1 | Line, Fuel | | | |
| 134-2237 | 1 | Housing, Cylinder Air - Right (No. 2 Cylinder) | | | |
| 220-1821 | 1 | Stator Assembly, Wound | | | |
| 166-0643 | 1 | Coil, Ignition | | | |
| 338-0722 | 1 | Harness, Wiring - Includes Fuse and Holder | | | |

SPECIAL PARTS LIST FOR MODEL 5.0CCK-3R SPEC 16683R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 7
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELC

WIRING DIAGRAM NO. 611-1104-01

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|----------------------------|------|---|----------|------|-------------|
| Gas - Gasoline Fuel System | | | | | |
| Vacu - Flo Cooling | | | | | |
| Mounted Fuel Tank | | | | | |
| Housed | | | | | |
| Meter Panel | | | | | |
| Spin - On Oil Filter | | | | | |
| 110-1860 | 1 | Block Assembly, Cylinder | | | |
| 110-0893 | 4 | Washer, Valve Spring Retainer | | | |
| 526-0017 | 1 | Washer, Flat - Flywheel Mtg. | | | |
| 501-0003 | 1 | Line, Flexible Oil Gauge | | | |
| 134-2786 | 1 | Housing, Blower | | | |
| 517-0035 | 1 | Plug, Dot Button (1 1/16 Hole) | | | |
| 134-2956 | 1 | Guard, Scroll Outlet | | | |
| 154-0817 | 1 | Manifold, Intake | | | |
| 502-0065 | 1 | Elbow, Inverted Male - Carb Inlet | | | |
| 332-0527 | 1 | Terminal, Choke Cover Wire | | | |
| 134-2237 | 1 | Housing, Cylinder Air - Right (No. 2 Cylinder) | | | |
| 220-1821 | 1 | Stator Assembly, Wound | | | |
| 201-1903 | 1 | Rotor Assembly, Wound | | | |
| 166-0643 | 1 | Coil, Ignition | | | |
| 301-3114 | 1 | Panel, Meter | | | |
| 332-0142 | 1 | Terminal, Solderless - Meter Panel | | | |
| 332-0237 | 1 | Strip, Marker | | | |
| 332-0231 | 1 | Block, Terminal | | | |
| 308-0154 | 1 | Switch, Start - Stop | | | |
| 302-0213 | 1 | Meter, Frequency (59 - 63 Hz) | | | |
| 302-0465 | 1 | Meter, Running Time (120 Volt) | | | |
| 302-0421 | 1 | Voltmeter, AC (0-300 Volt) | | | |
| 302-0418 | 2 | Ammeter, AC (0-30 Amp.) | | | |
| 320-0019 | 2 | Breaker, Circuit (25 Amp.) | | | |
| 405-2147 | 1 | Panel, Housing - Rear | | | |
| 159-0592 | 1 | Tank, Fuel (6.5 Gal) Includes Cap | | | |
| 159-0594 | 2 | Band, Fuel Tank | | | |
| 501-0131 | 1 | Line, Fuel | | | |
| 159-0007 | 1 | Cap, Fuel Tank | | | |

SPECIAL PARTS LIST FOR MODEL 4.0CCK-4R SPEC 16745R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 5
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. 611-1090-11

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|---|------|--|----------|------|-------------|
| Vacu - Flo Cooling Low Oil Pressure Cut Off High Air Temperature Cut Off Mounted Fuel Tank Housed | | | | | |
| 102-0859 | 1 | Base, Oil - Includes Filler Neck | | | |
| 505-0110 | 1 | Plug, Oil Base (3/8) | | | |
| 505-0054 | 1 | Plug, Oil Base (1/4) | | | |
| 309-0237 | 1 | Switch, Low Oil Pressure | | | |
| 526-0017 | 1 | Washer, Flat - Flywheel Mtg. | | | |
| 517-0035 | 1 | Plug, Dot Button (1 1/16 Hole) | | | |
| 134-2956 | 1 | Guard, Scroll Outlet | | | |
| 332-0556 | 1 | Connector, Quick Disconnect | | | |
| 134-2692 | 1 | Scroll, Air Duct | | | |
| 166-0643 | 1 | Coil, Ignition | | | |
| 338-0739 | 1 | Harness, Wiring - Includes Fuse and Holder | | | |
| 405-2147 | 1 | Panel, Housing - Rear | | | |
| 301-1385 | 1 | Panel, Control | | | |
| 308-0154 | 1 | Switch, Start - Stop | | | |
| 159-0592 | 1 | Tank, Fuel (6.5 Gal.) - Includes Cap | | | |
| 159-0594 | 2 | Band, Fuel Tank | | | |
| 501-0131 | 1 | Line, Fuel | | | |
| 332-0527 | 1 | Terminal, Choke Cover Wire | | | |
| 159-0007 | 1 | Cap, Fuel Tank | | | |

SPECIAL PARTS LIST FOR MODEL 5.0CCK-4R SPEC 16745R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 7
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. 611-1090-11

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|----------|------|--|----------|------|-------------|
| | | Vacu - Flo Cooling | | | |
| | | Low Oil Pressure Cut Off | | | |
| | | High Air Temperature Cut Off | | | |
| | | Housed | | | |
| | | Mounted Fuel Tank | | | |
| 102-0859 | 1 | Base, Oil - Includes Filler Neck | | | |
| 505-0110 | 1 | Plug, Oil Base (3/8) | | | |
| 505-0054 | 1 | Plug, Oil Base (1/4) | | | |
| 309-0237 | 1 | Switch, Low Oil Pressure | | | |
| 526-0017 | 1 | Washer, Flat - Flywheel Mtg. | | | |
| 517-0035 | 1 | Plug, Dot Button (1 1/16 Hole) | | | |
| 134-2956 | 1 | Guard, Scroll Outlet | | | |
| 332-0556 | 1 | Connector, Quick Disconnect | | | |
| 134-2692 | 1 | Scroll, Air Duct | | | |
| 166-0643 | 1 | Coil, Ignition | | | |
| 338-0739 | 1 | Harness, Wiring - Includes Fuse and Holder | | | |
| 405-2147 | 1 | Panel, Housing - Rear | | | |
| 301-1385 | 1 | Panel, Control | | | |
| 308-0154 | 1 | Switch, Start - Stop | | | |
| 159-0592 | 1 | Tank, Fuel (6.5 Gal.) - Includes Cap | | | |
| 159-0594 | 2 | Band, Fuel Tank | | | |
| 501-0131 | 1 | Line, Fuel | | | |
| 332-0527 | 1 | Terminal, Choke Cover Wire | | | |
| 159-0007 | 1 | Cap, Fuel Tank | | | |

SPECIAL PARTS LIST FOR MODEL 5.0CCK-3CR SPEC 16754R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 7
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. 611-1090-04

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|---|------|---|----------|------|-------------|
| Gas Fuel System | | | | | |
| Vacu - Flo Cooling | | | | | |
| Housed | | | | | |
| Low Oil Pressure Cut Off | | | | | |
| High Air Temperature Cut Off | | | | | |
| Mounted Fuel Tank (Used as Oil Reservoir) | | | | | |
| 110-0893 | 4 | Washer, Valve Spring Retainer | | | |
| 150-1577 | 1 | Bracket, Governor Spring | | | |
| 102-0859 | 1 | Base, Oil - Includes Filler Neck | | | |
| 505-0110 | 1 | Plug, Oil Base (3/8) | | | |
| 505-0054 | 1 | Plug, Oil Base (1/4) | | | |
| 309-0237 | 1 | Switch, Low Oil Pressure | | | |
| 526-0017 | 1 | Washer, Flat - Flywheel Mtg. | | | |
| 517-0035 | 1 | Plug, Dot Button (1 1/16 Hole) | | | |
| 134-2956 | 1 | Guard, Scroll Outlet | | | |
| 332-0556 | 1 | Connector, Quick Disconnect | | | |
| 134-2692 | 1 | Scroll, Air Duct | | | |
| 220-1821 | 1 | Stator Assembly, Wound | | | |
| 166-0643 | 1 | Coil, Ignition | | | |
| 338-0722 | 1 | Harness, Wiring - Includes Fuse and Holder | | | |
| 405-2147 | 1 | Panel, Housing - Rear | | | |
| 301-1385 | 1 | Panel, Control | | | |
| 308-0154 | 1 | Switch, Start - Stop | | | |
| 159-0592 | 1 | Tank, Oil Reservoir (6.5 Gal.) Includes Cap | | | |
| 159-0594 | 2 | Band, Oil Reservoir Tank | | | |
| 501-0131 | 1 | Line, Oil | | | |
| 504-0013 | 1 | Valve, Oil Tank Shut - Off | | | |
| 159-0007 | 1 | Cap, Oil Tank | | | |

SPECIAL PARTS LIST FOR MODEL 4.0 CCK-99R SPEC 16792R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 5
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 611-1090-01

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|----------|------|------------------------|----------|------|-------------|
| 166-0643 | 1 | Coil, Ignition | | | |
| 220-1818 | 1 | Stator Assembly, Wound | | | |
| 201-2485 | 1 | Rotor Assembly, Wound | | | |

SPECIAL PARTS LIST FOR MODEL 4.0CCK-3R SPEC 16820R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 5
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. 611-1122-10

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|--------------------------|------|--|----------|------|-------------|
| Gas Fuel System | | | | | |
| Vacu - Flo Cooling | | | | | |
| Housed | | | | | |
| Low Oil Pressure Cut Off | | | | | |
| Meter Panel | | | | | |
| 110-0893 | 4 | Washer, Valve Spring Retainer | | | |
| 150-0159 | 1 | Bracket, Governor Spring | | | |
| 102-0859 | 1 | Base, Oil - Includes Filler Neck | | | |
| 505-0110 | 1 | Plug, Oil Base (3/4) | | | |
| 505-0054 | 1 | Plug, Oil Base (1/4) | | | |
| 309-0237 | 1 | Switch, Low Oil Pressure | | | |
| 526-0017 | 1 | Washer, Flat - Flywheel Mtg. | | | |
| 517-0035 | 1 | Plug, Dot Button (1 1/16 Hole) | | | |
| 134-2956 | 1 | Guard, Scroll Outlet | | | |
| 201-1907 | 1 | Rotor Assembly, Wound | | | |
| 220-1818 | 1 | Stator Assembly, Wound | | | |
| 166-0643 | 1 | Coil, Ignition | | | |
| 338-0738 | 1 | Harness, Wiring - Includes Fuse and Holder | | | |
| 301-3114 | 1 | Panel, Meter | | | |
| 332-0142 | 1 | Terminal, Solderless - Meter Panel | | | |
| 332-0237 | 1 | Strip, Marker | | | |
| 332-0231 | 1 | Block, Terminal | | | |
| 308-0154 | 1 | Switch, Start - Stop | | | |
| 302-0213 | 1 | Meter, Frequency (59-63 Hz) | | | |
| 302-0465 | 1 | Meter, Running Time (120 Volt) | | | |
| 302-0421 | 1 | Voltmeter, AC (0-300 Volt) | | | |
| 302-0460 | 2 | Ammeter, AC (0-20 Amp.) | | | |
| 320-0170 | 2 | Breaker, Circuit (18 Amp.) | | | |
| 405-2147 | 1 | Panel, Housing - Rear | | | |

Sept 1, 1978

Dated

Revised

1

1

SPECIAL PARTS LIST FOR MODEL 5.0CCK-3CR SPEC 16837R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 7
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. 611-1090-11

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|----------|------|---|----------|------|-------------|
| | | Vacu - Flo Cooling | | | |
| | | Low Oil Pressure Cut Off | | | |
| | | High Air Temperature Cut Off | | | |
| | | Rope Sheave | | | |
| 309-0237 | 1 | Switch, Low Oil Pressure | | | |
| 526-0017 | 1 | Washer, Flat - Flywheel Mtg. | | | |
| 517-0035 | 1 | Plug, Dot Button (1 1/16 Hole) | | | |
| 134-2956 | 1 | Guard, Scroll Outlet | | | |
| 332-0556 | 1 | Connector, Quick Disconnect | | | |
| 134-0851 | 1 | Scroll, Air Duct | | | |
| 166-0643 | 1 | Coil, Ignition | | | |
| 338-0739 | 1 | Harness, Wiring - Includes Fuse and Holder | | | |
| 332-0527 | 1 | Terminal, Choke Cover Wire | | | |
| 220-1821 | 1 | Stator Assembly, Wound | | | |

SPECIAL PARTS LIST FOR MODEL 3.5CCK-53CR SPEC 16868R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. 611-1090

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|-----------------|------|---------------------------------------|----------|------|-------------|
| Vacu Flo Cooled | | | | | |
| 102-0859 | 1 | Base, Oil | | | |
| 502-0058 | 1 | Tee, Oil Base | | | |
| 505-0110 | 1 | Plug, Oil Base | | | |
| 505-0054 | 1 | Plug, Oil Base | | | |
| 220-1818 | 1 | Stator Assy, Wound | | | |
| 201-1963 | 1 | Armature Assy, Wound | | | |
| 309-0237 | 1 | Switch, Low Oil Pressure Cut off | | | |
| 517-0035 | 1 | Button, Dot Blower Housing | | | |
| 134-2956 | 1 | Guard, Scroll Outlet | | | |
| 309-0002 | 1 | Switch, Hi Air Temperature Cut off | | | |
| 508-0031 | 1 | Grommet, Rubber | | | |
| 134-2962 | 1 | Scroll, Blower Hsg. | | | |

SPECIAL PARTS LIST FOR MODEL 3.5 CCK-53CR SPEC 16876R

FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 2

(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW

WIRING DIAGRAM NO. 611-1090

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|----------------|------|---|----------|------|-------------|
| Gas Carburetor | | | | | |
| 192-0308 | 1 | Sheave, Rope | | | |
| 110-0893 | 4 | Washer, Valve-Spring-Retainer | | | |
| 110-0883 | 1 | Head, Cylinder L.S. | | | |
| 110-0884 | 1 | Head, Cylinder R.S. | | | |
| 160-1171 | 1 | Box Assy, Ignition Breaker (for Components Refer to Main Parts Catalog) | | | |
| 142-0372 | 1 | Carburetor (for Components Refer to Main Parts Catalog) | | | |
| 148-0147 | 1 | Pipe, Fuel | | | |
| 150-0159 | 1 | Bracket, Governor Spring | | | |
| 220-1818 | 1 | Stator Assy, Wound | | | |
| 201-2323 | 1 | Armature Assy, Wound | | | |

SPECIAL PARTS LIST FOR MODEL 4.0CCK-3CR SPEC 16904R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 5
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. 611-1090-06

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|--------------------------|------|---|----------|------|-------------|
| Vacu - Flo Cooling | | | | | |
| Low Oil Pressure Cut Off | | | | | |
| Housed | | | | | |
| 309-0237 | 1 | Switch, Low Oil Pressure | | | |
| 102-0859 | 1 | Base, Oil - Includes Filler Neck | | | |
| 505-0110 | 1 | Plug, Oil Base (3/8) | | | |
| 505-0054 | 1 | Plug, Oil Base (1/4) | | | |
| 526-0017 | 1 | Washer, Flat - Plywheel Mtg. | | | |
| 134-2956 | 1 | Guard, Scroll Outlet | | | |
| 517-0035 | 1 | Plug, Dot Button (1 1/16 Hole) | | | |
| 332-0527 | 1 | Terminal, Choke Cover Wire | | | |
| 166-0643 | 1 | Coil, Ignition | | | |
| 338-0724 | 1 | Harness, Wiring - Includes Fuse and Holder | | | |
| 405-2147 | 1 | Panel, Housing - Rear | | | |
| 301-1385 | 1 | Panel, Control | | | |
| 308-0154 | 1 | Switch, Start - Stop | | | |

SPECIAL PARTS LIST FOR MODEL 5.0CCK-3CR SPEC 16904R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 7
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. 611-1090-06

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|--------------------------|------|--|----------|------|-------------|
| Vacu - Flo Cooling | | | | | |
| Low Oil Pressure Cut Off | | | | | |
| Housed | | | | | |
| 309-0237 | 1 | Switch, Low Oil Pressure | | | |
| 102-0859 | 1 | Base, Oil - Includes Filler Neck | | | |
| 505-0110 | 1 | Plug, Oil Base (3/8) | | | |
| 505-0054 | 1 | Plug, Oil Base (1/4) | | | |
| 526-0017 | 1 | Washer, Flat - Flywheel Mtg. | | | |
| 134-2956 | 1 | Guard, Scroll Outlet | | | |
| 517-0035 | 1 | Plug, Dot Button (1 1/16 Hole) | | | |
| 220-1821 | 1 | Stator Assembly, Wound | | | |
| 166-0643 | 1 | Coil, Ignition | | | |
| 338-0724 | 1 | Harness, Wiring - Includes Fuse and Holder | | | |
| 405-2147 | 1 | Panel, Housing - Rear | | | |
| 301-1385 | 1 | Panel, Control | | | |
| 308-0154 | 1 | Switch, Start - Stop | | | |
| 332-0527 | 1 | Terminal, Choke Cover Wire | | | |

SPECIAL PARTS LIST FOR MODEL 4.2CCK-57R SPEC 17014R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 3
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. 611-1090-01

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|----------|------|----------------------------|----------|------|-------------|
| 155-0550 | 1 | Muffler, Exhaust | | | |
| 332-0527 | 1 | Terminal, Choke Cover Wire | | | |
| 166-0643 | 1 | Coil, Ignition | | | |

SPECIAL PARTS LIST FOR **MODEL** 4.0 CCK-3CR **SPEC** 17023R
 FOR STANDARD PARTS REFER TO **CATALOG** 927-0222 **KEY NO.** 5
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW
WIRING DIAGRAM NO. (ENG) 611-1090-01

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|-------------------|------|--------------------------|----------|------|-------------|
| Vacu - Flo Cooled | | | | | |
| 166-0643 | 1 | Coil, Ignition | | | |
| 403-0986 | 1 | Plate, Mounting | | | |
| 402-0373 | 1 | Mounting Cushion Package | | | |

SPECIAL PARTS LIST FOR MODEL 5.0CCK-3CR SPEC 17088R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 7
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. 611-1090-10

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|--------------------------|------|--|----------|------|-------------|
| Gas Fuel System | | | | | |
| Vacu - Flo Cooling | | | | | |
| Low Oil Pressure Cut Off | | | | | |
| Spin - On Oil Filter | | | | | |
| 110-1860 | 1 | Block Assembly, Cylinder | | | |
| 110-0893 | 4 | Washer, Valve Spring Retainer | | | |
| 150-0159 | 1 | Bracket, Governor Spring | | | |
| 309-0237 | 1 | Switch, Low Oil Pressure | | | |
| 526-0017 | 1 | Washer, Flat - Flywheel Mtg. | | | |
| 501-0003 | 1 | Line, Flexible - Oil Gauge | | | |
| 134-2786 | 1 | Housing, Blower | | | |
| 517-0035 | 1 | Plug, Dot Button (1 1/16 Hole) | | | |
| 134-2956 | 1 | Guard, Scroll Outlet | | | |
| 134-2237 | 1 | Housing, Cylinder Air - Right (#2 Cylinder) | | | |
| 220-1821 | 1 | Stator Assembly, Wound | | | |
| 166-0643 | 1 | Coil, Ignition | | | |
| 338-0738 | 1 | Harness, Wiring - Includes Fuse and Holder | | | |

Dated Sept 1, 1978

Revised

Page 1 of 1

SPECIAL PARTS LIST FOR MODEL 5.0CCK-3CR SPEC 17121R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 7
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. 611-1090-09

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|------------------------------|------|--|----------|------|-------------|
| Gas - Gasoline Fuel System | | | | | |
| Vacu - Flo Cooling | | | | | |
| High Air Temperature Cut Off | | | | | |
| Spin - On Oil Filter | | | | | |
| 501-0004 | 1 | Line, Flexible Fuel - 12" | | | |
| 309-0113 | 1 | Switch, Low Oil Pressure | | | |
| 110-1957 | 1 | Block Assembly, Cylinder | | | |
| 110-1827 | 2 | Guide, Intake Valve | | | |
| 110-0902 | 2 | Guide, Exhaust Valve | | | |
| 110-0893 | 4 | Washer, Valve Spring Retainer | | | |
| 509-0090 | 2 | Oil Seal, Valve Stem | | | |
| 501-0015 | 1 | Line, Oil | | | |
| 150-1577 | 1 | Bracket, Governor Spring | | | |
| 526-0017 | 1 | Washer, Flat - Flywheel Mtg. | | | |
| 517-0035 | 1 | Plug, Dot Button (1 1/16 Hole) | | | |
| 134-2235 | 1 | Housing, Blower | | | |
| 134-2692 | 1 | Scroll, Air Duct | | | |
| 332-0556 | 1 | Connector, Quick Disconnect | | | |
| 134-2956 | 1 | Guard, Scroll Outlet | | | |
| 502-0065 | 1 | Elbow, Inverted Male - Carb Inlet | | | |
| 332-0527 | 1 | Terminal, Choke Cover Wire | | | |
| 193-0205 | 1 | Bracket and Fitting Assy, Oil (Manifold Mounting) | | | |
| 502-0065 | 1 | Elbow, Oil Bracket and Fitting Assembly | | | |
| 505-0057 | 2 | Plug, Oil Bracket and Fitting Assembly | | | |
| 134-2237 | 1 | Housing, Cylinder Air - Right (#2 Cylinder) | | | |
| 220-1821 | 1 | Stator Assembly, Wound | | | |
| 166-0643 | 1 | Coil, Ignition | | | |
| 338-0732 | 1 | Harness, Wiring - Includes Fuse and Holder | | | |
| Parts not Furnished by Onan | | | | | |
| Fuel Pump | | | | | |
| Standard Oil Gauge | | | | | |

SPECIAL PARTS LIST FOR MODEL 4.0CCK-3CR SPEC 17134R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 5
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. 611-1090-01

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|----------------------------|------|---|----------|------|-------------|
| Gas - Gasoline Fuel System | | | | | |
| Vacu - Flo Cooling | | | | | |
| Spin - On Oil Filter | | | | | |
| 110-1860 | 1 | Block Assembly, Cylinder | | | |
| 110-0893 | 4 | Washer, Valve Spring Retainer | | | |
| 526-0017 | 1 | Washer, Flat - Flywheel Mtg. | | | |
| 501-0003 | 1 | Line, Flexible Oil Gauge | | | |
| 134-2786 | 1 | Housing, Blower | | | |
| 517-0035 | 1 | Plug, Dot Button (1 1/16 Hole) | | | |
| 134-2956 | 1 | Guard, Scroll Outlet | | | |
| 154-0817 | 1 | Manifold, Intake | | | |
| 502-0065 | 1 | Elbow, Inverted Male - Carb Inlet | | | |
| 332-0527 | 1 | Terminal, Choke Cover Wire | | | |
| 134-2237 | 1 | Housing, Cylinder Air - Right (No. 2 Cylinder) | | | |
| 166-0643 | 1 | Coil, Ignition | | | |

Sept 1, 1978

1

1

Dated

Revised

2

SPECIAL PARTS LIST FOR MODEL 5.0CCK-3CR SPEC 1/134K
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 7
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. 611-1090-01

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|----------------------------|------|---|----------|------|-------------|
| Gas - Gasoline Fuel System | | | | | |
| Vacu - Flo Cooling | | | | | |
| Spin - On Oil Filter | | | | | |
| 110-1860 | 1 | Block Assembly, Cylinder | | | |
| 110-0893 | 4 | Washer, Valve Spring Retainer | | | |
| 526-0017 | 1 | Washer, Flat - Flywheel Mtg. | | | |
| 501-0003 | 1 | Line, Flexible Oil Gauge | | | |
| 134-2786 | 1 | Housing, Blower | | | |
| 517-0035 | 1 | Plug, Dot Button (1 1/16 Hole) | | | |
| 134-2956 | 1 | Guard, Scroll Outlet | | | |
| 154-0817 | 1 | Manifold, Intake | | | |
| 502-0065 | 1 | Elbow, Inverted Male - Carb Inlet | | | |
| 332-0527 | 1 | Terminal, Choke Cover Wire | | | |
| 134-2237 | 1 | Housing, Cylinder Air - Right (No. 2 Cylinder) | | | |
| 166-0643 | 1 | Coil, Ignition | | | |
| 220-1821 | 1 | Stator Assembly, Wound | | | |

SPECIAL PARTS LIST FOR MODEL 4.0CCK-3CR SPEC 17134V
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 5
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. 611-1142-02

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|-------------------------|------|--|----------|------|-------------|
| Gas/Gasoline Carburetor | | | | | |
| Vacu-Flo Cooling | | | | | |
| Spin-On Oil Filter | | | | | |
| 167-0262 | 2 | Plug, Spark-Resistor Type | | | |
| 150-1467 | 1 | Linkage, Governor (Includes Parts Marked *) | | | |
| 150-0639 | 1 | * Joint, Ball | | | |
| 870-0131 | 1 | * Nut, Hex w/ET-Ball Joint (#10-32) | | | |
| 526-0196 | 1 | * Washer, Flat-Ball Joint | | | |
| 870-0053 | 1 | * Nut, Hex-Governor Rod (#10-32) | | | |
| 150-0430 | 1 | * Bracket, Governor Spring | | | |
| 150-0629 | 1 | * Rod, Governor | | | |
| 516-0039 | 1 | Pin, Choke Lock | | | |

SPECIAL PARTS LIST FOR MODEL 5.0CCK-3CR SPEC 17134V
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 7
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. 611-1142-02

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|-------------------------|------|--|----------|------|-------------|
| Gas/Gasoline Carburetor | | | | | |
| Vacu-Flo Cooling | | | | | |
| Spin-On Oil Filter | | | | | |
| 167-0262 | 2 | Plug, Spark-Resistor Type | | | |
| 150-1467 | 1 | Linkage, Governor (Includes Parts Marked *) | | | |
| 150-0639 | 1 | * Joint, Ball | | | |
| 870-0131 | 1 | * Nut, Hex w/ET-Ball Joint (#10-32) | | | |
| 526-0196 | 1 | * Washer, Flat-Ball Joint | | | |
| 870-0053 | 1 | * Nut, Hex-Governor Rod (#10-32) | | | |
| 150-0430 | 1 | * Bracket, Governor Spring | | | |
| 150-0629 | 1 | * Rod, Governor | | | |
| 516-0039 | 1 | Pin, Choke Lock | | | |

SPECIAL PARTS LIST FOR MODEL 5.0CCK-3CR SPEC 1/182K
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 7
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. 611-1090-11

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|---|------|--|----------|------|-------------|
| Vacu - Flo Cooling Housed Mounted Fuel Tank Low Oil Pressure Cut Off High Air Temperature Cut Off Spin - On Oil Filter | | | | | |
| 110-1860 | 1 | Block Assembly, Cylinder | | | |
| 309-0237 | 1 | Switch, Low Oil Pressure | | | |
| 526-0017 | 1 | Washer, Flat - Flywheel Mtg. | | | |
| 501-0003 | 1 | Line, Flexible - Oil Gauge | | | |
| 134-2786 | 1 | Housing, Blower | | | |
| 517-0035 | 1 | Plug, Dot Button (1 1/16 Hole) | | | |
| 134-2956 | 1 | Guard, Scroll Outlet | | | |
| 332-0556 | 1 | Connector, Quick Disconnect | | | |
| 134-2692 | 1 | Scroll, Air Duct | | | |
| 332-0527 | 1 | Terminal, Choke Cover Wire | | | |
| 134-2237 | 1 | Housing, Cylinder Air - Right (#2 Cylinder) | | | |
| 220-1821 | 1 | Stator Assembly, Wound | | | |
| 166-0643 | 1 | Coil, Ignition | | | |
| 338-0739 | 1 | Harness, Wiring - Includes Fuse and Holder | | | |
| 405-2147 | 1 | Panel, Housing - Rear | | | |
| 301-1385 | 1 | Panel, Control | | | |
| 308-0154 | 1 | Switch, Start - Stop | | | |
| 159-0592 | 1 | Tank, Fuel (6.5 Gal.) Includes Cap | | | |
| 159-0594 | 2 | Band, Fuel Tank | | | |
| 501-0131 | 1 | Line, Fuel | | | |
| 159-0007 | 1 | Cap, Fuel Tank | | | |

SPECIAL PARTS LIST FOR MODEL 5.0CCK-3R SPEC 17256R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 7
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. 611-1110-09

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|------------------------------|------|--|----------|------|-------------|
| Vacu - Flo Cooling | | | | | |
| Mounted Fuel Tank | | | | | |
| High Air Temperature Cut Off | | | | | |
| Housed | | | | | |
| Meter Panel | | | | | |
| 526-0017 | 1 | Washer, Flat - Flywheel Mtg. | | | |
| 517-0035 | 1 | Plug, Dot Button (1 1/16 Hole) | | | |
| 134-2956 | 1 | Guard, Scroll Outlet | | | |
| 332-0556 | 1 | Connector, Quick Disconnect | | | |
| 134-2692 | 1 | Scroll, Air Duct | | | |
| 332-0527 | 1 | Terminal, Choke Cover Wire | | | |
| 220-1821 | 1 | Stator Assembly, Wound | | | |
| 166-0643 | 1 | Coil, Ignition | | | |
| 338-0732 | 1 | Harness, Wiring - Includes Fuse and Holder | | | |
| 301-1380 | 1 | Panel, Meter | | | |
| 332-0142 | 2 | Terminal, Solderless - Meter Panel | | | |
| 332-0237 | 1 | Strip, Marker | | | |
| 332-0231 | 1 | Block, Terminal | | | |
| 308-0154 | 1 | Switch, Start - Stop | | | |
| 323-0184 | 1 | Receptacle, Duplex | | | |
| 302-0421 | 1 | Voltmeter, AC (0-300 Volt) | | | |
| 302-0418 | 2 | Ammeter, AC (0-30 Amp.) | | | |
| 320-0019 | 2 | Breaker, Circuit (25 Amp.) | | | |
| 405-2147 | 1 | Panel, Housing - Rear | | | |
| 159-0592 | 1 | Tank, Fuel (6.5 Gal.) - Includes Cap | | | |
| 159-0594 | 2 | Band, Fuel Tank | | | |
| 501-0131 | 1 | Line, Fuel | | | |
| 159-0007 | 1 | Cap, Fuel Tank | | | |
| 201-1903 | 1 | Rotor Assembly, Wound | | | |

SPECIAL PARTS LIST FOR MODEL 5.0CCK-3R SPEC 17256V
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 7
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. 611-1158-02

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|---|------|--|----------|------|-------------|
| Housed Unit Meter Panel Vacu-Flo Cooling Mounted Fuel Tank High Air Temperature Cut Off | | | | | |
| 167-0262 | 2 | Plug, Spark-Resistor Type | | | |
| 150-1467 | 1 | Linkage, Governor (Includes Parts Marked *) | | | |
| 150-0639 | 1 | * Joint, Ball | | | |
| 870-0131 | 1 | * Nut, Hex w/ET-Ball Joint (#10-32) | | | |
| 526-0196 | 1 | * Washer, Flat-Ball Joint | | | |
| 870-0053 | 1 | * Nut, Hex-Governor Rod (#10-32) | | | |
| 150-0430 | 1 | * Bracket, Governor Spring | | | |
| 150-0629 | 1 | * Rod, Governor | | | |

SPECIAL PARTS LIST FOR MODEL 4.0CCK-4R SPEC 17345R

FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 5

(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)611-1090-06

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|----------|------|--------------------------|----------|------|-------------|
| | | Vacu-Flo Cooling | | | |
| | | Low Oil Pressure Cut Off | | | |
| | | Spin-On Oil Filter | | | |
| 309-0237 | 1 | Switch, Low Oil Pressure | | | |

SPECIAL PARTS LIST FOR MODEL 5.0CCK-4R SPEC 17345R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 7
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. 611-1090-06

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|----------|------|--|----------|------|-------------|
| | | Vacu - Flo Cooling | | | |
| | | Low Oil Pressure Cut Off | | | |
| | | Spin - On Oil Filter | | | |
| 110-1860 | 1 | Block Assembly, Cylinder | | | |
| 309-0237 | 1 | Switch, Low Oil Pressure | | | |
| 526-0017 | 1 | Washer, Flat - Flywheel Mtg. | | | |
| 501-0003 | 1 | Line, Flexible - Oil Gauge | | | |
| 134-2786 | 1 | Housing, Blower | | | |
| 517-0035 | 1 | Plug, Dot Button (1 1/16 Hole) | | | |
| 134-2956 | 1 | Guard, Scroll Outlet | | | |
| 332-0527 | 1 | Terminal, Choke Cover Wire | | | |
| 134-2237 | 1 | Housing, Cylinder Air - Right (#2 Cylinder) | | | |
| 166-0643 | 1 | Coil, Ignition | | | |
| 338-0724 | 1 | Harness, Wiring - Includes Fuse and Holder | | | |

900-0043

Supplementary Parts List

for

Model 4.0CCK-52R Spec 17371R

Standard Parts Catalog 927-0222 Parts Key 3

Parts Listed Below Apply to the Above Model. Use These Parts in Place of (or in Addition to) the Parts Listed in the Standard Parts Catalog.

| PART NO. | QUAN. | DESCRIPTION |
|--|-------|--|
| NOTE: This model has Optional Housing, Vacu-Flo cooling and Full Flow Oil Filter with Complete Breakdown in Main Parts Catalog. Mounted Fuel Tank. | | |
| 110-1860 | 1 | Block Assembly, Cylinder |
| 516-0141 | 2 | Pin, Gear Cover |
| 110-1656 | 2 | Gasket, Cylinder head |
| 160-1042 | 1 | Box, Breaker |
| 160-1040 | 1 | Gasket, Breaker Box Cover |
| 515-0227 | 1 | Key Kit, Flywheel |
| 501-0003 | 1 | Line, Flexible Oil |
| 192-0272 | 1 | Sheave, Rope |
| 134-2786 | 1 | Housing, Blower |
| 517-00035 | 1 | Plug, Dot Button |
| 167-0237 | 2 | Plug, Spark |
| 134-0564 | 1 | Scroll, Air |
| 134-2956 | 1 | Guard, Scroll Outlet |
| 134-2237 | 1 | Housing, Cylinder Air - Right Hand |
| 159-0617 | 1 | Neck, Oil Fill |
| 150-1116 | 1 | Cup, Governor |
| 159-0592 | 1 | Tank, Fuel (6.5 gallon) Mounted |
| 159-0594 | 2 | Strap, Fuel Tank Mounting |
| 159-0080 | 1 | Cap, Fuel Tank |
| 501-0131 | 1 | Line, Fuel Flexible - Tank to Unit - 24" |
| 504-0013 | 1 | Valve, Fuel Tank Shut-Off |
| 800-0081 | 4 | Screw, Vibration Mounting |
| 405-2147 | 1 | Panel, Housing - Rear |
| 301-1385 | 1 | Panel, Control |
| 308-0154 | 1 | Switch, Toggle |
| 201-1912 | 1 | Rotor Assembly, Wound |
| 220-1822 | 1 | Stator Assembly, Wound |
| 312-0027 | 1 | Coil, Ignition |
| CABLE, SPARK PLUG | | |
| 167-1386 | 1 | 11½" |
| 167-1574 | 1 | 17" |
| 320-0018 | 1 | Breaker, Circuit - 20 Amp |
| 323-0213 | 1 | Receptacle, Duplex |
| 302-0418 | 1 | Ammeter |
| 302-0421 | 1 | Voltmeter |

900-0043

Supplementary Parts List

for

Model 4.0CCK-52R Spec 17371R

Standard Parts Catalog 927-0222 Parts Key 3

Parts Listed Below Apply to the Above Model. Use These Parts in Place of (or in Addition to) the Parts Listed in the Standard Parts Catalog.

| PART NO. | QUAN. | DESCRIPTION |
|----------|-------|-------------------------|
| 302-0469 | 1 | Meter, Running Time |
| 302-0256 | 1 | Meter, Frequency |
| 308-0154 | 1 | Switch, Start-Stop |
| 332-0231 | 1 | Block, Terminal |
| 301-2045 | 1 | Panel, Housing Meter |
| 301-3802 | 1 | Cover, Instrument Panel |
| 192-0272 | 1 | Sheave, Rope |

SPECIAL PARTS LIST FOR MODEL 4.0CCK-3CE SPEC 17534R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 4
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. 606-0203

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|---------------------|------|--------------------------------------|----------|------|-------------|
| Contractors Models | | | | | |
| Full Flo Oil Filter | | | | | |
| 110-1860 | 1 | Block Assy, Cylinder | | | |
| 309-0237 | 1 | Switch, Low Oil Pressure Cutoff | | | |
| 503-0107 | 1 | Clamp, Hose | | | |
| 403-1248 | 1 | Bracket, Lifting | | | |
| 508-0095 | 2 | Grommet, Rubber | | | |
| 192-0308 | 1 | Sheave, Rope | | | |
| 220-1818 | 1 | Stator Assy, Wound | | | |
| 201-1907 | 1 | Armature Assy, Wound | | | |
| 502-0137 | 1 | Connector, Hose | | | |
| 416-0657 | 1 | Cable, Battery (B+) | | | |
| 501-0003 | 1 | Line, Oil | | | |
| 150-0678 | 1 | Clip, Sensitivity | | | |
| 332-0152 | 4 | Terminal Ring | | | |
| 153-0249 | 1 | Bracket, Choke | | | |
| 149-0271 | 1 | Lever, Fuel Pump Primer | | | |
| 153-0094 | 1 | Choke | | | |
| 518-0176 | 1 | Clip, Choke Bracket | | | |
| 134-2237 | 1 | Housing, Cylinder Air RH | | | |
| 309-0255 | 1 | Switch, Hi Air Temperature Cutoff | | | |
| 134-2867 | 1 | Housing, Blower | | | |
| 502-0017 | 1 | Connector, Female | | | |

SPECIAL PARTS LIST FOR MODEL 5.0CCK-3R SPEC 17554R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 7
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. 611-1104-01

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|----------------------------|------|------------------------------------|----------|------|-------------|
| Gas - Gasoline Fuel System | | | | | |
| Vacu - Flo Cooling | | | | | |
| Housed | | | | | |
| Meter Panel | | | | | |
| 110-0893 | 4 | Washer, Valve Spring Retainer | | | |
| 102-0859 | 1 | Base, Oil - Includes Fillter Neck | | | |
| 505-0110 | 1 | Plug, Oil Base (3/8) | | | |
| 505-0054 | 1 | Plug, Oil Base (1/4) | | | |
| 526-0017 | 1 | Washer, Flat - Flywheel Mtg. | | | |
| 134-2956 | 1 | Guard, Scroll Outlet | | | |
| 517-0035 | 1 | Plug, Dot Button (1 1/16 Hole) | | | |
| 154-0817 | 1 | Manifold, Intake | | | |
| 502-0065 | 1 | Elbow, Inverted Male - Carb | | | |
| 220-1821 | 1 | Stator Assembly, Wound | | | |
| 201-1903 | 1 | Rotor Assembly, Wound | | | |
| 166-0643 | 1 | Coil, Ignition | | | |
| 301-3114 | 1 | Panel, Meter | | | |
| 332-0142 | 1 | Terminal, Solderless - Meter Panel | | | |
| 332-0237 | 1 | Strip, Marker | | | |
| 332-0231 | 1 | Block, Terminal | | | |
| 308-0154 | 1 | Switch, Start - Stop | | | |
| 302-0213 | 1 | Meter, Frequency (59 - 63 Hz) | | | |
| 302-0465 | 1 | Meter, Running Time (120 Volt) | | | |
| 302-0421 | 1 | Voltmeter, AC (0-300 Volt) | | | |
| 302-0418 | 2 | Ammeter, AC (0-30 Amp.) | | | |
| 320-0019 | 2 | Breaker, Circuit (25 Amp.) | | | |
| 405-2147 | 1 | Panel, Housing Rear | | | |
| 332-0527 | 1 | Terminal, Choke Cover Wire | | | |

SPECIAL PARTS LIST FOR MODEL 4.0CCK-3R SPEC 17554V
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 5
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. 611-1156-03

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|-------------------------|------|--|----------|------|-------------|
| Housed Unit | | | | | |
| Gas/Gasoline Carburetor | | | | | |
| Vacu-Flo Cooling | | | | | |
| Meter Panel | | | | | |
| Oil Base Heater | | | | | |
| 167-0262 | 2 | Plug, Spark-Resistor Type | | | |
| 150-1467 | 1 | Linkage, Governor (Includes Parts Marked *) | | | |
| 150-0639 | 1 | * Joint, Ball | | | |
| 870-0131 | 1 | * Nut, Hex w/ET-Ball Joint (#10-32) | | | |
| 526-0196 | 1 | * Washer, Flat-Ball Joint | | | |
| 870-0053 | 1 | * Nut, Hex-Governor Rod (#10-32) | | | |
| 150-0430 | 1 | * Bracket, Governor Spring | | | |
| 150-0629 | 1 | * Rod, Governor | | | |
| 201-2504 | 1 | Rotor Assembly, Wound | | | |
| 220-1818 | 1 | Stator Assembly, Wound | | | |
| 516-0039 | 1 | Pin, Choke Lock | | | |

SPECIAL PARTS LIST FOR MODEL 5.0CCK-4R SPEC 17627R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 7
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. 611-1090-06

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|----------------------------|------|--|----------|------|-------------|
| Gas - Gasoline Fuel System | | | | | |
| Vacu - Flo Cooling | | | | | |
| Low Oil Pressure Cut Off | | | | | |
| Housed | | | | | |
| Mounted Fuel Tank | | | | | |
| Spin - On Oil Filter | | | | | |
| 110-1860 | 1 | Block Assembly, Cylinder | | | |
| 110-0893 | 4 | Washer, Valve Spring Retainer | | | |
| 309-0237 | 1 | Switch, Low Oil Pressure | | | |
| 526-0017 | 1 | Washer, Flat - Flywheel Mtg. | | | |
| 501-0003 | 1 | Line, Flexible - Oil Gauge | | | |
| 134-2786 | 1 | Housing, Blower | | | |
| 517-0035 | 1 | Plug, Dot Button (1 1/16 Hole) | | | |
| 134-2956 | 1 | Guard, Scroll Outlet | | | |
| 154-0817 | 1 | Manifold, Intake | | | |
| 502-0065 | 1 | Elbow, Inverted Male - Carb Inlet | | | |
| 332-0527 | 1 | Terminal, Choke Cover Wire | | | |
| 134-2237 | 1 | Housing, Cylinder Air - Right (#2 Cylinder) | | | |
| 166-0643 | 1 | Coil, Ignition | | | |
| 338-0724 | 1 | Harness, Wiring - Includes Fuse and Holder | | | |
| 159-0592 | 1 | Tank, Fuel (6.5 Gal.) - Includes Cap | | | |
| 159-0594 | 2 | Band, Fuel Tank | | | |
| 501-0131 | 1 | Line, Fuel | | | |
| 159-0007 | 1 | Cap, Fuel Tank | | | |
| 405-2147 | 1 | Panel, Housing - Rear | | | |
| 301-1385 | 1 | Panel, Control | | | |
| 308-0154 | 1 | Switch, Start - Stop | | | |

SPECIAL PARTS LIST FOR MODEL 5.0CCK-4R SPEC 17644R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 7
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. 611-1117-06

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|----------|------|--|----------|------|-------------|
| | | Shutter Assembly | | | |
| | | Vacu - Flo Cooling | | | |
| | | Low Oil Pressure Cut Off | | | |
| | | High Air Temperature Cut Off | | | |
| | | Housed | | | |
| | | Mounted Fuel Tank | | | |
| | | Meter Panel | | | |
| 102-0859 | 1 | Base, Oil - Includes Filler Neck | | | |
| 505-0110 | 1 | Plug, Oil Base (3/8) | | | |
| 505-0054 | 1 | Plug, Oil Base (1/4) | | | |
| 309-0237 | 1 | Switch, Low Oil Pressure | | | |
| 526-0017 | 1 | Washer, Flat - Flywheel Mtg. | | | |
| 517-0035 | 1 | Plug, Dot Button (1 1/16 Hole) | | | |
| 332-0556 | 1 | Connector, Quick Disconnect | | | |
| 134-2696 | 1 | Scroll, Air Duct | | | |
| 332-0527 | 1 | Terminal, Choke Cover Wire | | | |
| 166-0643 | 1 | Coil, Ignition | | | |
| 338-0739 | 1 | Harness, Wiring - Includes Fuse and Holder | | | |
| 320-0002 | 3 | Breaker, Circuit (15 Amp.) | | | |
| 301-1381 | 1 | Panel, Meter | | | |
| 332-0142 | 1 | Terminal, Solderless - Meter Panel | | | |
| 332-0238 | 1 | Strip, Marker | | | |
| 332-0236 | 1 | Block, Terminal | | | |
| 308-0154 | 1 | Switch, Start - Stop | | | |
| 302-0421 | 1 | Voltmeter, AC (0-300 Volt) | | | |
| 302-0460 | 3 | Ammeter, AC (0-20 Amp.) | | | |
| 405-2147 | 1 | Panel, Housing - Rear | | | |
| 159-0592 | 1 | Tank, Fuel (6.5 Gal.) Includes Cap | | | |
| 159-0594 | 2 | Band, Fuel Tank | | | |
| 501-0131 | 1 | Line, Fuel | | | |
| 159-0007 | 1 | Cap, Fuel Tank | | | |

SPECIAL PARTS LIST FOR MODEL 4.0CCK-3CR31 SPEC 17698R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 5
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. 611-1090-10

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|--------------------------|------|---|----------|------|-------------|
| Gas Fuel System | | | | | |
| Low Oil Pressure Cut Off | | | | | |
| 110-0893 | 4 | Washer, Valve Spring Retainer | | | |
| 150-0159 | 1 | Bracket, Governor Spring | | | |
| 309-0237 | 1 | Switch, Low Oil Pressure | | | |
| 148-0147 | 1 | Pipe, Fuel | | | |
| 149-0558 | 1 | Strainer | | | |
| 166-0643 | 1 | Coil, Ignition | | | |
| 338-0738 | 1 | Harness, Wiring - Includes Fuse and Holder | | | |
| 307-0312 | 1 | Valve, Solenoid - Fuel | | | |

SPECIAL PARTS LIST FOR MODEL 5.0CCK-3R SPEC 17744R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 7
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELC

WIRING DIAGRAM NO. 611-1104-06

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|--|------|---|----------|------|-------------|
| Vacu - Flo Cooling Low Oil Pressure Cut Off Housed Mounted Fuel Tank Meter Panel | | | | | |
| 309-0237 | 1 | Switch, Low Oil Pressure | | | |
| 526-0017 | 1 | Washer, Flat - Flywheel Mtg. | | | |
| 517-0035 | 1 | Plug, Dot Button (1 1/16 Hole) | | | |
| 134-2956 | 1 | Guard, Scroll Outlet | | | |
| 220-1821 | 1 | Stator Assembly, Wound | | | |
| 201-1903 | 1 | Rotor Assembly, Wound | | | |
| 166-0643 | 1 | Coil, Ignition | | | |
| 338-0724 | 1 | Harness, Wiring - Includes Fuse and Holder | | | |
| 301-3114 | 1 | Panel, Meter | | | |
| 332-0142 | 1 | Terminal, Solderless - Meter Panel | | | |
| 332-0237 | 1 | Strip, Marker | | | |
| 332-0231 | 1 | Block, Terminal | | | |
| 308-0154 | 1 | Switch, Start - Stop | | | |
| 302-0213 | 1 | Meter, Frequency (59-63 Hz) | | | |
| 302-0465 | 1 | Meter, Running Time (120 Volt) | | | |
| 302-0421 | 1 | Voltmeter, AC (0-300 Volt) | | | |
| 302-0418 | 2 | Ammeter, AC (0-30 Amp.) | | | |
| 320-0019 | 2 | Breaker, Circuit (25 Amp.) | | | |
| 405-2147 | 1 | Panel, Housing - Rear | | | |
| 159-0592 | 1 | Tank, Fuel (6.5 Gal.) - Includes Cap | | | |
| 159-0594 | 2 | Band, Fuel Tank | | | |
| 501-0131 | 1 | Line, Fuel | | | |
| 332-0527 | 1 | Terminal, Choke Cover Wire | | | |
| 159-0007 | 1 | Cap, Fuel Tank | | | |

SPECIAL PARTS LIST FOR MODEL 4.0CCK-3CR SPEC 17804V
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 5
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. 611-1142-06

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|------------------------------|------|--|----------|------|-------------|
| Vacu-Flo Cooling | | | | | |
| High Air Temperature Cut Off | | | | | |
| 167-0262 | 2 | Plug, Spark-Resistor Type | | | |
| 150-1467 | 1 | Linkage, Governor (Includes Parts Marked *) | | | |
| 150-0639 | 1 | * Joint, Ball | | | |
| 870-0131 | 1 | * Nut, Hex w/ET-Ball Joint (#10-32) | | | |
| 526-0196 | 1 | * Washer, Flat-Ball Joint | | | |
| 870-0053 | 1 | * Nut, Hex-Governor Rod (#10-32) | | | |
| 150-0430 | 1 | * Bracket, Governor Spring | | | |
| 150-0629 | 1 | * Rod, Governor | | | |
| 211-0264 | 1 | Bell, End | | | |
| 515-0015 | 1 | Key-Extended Shaft (3/16 X 1 3/4") | | | |

SPECIAL PARTS LIST FOR MODEL 5.0CCK-4R SPEC 17858K
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 7
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. 611-1090-06

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|----------|------|---|----------|------|-------------|
| | | Rope Sheave | | | |
| | | Vacu - Flo Cooling | | | |
| | | Low Oil Pressure Cut Off | | | |
| 309-0237 | 1 | Switch, Low Oil Pressure | | | |
| 526-0017 | 1 | Washer, Flat - Flywheel Mtg. | | | |
| 517-0035 | 1 | Plug, Dot Button (1 1/16 Hole) | | | |
| 134-3041 | 1 | Scroll, Air Duct - Includes Outlet Guard | | | |
| 134-2956 | 1 | Guard, Scroll Outlet | | | |
| 332-0527 | 1 | Terminal, Choke Cover Wire | | | |
| 166-0643 | 1 | Coil, Ignition | | | |
| 338-0724 | 1 | Harness, Wiring - Includes Fuse and Holder | | | |

SPECIAL PARTS LIST FOR MODEL 4.0CCK-3CR SPEC 17877R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 5
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. 611-1090-10

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|--------------------------|------|--|----------|------|-------------|
| Gas Fuel System | | | | | |
| Vacu - Flo Cooling | | | | | |
| Low Oil Pressure Cut Off | | | | | |
| 110-0893 | 4 | Washer, Valve Spring Retainer | | | |
| 150-0159 | 1 | Bracket, Governor Spring | | | |
| 309-0237 | 1 | Switch, Low Oil Pressure | | | |
| 526-0017 | 1 | Washer, Flat - Flywheel Mtg. | | | |
| 517-0035 | 1 | Plug, Dot Button (1 1/12 Hole) | | | |
| 134-2956 | 1 | Guard, Scroll Outlet | | | |
| 154-0670 | 1 | Manifold, Intake | | | |
| 148-0367 | 1 | Switch, Vacuum | | | |
| 502-0082 | 1 | Nipple, Hex - Vacuum Switch | | | |
| 166-0643 | 1 | Coil, Ignition | | | |
| 338-0738 | 1 | Harness, Wiring - Includes Fuse and Holder | | | |

SPECIAL PARTS LIST FOR MODEL 4.0CCK-4R SPEC 17902R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 5
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. 611-1090-09

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|------------------------------|------|--|----------|------|-------------|
| Gas - Gasoline Fuel System | | | | | |
| High Air Temperature Cut Off | | | | | |
| Vacu - Flo Cooling | | | | | |
| Shutter Assembly | | | | | |
| 110-0893 | 4 | Washer, Valve Spring Retainer | | | |
| 102-0859 | 1 | Base, Oil - Includes Filler Neck | | | |
| 505-0110 | 1 | Plug, Oil Base (3/8) | | | |
| 505-0054 | 1 | Plug, Oil Base (1/4) | | | |
| 526-0017 | 1 | Washer, Flat - Flywheel Mtg. | | | |
| 517-0035 | 1 | Plug, Dot - 1/16 Hole | | | |
| 332-0556 | 1 | Connector, Quick Disconnect | | | |
| 134-2696 | 1 | Scroll, Air Duct | | | |
| 332-0527 | 1 | Terminal, Choke Cover Wire | | | |
| 502-0065 | 1 | Elbow, Inverted Male - Carb Inlet | | | |
| 154-0817 | 1 | Manifold, Intake | | | |
| 166-0643 | 1 | Coil, Ignition | | | |
| 338-0732 | 1 | Harness, Wiring - Includes Fuse and Holder | | | |

SPECIAL PARTS LIST FOR MODEL 4.0CCK-3R SPEC 17990R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 5
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. 611-1110-01

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|---|------|------------------------------------|----------|------|-------------|
| Vacu - Flo Cooling Housed Meter Panel | | | | | |
| 102-0859 | 1 | Base, Oil - Includes Filler Neck | | | |
| 505-0110 | 1 | Plug, Oil Base (3/8) | | | |
| 505-0054 | 1 | Plug, Oil Base (1/4) | | | |
| 526-0017 | 1 | Washer, Flat - Flywheel Mtg. | | | |
| 134-2956 | 1 | Guard, Scroll Outlet | | | |
| 517-0035 | 1 | Plug, Dot Button (1/16 Hole) | | | |
| 220-1818 | 1 | Stator Assembly, Wound | | | |
| 201-1907 | 1 | Rotor Assembly, Wound | | | |
| 301-1380 | 1 | Panel, Meter | | | |
| 332-0142 | 2 | Terminal, Solderless - Meter Panel | | | |
| 332-0237 | 1 | Strip, Marker | | | |
| 332-0231 | 1 | Block, Terminal | | | |
| 308-0154 | 1 | Switch, Start - Stop | | | |
| 323-0184 | 1 | Receptacle, Duplex | | | |
| 302-0421 | 1 | Voltmeter, AC (0-300 Volt) | | | |
| 302-0418 | 2 | Ammeter, AC (0-30 Amp.) | | | |
| 320-0019 | 2 | Breaker, Circuit (25 Amp.) | | | |
| 405-2147 | 1 | Panel, Housing - Rear | | | |
| 301-1385 | 1 | Panel, Control | | | |
| 308-0154 | 1 | Switch, Start - Stop | | | |
| 332-0527 | 1 | Terminal, Choke Cover Wire | | | |

SPECIAL PARTS LIST FOR MODEL 5.0CCK-3CR SPEC 18047R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 7
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. 611-1090-04

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|------------------------------|------|--|----------|------|-------------|
| Gas Fuel System | | | | | |
| Vacu- Flo Cooling | | | | | |
| Shutter Assembly | | | | | |
| Low Oil Pressure Cut Off | | | | | |
| High Air Temperature Cut Off | | | | | |
| 110-0893 | 4 | Washer, Valve Spring Retainer | | | |
| 150-1577 | 1 | Bracket, Governor Spring | | | |
| 309-0237 | 1 | Switch, Low Oil Pressure | | | |
| 526-0017 | 1 | Washer, Flat - Flywheel Mtg. | | | |
| 517-0035 | 1 | Plug, Dot Button (1 1/16 Hole) | | | |
| 332-0556 | 1 | Connector, Quick Disconnect | | | |
| 134-2696 | 1 | Scroll, Air Duct | | | |
| 220-1821 | 1 | Stator Assembly, Wound | | | |
| 166-0643 | 1 | Coil, Ignition | | | |
| 338-0722 | 1 | Harness, Wiring - Includes Fuse and Holder | | | |

SPECIAL PARTS LIST FOR MODEL 3.5CCK-53P SPEC 18073R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 1
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. 602-0250

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|----------|------|------------------------------|----------|------|-------------|
| 149-0271 | 1 | Primer, Pump | | | |
| 153-0097 | 1 | Cable, Choke | | | |
| 518-0176 | 1 | Clip, Choke Cable | | | |
| 153-0249 | 1 | Bracket, Choke | | | |
| 301-3571 | 1 | Bracket, Control | | | |
| 300-1512 | 1 | Panel, Receptacle | | | |
| 300-1496 | 1 | Panel, Meter | | | |
| 301-4418 | 1 | Box, Meter | | | |
| 301-4472 | 1 | Box, Receptacle | | | |
| 320-0543 | 1 | Breaker, Circuit - (30 amp) | | | |
| 320-0540 | 1 | Breaker, Circuit - (15 amp) | | | |
| 302-0314 | 1 | Voltmeter-AC-(0-300 volts) | | | |
| 302-0317 | 1 | Ammeter-AC (0-50 amp) | | | |
| 302-0316 | 1 | Ammeter-AC (0-25 amp) | | | |
| 332-1218 | 1 | Block, Terminal | | | |
| 332-1227 | 1 | Strip, Terminal Block Marker | | | |
| 220-1818 | 1 | Stator Assy, Wound | | | |
| 201-2323 | 1 | Armature Assy, Wound | | | |
| 501-0015 | 1 | Line, Fuel (16" lg) | | | |
| 405-1013 | 1 | Hood, Engine Cover | | | |

Parts not furnished by Onan
 120 Volt - 30 amp Receptacle
 240 Volt - 15 amp Receptacle

SPECIAL PARTS LIST FOR MODEL 4.0 CCK-53P SPEC 18073R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 4
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. 602-0250-01

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|----------|------|-------------------------------|----------|------|-------------|
| 192-0308 | 1 | Sheave, Rope | | | |
| 508-0095 | 2 | Grommet, Rubber - Air Housing | | | |
| 153-0249 | 1 | Bracket, Choke | | | |
| 518-0176 | 1 | Clip, Choke Bracket | | | |
| 405-1013 | 1 | Hood, Engine Cover | | | |
| 149-0271 | 1 | Priming Rod | | | |
| 301-3571 | 1 | Bracket, Fuel Tank Mounting | | | |
| 201-1912 | 1 | Rotor Assembly, Wound | | | |
| 220-1822 | 1 | Stator Assembly, Wound | | | |
| 301-4472 | 1 | Box, Receptacle | | | |
| 301-4438 | 1 | Panel, Receptacle | | | |
| 301-4419 | 1 | Panel, Meter | | | |
| 320-0540 | 1 | Circuit Breaker | | | |
| 302-0217 | 1 | Ammeter - AC (0-50A) | | | |
| 301-4420 | 1 | Bracket, Control Mounting | | | |
| 302-0314 | 1 | Voltmeter - AC (0-300 Volt) | | | |
| 302-0316 | 1 | Ammeter - AC (0-25 Amp) | | | |
| 301-4418 | 1 | Control Box | | | |
| 320-0543 | 1 | Circuit Breaker (3 OHMP) | | | |
| 332-1218 | 1 | Block, Terminal | | | |
| 332-1227 | 1 | Marker Strip | | | |

SPECIAL PARTS LIST FOR MODEL 5.0CCR-4R SPEC 18089U
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 7
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. 611-1127-03

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|----------|------|---|----------|------|------------------------------------|
| | | Spin-On Oil Filter | | | |
| | | Vacu-Flo Cooling | | | |
| | | Low Oil Pressure Cut Off | | | |
| | | Electric Fuel Pump | | | |
| 505-0019 | 1 | Bushing, Reducer - Oil Base | 338-1132 | 1 | Harness, Wiring |
| 150-1577 | 1 | Bracket, Governor Spring | 332-1876 | 1 | Clamp, AC lead Hold Down |
| 134-2235 | 1 | Housing, Blower | 337-0122 | 1 | Strap, Ground |
| 505-0479 | 1 | Cap, Pipe - Exhaust Manifold (1") | 149-1554 | 1 | Line, Fuel-Carburetor To Pump |
| 155-0714 | 1 | Muffler, Exhaust | 518-0350 | 1 | Clamp, Insulated - Fuel |
| 150-1467 | 1 | Linkage, Governor (Includes Parts Marked *) | 134-3032 | 1 | Scroll, Air Inlet (Includes Guard) |
| 150-0639 | 1 | * Joint, Ball | 503-0643 | 1 | Hose, Air Inlet |
| 870-0131 | 1 | * Nut, Hex w/ET-Ball Joint (#10-32) | 503-0004 | 1 | Clamp, Hose (1 7/8 X 5/8) |
| 526-0196 | 1 | * Washer, Flat-Ball Joint | 503-0311 | 1 | Clamp, Hose (2 1/8 X 1/2) |
| 870-0053 | 1 | * Nut, Hex-Governor Rod (#10-32) | 504-0092 | 1 | Valve, Oil Drain |
| 150-0430 | 1 | * Bracket, Governor Spring | 402-0435 | 1 | Mounting, Hardware (Pack) |
| 150-0629 | 1 | * Rod, Governor | | | |
| 145-0094 | 1 | Inlet Assembly, Carburetor Air | | | |
| 123-0293 | 1 | Cap, Breather Tube | | | |
| 503-0769 | 1 | Clamp, Hose - Air Cleaner | | | |
| 140-0495 | 1 | Element, Air Cleaner | | | |
| 140-1153 | 1 | Cover, Air Cleaner | | | |
| 140-1173 | 1 | Bracket Assembly, Air Cleaner | | | |
| 518-0056 | 1 | Thumbscrew, Air Cleaner Cover | | | |
| 301-4038 | 1 | Box, Control | | | |
| 301-4039 | 1 | Bracket, Mounting - Control Box | | | |
| 307-1498 | 1 | Relay, Start | | | |
| 308-0383 | 1 | Switch, Tippette | | | |
| 321-0174 | 2 | Fuse, 5 AMPS | | | |
| 321-0217 | 2 | Holder, Fuse | | | |
| 330-0028 | 1 | Box, Outlet | | | |
| 330-0006 | 1 | Cover, Outlet Box | | | |
| 332-1918 | 1 | Block, Terminal | | | |
| 370-1002 | 1 | Angle, Control Box | | | |
| 508-0008 | 1 | Grommet, Rubber (1 1/16" O.D.) | | | |
| 508-0191 | 1 | Bushing, Nylon - Outlet Box | | | |
| 232-2619 | 1 | Support, Generator Mounting | | | |
| 403-1258 | 1 | Plate, Engine/Generator Mounting | | | |

SPECIAL PARTS LIST FOR MODEL 5.0 CCK-3CR SPEC 18265R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 7
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 611-1137-01

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|-----------------------------|------|-------------------------------------|----------|------|-------------|
| Vacu - Flo Cooled Housed | | | | | |
| 166-0643 | 1 | Coil, Ignition | | | |
| 159-0592 | 1 | Tank, Fuel - 6.5 Gallon | | | |
| 159-0594 | 2 | Band, Fuel Tank Mounting | | | |
| 501-0131 | 1 | Line, Fuel Tank | | | |
| 504-0013 | 1 | Valve, Fuel Tank Shut - Off | | | |
| 220-1821 | 1 | Stator Assembly, Wound | | | |
| 301-1385 | 1 | Panel, Control - Housing Rear | | | |
| 308-0154 | 1 | Switch, Start - Stop | | | |
| 301-1388 | 1 | Panel, Receptacle - Housing Rear | | | |
| 323-0184 | 2 | Receptacle - Duplex (15 Amp.) | | | |
| 323-0856 | 2 | Receptacle - Twistlock (20 Amp.) | | | |
| 323-0857 | 2 | Plug - Twistlock Receptacle | | | |

SPECIAL PARTS LIST FOR MODEL 5.0CCK-3CR SPEC 18278R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 7
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. 611-1090-04

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|------------------------------|------|--|----------|------|-------------|
| Gas Fuel System | | | | | |
| Vacu - Flo Cooling | | | | | |
| Housed | | | | | |
| Low Oil Pressure Cut Off | | | | | |
| High Air Temperature Cut Off | | | | | |
| 110-0893 | 4 | Washer, Valve Spring Retainer | | | |
| 150-1577 | 1 | Bracket, Governor Spring | | | |
| 102-0859 | 1 | Base, Oil - Includes Filler Neck | | | |
| 505-0110 | 1 | Plug, Oil Base (3/8) | | | |
| 505-0054 | 1 | Plug, Oil Base (1/4) | | | |
| 309-0237 | 1 | Switch, Low Oil Pressure | | | |
| 526-0017 | 1 | Washer, Flat - Flywheel Mtg. | | | |
| 517-0035 | 1 | Plug, Dot Button (1 1/16 Hole) | | | |
| 134-2956 | 1 | Guard, Scroll Outlet | | | |
| 332-0556 | 1 | Connector, Quick Disconnect | | | |
| 134-2692 | 1 | Scroll, Air Duct | | | |
| 220-1821 | 1 | Stator Assembly, Wound | | | |
| 166-0643 | 1 | Coil, Ignition | | | |
| 338-0722 | 1 | Harness, Wiring - Includes Fuse and Holder | | | |
| 405-2147 | 1 | Panel, Housing - Rear | | | |
| 301-1385 | 1 | Panel, Control | | | |
| 308-0154 | 1 | Switch, Start - Stop | | | |

SPECIAL PARTS LIST FOR MODEL 4.0CCK-3CR SPEC 18312V
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 5
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. 611-1142-02

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|------------------|------|---|----------|------|-------------|
| Vacu-Flo Cooling | | | | | |
| 167-0262 | 2 | Plug, Spark-Resistor Type | | | |
| 150-1467 | 1 | Linkage, Governor (Includes Parts Marked *) | | | |
| 150-0639 | 1 | * Joint, Ball | | | |
| 870-0131 | 1 | * Nut, Hex w/ET-Ball Joint (#10-32) | | | |
| 526-0196 | 1 | * Washer, Flat-Ball Joint | | | |
| 870-0053 | 1 | * Nut, Hex-Governor Rod (#10-32) | | | |
| 150-0430 | 1 | * Bracket, Governor Spring | | | |
| 150-0629 | 1 | * Rod, Governor | | | |

SPECIAL PARTS LIST FOR MODEL 5.0CCK-3R SPEC 18485R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 7
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. 611-1104-03

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|------------------------------|------|--|----------|------|-------------|
| Gas - Gasoline Fuel System | | | | | |
| Vacu - Flo Cooling | | | | | |
| Low Oil Pressure Cut Off | | | | | |
| High Air Temperature Cut Off | | | | | |
| Housed | | | | | |
| Meter Panel | | | | | |
| 110-0893 | 4 | Washer, Valve Spring Retainer | | | |
| 409-0237 | 1 | Switch, Low Oil Pressure | | | |
| 526-0017 | 1 | Washer, Flat - Flywheel Mtg. | | | |
| 517-0035 | 1 | Plug, Dot Button (1 1/16 Hole) | | | |
| 134-2956 | 1 | Guard, Scroll Outlet | | | |
| 332-0556 | 1 | Connector, Quick Disconnect | | | |
| 134-2692 | 1 | Scroll, Air Duct | | | |
| 201-1903 | 1 | Rotor Assembly, Wound | | | |
| 220-1821 | 1 | Stator Assembly, Wound | | | |
| 338-0739 | 1 | Harness, Wiring - Includes Fuse and Holder | | | |
| 166-0643 | 1 | Coil, Ignition | | | |
| 301-3114 | 1 | Panel, Meter | | | |
| 332-0142 | 1 | Terminal, Solderless - Meter Panel | | | |
| 332-0237 | 1 | Strip, Marker | | | |
| 332-0231 | 1 | Block, Terminal | | | |
| 308-0154 | 1 | Switch, Start - Stop | | | |
| 302-0213 | 1 | Meter, Frequency (59-63 Hz) | | | |
| 302-0465 | 1 | Meter, Running Time (120 Volt) | | | |
| 302-0421 | 1 | Voltmeter, AC (0-300 Volt) | | | |
| 302-0418 | 2 | Ammeter, AC (0-30 Amp.) | | | |
| 320-0019 | 2 | Breaker, Circuit (25 Amp.) | | | |
| 405-2147 | 1 | Panel, Housing - Rear | | | |
| 332-0527 | 1 | Terminal, Choke Cover Wire | | | |

SPECIAL PARTS LIST FOR MODEL 5.0CCK-3CR SPEC 18522R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 7
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. 611-1090-11

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|------------------------------|------|---|----------|------|-------------|
| Gas - Gasoline Fuel System | | | | | |
| Vacu - Flo Cooling | | | | | |
| Shutter Assembly | | | | | |
| High Air Temperature Cut Off | | | | | |
| Low Oil Pressure Cut Off | | | | | |
| 110-0893 | 4 | Washer, Valve Spring Retainer | | | |
| 309-0237 | 1 | Switch, Low Oil Pressure | | | |
| 526-0017 | 1 | Washer, Flat - Flywheel Mtg. | | | |
| 517-0035 | 1 | Plug, Dot Button (1 1/16 Hole) | | | |
| 134-2696 | 1 | Scroll, Air Duct | | | |
| 332-0556 | 1 | Connector, Quick Disconnect | | | |
| 154-0817 | 1 | Manifold, Intake | | | |
| 502-0065 | 1 | Elbow, Inverted Male - Carb Inlet | | | |
| 332-0527 | 1 | Terminal, Choke Cover Wire | | | |
| 220-1821 | 1 | Stator Assembly, Wound | | | |
| 166-0643 | 1 | Coil, Ignition | | | |
| 338-0739 | 1 | Harness, Wiring - Includes Fuse and Holder | | | |

SPECIAL PARTS LIST FOR MODEL 5.0CCK-3CR SPEC 18542R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 7
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. 611-1090-09

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|----------|------|--|----------|------|-------------|
| | | Vacu - Flo Cooling | | | |
| | | Shutter Assembly | | | |
| | | High Air Temperature Cut Off | | | |
| | | Spin - On Oil Dilter | | | |
| 110-1860 | 1 | Block Assembly, Cylinder | | | |
| 526-0017 | 1 | Washer, Flat - Flywheel Mtg. | | | |
| 501-0003 | 1 | Line, Flexible - Oil Gauge | | | |
| 134-2786 | 1 | Housing, Blower | | | |
| 517-0035 | 1 | Plug, Dot Button (1 1/16 Hole) | | | |
| 332-0556 | 1 | Connector, Quick Disconnect | | | |
| 134-2696 | 1 | Croll, Air Duct | | | |
| 332-0527 | 1 | Terminal, Choke Cover Wire | | | |
| 134-2237 | 1 | Housing, Cylinder Air - Right (#2 Cylinder) | | | |
| 220-1821 | 1 | Stator Assembly, Wound | | | |
| 166-0643 | 1 | Coil, Ignition | | | |
| 338-0732 | 1 | Harness, Wiring - Includes Fuse and Holder | | | |

SPECIAL PARTS LIST FOR MODEL 5.0CCK-3CR SPEC 180ZUR
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 7
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. 611-1090-11

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|--|------|--|----------|------|-------------|
| Vacu - Flo Cooling Housed Low Oil Pressure Cut Off High Air Temperature Cut Off Spin - On Oil Filter | | | | | |
| 110-1860 | 1 | Block Assembly, Cylinder | | | |
| 309-0237 | 1 | Switch, Low Oil Pressure | | | |
| 526-0017 | 1 | Washer, Flat - Flywheel Mtg. | | | |
| 501-0003 | 1 | Line, Flexible - Oil Gauge | | | |
| 134-2786 | 1 | Housing, Blower | | | |
| 517-0035 | 1 | Plug, Dot Button (1 1/16 Hole) | | | |
| 134-2956 | 1 | Guard, Scroll Outlet | | | |
| 332-0556 | 1 | Connector, Quick Disconnect | | | |
| 134-2692 | 1 | Scroll, Air Duct | | | |
| 332-0527 | 1 | Terminal, Choke Cover Wire | | | |
| 134-2237 | 1 | Housing, Cylinder Air - Right (#2 Cylinder) | | | |
| 220-1821 | 1 | Stator Assembly, Wound | | | |
| 166-0643 | 1 | Coil, Ignition | | | |
| 338-0739 | 1 | Harness, Wiring - Includes Fuse and Holder | | | |
| 405-2147 | 1 | Panel, Housing - Rear | | | |
| 301-1385 | 1 | Panel, Control | | | |
| 308-0154 | 1 | Switch, Start - Stop | | | |

SPECIAL PARTS LIST FOR MODEL 5,0CCK-3R SPEC 18676R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 7
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. 611-1104-03

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|------------------------------|------|--|----------|------|-------------|
| Vacu - Flo Cooling | | | | | |
| Housed | | | | | |
| Mounted Fuel Tank | | | | | |
| Low Oil Pressure Cut Off | | | | | |
| High Air Temperature Cut Off | | | | | |
| Spin - On Oil Filter | | | | | |
| Meter Panel | | | | | |
| 110-1860 | 1 | Block Assembly, Cylinder | | | |
| 309-0237 | 1 | Switch, Low Oil Pressure | | | |
| 526-0017 | 1 | Washer, Flat - Flywheel Mtg. | | | |
| 501-0003 | 1 | Line, Flexible - Oil Gauge | | | |
| 134-2786 | 1 | Housing, Blower | | | |
| 517-0035 | 1 | Plug, Dot Button (1 1/16 Hole) | | | |
| 134-2956 | 1 | Guard, Scroll Outlet | | | |
| 332-0556 | 1 | Connector, Quick Disconnect | | | |
| 134-2692 | 1 | Scroll, Air Duct | | | |
| 332-0527 | 1 | Terminal, Choke Cover Wire | | | |
| 134-2237 | 1 | Housing, Cylinder Air - Right (#2 Cylinder) | | | |
| 220-1821 | 1 | Stator Assembly, Wound | | | |
| 201-1903 | 1 | Rotor, Assembly, Wound | | | |
| 338-0724 | 1 | Harness, Wiring - Includes Fuse and Holder | | | |
| 301-3114 | 1 | Panel, Meter | | | |
| 332-0142 | 1 | Terminal, Solderless - Meter Panel | | | |
| 332-0237 | 1 | Strip, Marker | | | |
| 332-0231 | 1 | Block, Terminal | | | |
| 308-0154 | 1 | Switch, Start - Stop | | | |
| 302-0213 | 1 | Meter, Frequency (59 - 63 Hz) | | | |
| 302-0465 | 1 | Meter, Running Time (120 Volt) | | | |
| 302-0421 | 1 | Voltmeter, AC (0-300 Volt) | | | |
| 302-0418 | 2 | Ammeter, AC (0-30 Amp.) | | | |
| 320-0019 | 2 | Breaker, Circuit (25 Amp.) | | | |
| 405-2147 | 1 | Panel, Housing - Rear | | | |
| 166-0643 | 1 | Coil, Ignition | | | |
| 159-0592 | 1 | Tank, Fuel (6.5 Gal.) Includes Cap | | | |
| 159-0594 | 2 | Band, Fuel Tank | | | |
| 501-0131 | 1 | Line, Fuel | | | |
| 159-0007 | 1 | Cap, Fuel Tank | | | |

SPECIAL PARTS LIST FOR MODEL 5.0CCK-3CR SPEC 18678R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 7
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. 611-1090-11

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|----------|------|--|----------|------|-------------|
| | | Vacu - Flo Cooling | | | |
| | | Shutter Assembly | | | |
| | | Low Oil Pressure Cut Off | | | |
| | | High Air Temperature Cut Off | | | |
| 309-0237 | 1 | Switch, Low Oil Pressure | | | |
| 526-0017 | 1 | Washer, Flat - Flywheel Mtg. | | | |
| 517-0035 | 1 | Plug, Dot Button (1 1/16 Hole) | | | |
| 134-2696 | 1 | Scroll, Air Duct | | | |
| 332-0556 | 1 | Connector, Quick Disconnect | | | |
| 332-0527 | 1 | Terminal, Choke Cover Wire | | | |
| 220-1821 | 1 | Stator Assembly, Wound | | | |
| 166-0643 | 1 | Coil, Ignition | | | |
| 338-0739 | 1 | Harness, Wiring - Includes Fuse and Holder | | | |

SPECIAL PARTS LIST FOR MODEL 5.0CCK-3CR SPEC 18803R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 7
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. 611-1090-06

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|----------------------------|------|--|----------|------|-------------|
| Gas - Gasoline Fuel System | | | | | |
| Vacu - Flo Cooling | | | | | |
| Housed | | | | | |
| Low Oil Pressure Cut Off | | | | | |
| Mounted Fuel Tank | | | | | |
| 110-0893 | 4 | Washer, Valve Spring Retainer | | | |
| 102-0859 | 1 | Base, Oil - Includes Filler Neck | | | |
| 505-0110 | 1 | Plug, Oil Base (3/8) | | | |
| 505-0054 | 1 | Plug, Oil Base (1/4) | | | |
| 309-0237 | 1 | Switch, Low Oil Pressure | | | |
| 526-0017 | 1 | Washer, Flat - Flywheel Mtg. | | | |
| 517-0035 | 1 | Plug, Dot Button (1 1/16 Hole) | | | |
| 134-2956 | 1 | Guard, Scroll Outlet | | | |
| 332-0527 | 1 | Terminal, Choke Cover Wire | | | |
| 154-0817 | 1 | Manifold, Intake | | | |
| 502-0065 | 1 | Elbow, Inverted Male - Carb Inlet | | | |
| 220-1821 | 1 | Stator Assembly, Wound | | | |
| 166-0643 | 1 | Coil, Ignition | | | |
| 338-0724 | 1 | Harness, Wiring - Includes Fuse and Holder | | | |
| 405-2147 | 1 | Panel, Housing - Rear | | | |
| 301-1385 | 1 | Panel, Control | | | |
| 308-0154 | 1 | Switch, Start - Stop | | | |
| 159-0592 | 1 | Tank, Fuel (6.5 Gal.) - Includes Cap | | | |
| 159-0594 | 2 | Band, Fuel Tank | | | |
| 501-0131 | 1 | Line, Fuel | | | |
| 159-0007 | 1 | Cap, Fuel Tank | | | |

SPECIAL PARTS LIST FOR MODEL 5.0CCK-3R SPEC 18892R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 7
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. 611-1104-01

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|--------------------|------|--------------------------------------|----------|------|-------------|
| Vacu - Flo Cooling | | | | | |
| Mounted Fuel Tank | | | | | |
| Housed | | | | | |
| Meter Panel | | | | | |
| 102-0859 | 1 | Base, Oil - Includes Filler Neck | | | |
| 505-0110 | 1 | Plug, Oil Base (3/8) | | | |
| 505-0054 | 1 | Plug, Oil Base (1/4) | | | |
| 526-0017 | 1 | Washer, Flat - Flywheel Mtg. | | | |
| 134-2956 | 1 | Guard, Scroll Outlet | | | |
| 517-0035 | 1 | Plug, Dot Button (1/16 Hole) | | | |
| 220-1821 | 1 | Stator Assembly, Wound | | | |
| 201-1903 | 1 | Rotor Assembly, Wound | | | |
| 166-0643 | 1 | Coil, Ignition | | | |
| 301-3114 | 1 | Panel, Meter | | | |
| 332-0142 | 1 | Terminal, Solderless - Meter Panel | | | |
| 332-0237 | 1 | Strip, Marker | | | |
| 332-0231 | 1 | Block, Terminal | | | |
| 308-0154 | 1 | Switch, Start - Stop | | | |
| 302-0213 | 1 | Meter, Frequency (59 - 63 Hz) | | | |
| 302-0465 | 1 | Meter, Running Time (120 Volt) | | | |
| 302-0421 | 1 | Voltmeter, AC (0-300 Volt) | | | |
| 302-0418 | 2 | Ammeter, AC (0-30 Amp.) | | | |
| 320-0019 | 2 | Breaker, Circuit (25 Amp.) | | | |
| 159-0592 | 1 | Tank, Fuel (6.5 Gal.) - Includes Cap | | | |
| 159-0594 | 2 | Band, Fuel Tank | | | |
| 501-0131 | 1 | Line, Fuel | | | |
| 405-2147 | 1 | Panel, Housing - Rear | | | |
| 332-0527 | 1 | Terminal, Choke Cover Wire | | | |
| 159-0007 | 1 | Cap, Fuel Tank | | | |

SPECIAL PARTS LIST FOR MODEL 5.0CCK-3CR SPEC 19051R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 7
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. 611-1090-05

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|------------------------------|------|--|----------|------|-------------|
| Gas Fuel System | | | | | |
| High Air Temperature Cut Off | | | | | |
| Vacu - Flo Cooling | | | | | |
| Shutter Assembly | | | | | |
| 110-0893 | 4 | Washer, Valve Spring Retainer | | | |
| 150-1577 | 1 | Bracket, Governor Spring | | | |
| 517-0035 | 1 | Plug, Dot Button (1 1/16 Hole) | | | |
| 134-2696 | 1 | Scroll, Air Duct | | | |
| 332-0556 | 1 | Connector, Quick - Disconnect | | | |
| 166-0643 | 1 | Coil, Ignition | | | |
| 338-0723 | 1 | Harness, Wiring - Includes Fuse and Holder | | | |
| 220-1821 | 1 | Stator Assembly, Wound | | | |
| 526-0017 | 1 | Washer, Flat - Flywheel Mtg. | | | |

SPECIAL PARTS LIST FOR MODEL 5.0CCK-3R SPEC 19096R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 7
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. 611-1104-06

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|----------------------------|------|---|----------|------|-------------|
| Gas - Gasoline Fuel System | | | | | |
| Mounted Fuel Tank | | | | | |
| Vacu - Flo Cooling | | | | | |
| Housed | | | | | |
| Low Oil Pressure Cut Off | | | | | |
| Meter Panel | | | | | |
| 309-0237 | 1 | Switch, Low Oil Pressure | | | |
| 110-0893 | 4 | Washer, Valve Spring Retainer | | | |
| 517-0035 | 1 | Plug, Dot Button (1 1/16 Hole) | | | |
| 154-0817 | 1 | Manifold, Intake | | | |
| 502-0065 | 1 | Elbow, Inverted Male - Carb Inlet | | | |
| 166-0643 | 1 | Coil, Ignition | | | |
| 220-1821 | 1 | Stator Assembly, Wound | | | |
| 201-1903 | 1 | Rotor Assembly, Wound | | | |
| 338-0724 | 1 | Harness, Wiring - Includes Fuse and Holder | | | |
| 301-3114 | 1 | Panel, Meter | | | |
| 332-0142 | 1 | Terminal, Solderless - Meter Panel | | | |
| 332-0237 | 1 | Strip, Marker | | | |
| 332-0231 | 1 | Block, Terminal | | | |
| 308-0154 | 1 | Switch, Start - Stop | | | |
| 302-0213 | 1 | Meter, Frequency (59-63 Hz) | | | |
| 302-0465 | 1 | Meter, Running Time (120 Volt) | | | |
| 302-0421 | 1 | Voltmeter, AC (0-300 Volt) | | | |
| 302-0418 | 2 | Ammeter, AC (0-30 Amp.) | | | |
| 320-0019 | 2 | Breaker, Circuit (25 Amp.) | | | |
| 405-2147 | 1 | Panel, Housing - Rear | | | |
| 526-0017 | 1 | Washer, Flat - Flywheel Mtg. | | | |
| 159-0592 | 1 | Tank, Fuel (6.5 Gal.) - Includes Cap. | | | |
| 159-0594 | 2 | Band, Fuel Tank | | | |
| 501-0131 | 1 | Line, Fuel Tank | | | |
| 134-2956 | 1 | Guard, Scroll Outlet | | | |
| 332-0527 | 1 | Terminal, Choke Cover Wire | | | |
| 159-0007 | 1 | Cap, Fuel Tank | | | |

SPECIAL PARTS LIST FOR MODEL 5.0CCK-3CR SPEC 19136V
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 7
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. 611-1142-06

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|------------------------------|------|--|----------|------|-------------|
| Gas/Gasoline Carburetor | | | | | |
| Vacu-Flo Cooling | | | | | |
| High Air Temperature Cut Off | | | | | |
| Oil Base Heater | | | | | |
| 167-0262 | 2 | Plug, Spark-Resistor Type | | | |
| 150-1467 | 1 | Linkage, Governor (Includes Parts Marked *) | | | |
| 150-0639 | 1 | * Joint, Ball | | | |
| 870-0131 | 1 | * Nut, Hex w/ET-Ball Joint (#10-32) | | | |
| 526-0196 | 1 | * Washer, Flat-Ball Joint | | | |
| 870-0053 | 1 | * Nut, Hex-Governor Rod (#10-32) | | | |
| 150-0430 | 1 | * Bracket, Governor Spring | | | |
| 150-0629 | 1 | * Rod, Governor | | | |
| 516-0039 | 1 | Pin, Choke Lock | | | |

SPECIAL PARTS LIST FOR MODEL 5.0CCK-4R SPEC 19136V !
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 7
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. 611-1142-06

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|------------------------------|------|--|----------|------|-------------|
| Gas/Gasoline Carburetor | | | | | |
| Vacu-Flo Cooling | | | | | |
| High Air Temperature Cut Off | | | | | |
| Oil Base Heater | | | | | |
| 167-0262 | 2 | Plug, Spark-Resistor Type | | | |
| 150-1467 | 1 | Linkage, Governor (Includes Parts Marked *) | | | |
| 150-0639 | 1 | * Joint, Ball | | | |
| 870-0131 | 1 | * Nut, Hex w/ET-Ball Joint (#10-32) | | | |
| 526-0196 | 1 | * Washer, Flat-Ball Joint | | | |
| 870-0053 | 1 | * Nut, Hex-Governor Rod (#10-32) | | | |
| 150-0430 | 1 | * Bracket, Governor Spring | | | |
| 150-0629 | 1 | * Rod, Governor | | | |
| 516-0039 | 1 | Pin, Choke Lock | | | |

SPECIAL PARTS LIST FOR MODEL 3.5CCK-53CP SPEC 19143V
FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 1
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)602-0245-01

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|----------|------|-------------|----------|------|-------------|
| | | | | | |

SPECIAL PARTS LIST FOR MODEL 4.0CCK-3CE SPEC 19185R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 4
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. 606-0203-02

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|-----------------------------|------|--|----------|------|-------------|
| Contractors Model | | | | | |
| 508-0001 | 1 | Grommet, Rubber (1-1/16" Hole) | | | |
| 301-3591 | 1 | Spacer, Switch Mounting | | | |
| 402-0408 | 1 | Mounting Cushion Package (Refer to Standard Mtg. Package for Components, Except Parts Marked #) | | | |
| 816-0212 | 4 | #Bolt, Carriage - Vibration Mounting | | | |
| 526-0195 | 4 | #Washer, Flat - Vibration Mtg. (29/64"ID x 3-1/4"OD x 1/8" THK) | | | |
| 155-0824 | 1 | Muffler, Exhaust | | | |
| 505-0030 | 1 | Coupling, Exhaust (1" Pipe) | | | |
| 416-0077 | 1 | Cable, Battery (28") | | | |
| 416-0004 | 1 | Cable, Battery - Jumper | | | |
| Parts not Furnished by Onan | | | | | |
| Recoil Starter | | | | | |
| Fuel Tank | | | | | |
| Carrying Frame | | | | | |

SPECIAL PARTS LIST FOR **MODEL** 4.0CCK-3CE **SPEC** 19185V
 FOR STANDARD PARTS REFER TO **CATALOG** 927-0222 **KEY NO.** 4
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 606-0203-02

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|-----------------------------|------|-------------|----------|------|-------------|
| Contractors Model | | | | | |
| Parts Not Furnished By Onan | | | | | |
| Recoil Starter | | | | | |
| Fuel Tank | | | | | |
| Carrying Frame | | | | | |

SPECIAL PARTS LIST FOR MODEL 4.0CCK-3CR SPEC 19233R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 5
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. 611-1090-04

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|----------|------|---|----------|------|-------------|
| | | High Air Temperature Cut Off | | | |
| | | Gas Fuel System | | | |
| | | Vacu-Flo Cooling | | | |
| | | Low Oil Pressure Cut Off | | | |
| | | Spin-On Oil Filter | | | |
| | | Shutter Assembly | | | |
| 110-1860 | 1 | Block Assembly, Cylinder | | | |
| 110-0893 | 4 | Washer, Valve Spring Retainer | | | |
| 150-0159 | 1 | Bracket, Governor Spring | | | |
| 309-0237 | 1 | Switch, Low Oil Pressure | | | |
| 526-0017 | 1 | Washer, Flat - Flywheel Mtg. | | | |
| 501-0003 | 1 | Line, Flexible - Oil Gauge | | | |
| 134-2786 | 1 | Housing, Blower | | | |
| 517-0035 | 1 | Plug, Dot Button (1-1/16 Hole) | | | |
| 332-0556 | 1 | Connector, Quick Disconnect | | | |
| 134-2696 | 1 | Scroll, Air Duct | | | |
| 134-2237 | 1 | Housing, Cylinder Air - Right (#2 Cylinder) | | | |
| 166-0643 | 1 | Coil, Ignition | | | |
| 338-0722 | 1 | Harness, Wiring - Includes Fuse and Holder | | | |

SPECIAL PARTS LIST FOR MODEL 4.0CCK-3CR SPEC 19399R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 5
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 611-1090-G1

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|----------|------|---|----------|------|-------------|
| 307-1279 | 1 | Solenoid, Fuel | | | |
| 502-0082 | 1 | Nipple, Pipe - Hex | | | |
| 502-0003 | 1 | Connector, Inverted Male - Fuel Solenoid | | | |
| 502-0020 | 1 | Elbow, Street - Fuel Pump Inlet (90°) | | | |
| 502-0053 | 1 | Elbow, Street - Fuel Pump Inlet (45°) | | | |
| 201-1964 | 1 | Rotor Assembly, Wound | | | |
| 520-0781 | 1 | Stud, Rotor Through | | | |
| 211-0264 | 1 | Bell, End | | | |
| 234-0530 | 1 | Screen, Fan | | | |
| 232-2587 | 1 | Cover, Generator Fan | | | |
| 205-0116 | 1 | Fan, Generator | | | |
| 515-0015 | 1 | Key, Rotor Stub | | | |

SPECIAL PARTS LIST FOR MODEL 4.0CCK-3CR SPEC 19399V
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 5
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. 611-1142-02

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|----------|------|---|----------|------|-------------|
| 167-0262 | 2 | Plug, Spark-Resistor Type | | | |
| 150-1467 | 1 | Linkage, Governor (Includes Parts Marked *) | | | |
| 150-0639 | 1 | * Joint, Ball | | | |
| 870-0131 | 1 | * Nut, Hex w/ET-Ball Joint (#10-32) | | | |
| 526-0196 | 1 | * Washer, Flat-Ball Joint | | | |
| 870-0053 | 1 | * Nut, Hex-Governor Rod (#10-32) | | | |
| 150-0430 | 1 | * Bracket, Governor Spring | | | |
| 150-0629 | 1 | * Rod, Governor | | | |
| 211-0264 | 1 | Bell, End | | | |
| 515-0015 | 1 | Key - Extended Shaft (3/16 X 1 3/4") | | | |

SPECIAL PARTS LIST FOR MODEL 4.0CCK-3CR31 SPEC 19467R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 5
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. 611-1090-10

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|--------------------------|------|--|----------|------|-------------|
| Gas Fuel System | | | | | |
| Vacu - Flo Cooling | | | | | |
| Low Oil Pressure Cut Off | | | | | |
| Spin - On Oil Filter | | | | | |
| 110-1860 | 1 | Block Assembly, Cylinder | | | |
| 110-0893 | 4 | Washer, Valve Spring Retainer | | | |
| 150-0159 | 1 | Bracket, Governor Spring | | | |
| 309-0237 | 1 | Switch, Low Oil Pressure | | | |
| 526-0017 | 1 | Washer, Flat - Flywheel Mtg. | | | |
| 501-0003 | 1 | Line, Flexible - Oil Gauge | | | |
| 134-2786 | 1 | Housing, Blower | | | |
| 517-0035 | 1 | Plug, Dot Button (1 1/16 Hole) | | | |
| 134-2956 | 1 | Guard, Scroll Outlet | | | |
| 134-2237 | 1 | Housing, Cylinder Air - Right (#2 Cylinder) | | | |
| 166-0643 | 1 | Coil, Ignition | | | |
| 338-0738 | 1 | Harness, Wiring - Includes Fuse and Holder | | | |
| 307-0312 | 1 | Valve, Solenoid - Fuel | | | |

SPECIAL PARTS LIST FOR MODEL 4.0CCK-3CR SPEC 19486U
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 5
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. 611-1142-04

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|--------------------------|------|--|----------|------|-------------|
| Vacu-Flo Cooling | | | | | |
| Low Oil Pressure Cut Off | | | | | |
| 505-0019 | 1 | Bushing, Reducer - Oil Base | | | |
| 167-0262 | 2 | Plug, Spark-Resistor Type | | | |
| 150-1467 | 1 | Linkage, Governor (Includes Parts Marked *) | | | |
| 150-0639 | 1 | * Joint, Ball | | | |
| 870-0131 | 1 | * Nut, Hex w/ET-Ball Joint (#10-32) | | | |
| 526-0196 | 1 | * Washer, Flat-Ball Joint | | | |
| 870-0053 | 1 | * Nut, Hex-Governor Rod (#10-32) | | | |
| 150-0430 | 1 | * Bracket, Governor Spring | | | |
| 150-0629 | 1 | * Rod, Governor | | | |
| 154-1841 | 1 | Manifold, Exhaust | | | |
| 134-1591 | 1 | Housing, Cylinder Air (RH) | | | |
| 211-0264 | 1 | Bell, End | | | |
| 337-0122 | 1 | Strap, Ground | | | |
| 149-1531 | 1 | Line, Fuel | | | |
| 134-3032 | 1 | Scroll, Air Outlet (Includes Guard) | | | |
| 140-1525 | 1 | Bracket, Air Cleaner Mounting | | | |
| 140-1173 | 1 | Bracket, Air Cleaner Cover | | | |
| 140-1153 | 1 | Cover, Air Cleaner | | | |
| 140-0495 | 1 | Element, Air Cleaner | | | |
| 503-0643 | 1 | Hose, Air Inlet | | | |
| 503-0004 | 1 | Clamp, Hose | | | |
| 503-0311 | 1 | Clamp, Hose | | | |
| 504-0092 | 1 | Valve, Drain | | | |
| 403-0986 | 1 | Plate, Engine/Generator Mounting | | | |
| 402-0373 | 1 | Hardware, Mounting | | | |
| 515-0015 | 1 | Key, Extended Shaft (3/16 X 1 3/4") | | | |

SPECIAL PARTS LIST FOR MODEL 5.0CCK-3CR SPEC 19518R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 7
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. 611-1090-10

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|--------------------------|------|--|----------|------|-------------|
| Gas Fuel System | | | | | |
| Vacu - Flo Cooling | | | | | |
| Low Oil Pressure Cut Off | | | | | |
| Rope Sheave | | | | | |
| 110-0893 | 4 | Washer, Valve Spring Retainer | | | |
| 150-0159 | 1 | Bracket, Governor Spring | | | |
| 309-0237 | 1 | Switch, Low Oil Pressure | | | |
| 526-0017 | 1 | Washer, Flat - Flywheel Mtg. | | | |
| 517-0035 | 1 | Plug, Dot Button (1 1/16 Hole) | | | |
| 134-3041 | 1 | Scroll, Air Duct - Includes Guard | | | |
| 134-2956 | 1 | Guard, Scroll Outlet | | | |
| 220-1821 | 1 | Stator Assembly, Wound | | | |
| 166-0643 | 1 | Coil, Ignition | | | |
| 338-0738 | 1 | Harness, Wiring - Includes Fuse and Holder | | | |

Sept 1, 1978

1 1

Dated

Revised

Page

of

SPECIAL PARTS LIST FOR MODEL 4.0CCK-3CR SPEC 19534R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 5
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW
 WIRING DIAGRAM NO. 611-1090-10

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|--------------------------|------|--|----------|------|-------------|
| Gas Fuel System | | | | | |
| Low Oil Pressure Cut Off | | | | | |
| Spin - On Oil Filter | | | | | |
| 110-1860 | 1 | Block Assembly, Cylinder | | | |
| 110-0893 | 4 | Washer, Valve Spring Retainer | | | |
| 150-0159 | 1 | Bracket, Governor Spring | | | |
| 309-0237 | 1 | Switch, Low Oil Pressure | | | |
| 501-0003 | 1 | Line, Flexible - Oil Gauge | | | |
| 134-2710 | 1 | Housing, Blower | | | |
| 502-0017 | 1 | Connector, Female - Oil Gauge | | | |
| 148-0147 | 1 | Line, Fuel | | | |
| 134-2237 | 1 | Housing, Cylinder Air - Right (#2 Cylinder) | | | |
| 166-0643 | 1 | Coil, Ignition | | | |
| 338-0738 | 1 | Harness, Wiring - Includes Fuse and Holder | | | |

SPECIAL PARTS LIST FOR MODEL 5.0CCK-3CR SPEC 19534R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 7
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. 611-1090-10

| PART NO. | QTY. | DESCRIPTION | PART NO. | QTY. | DESCRIPTION |
|--------------------------|------|--|----------|------|-------------|
| Gas Fuel System | | | | | |
| Low Oil Pressure Cut Off | | | | | |
| Spin - On Oil Filter | | | | | |
| 110-1860 | 1 | Block Assembly, Cylinder | | | |
| 110-0893 | 4 | Washer, Valve Spring Retainer | | | |
| 150-0159 | 1 | Bracket, Governor Spring | | | |
| 309-0237 | 1 | Switch, Low Oil Pressure | | | |
| 501-0003 | 1 | Line, Flexible - Oil Gauge | | | |
| 134-2710 | 1 | Housing, Blower | | | |
| 502-0017 | 1 | Connector, Female - Oil Gauge | | | |
| 148-0147 | 1 | Line, Fuel | | | |
| 134-2237 | 1 | Housing, Cylinder Air - Right (#2 Cylinder) | | | |
| 220-1821 | 1 | Stator Assembly, Wound | | | |
| 166-0643 | 1 | Coil, Ignition | | | |
| 338-0738 | 1 | Harness, Wiring - Includes Fuse and Holder | | | |
| | | | | 1 | 1 |

Sept 1, 1978