

The following catalog has gaps in its page numbers, or doesn't have any numbers. We have chosen to leave the page numbering in the order that Acrobat assigns it.

SPECIAL PARTS LIST FOR MODEL 4.0CCK-3CR31 SPEC 12960R
FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 5
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)611-1090-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas Fuel System					
102-0859	1	Base, Oil			
338-0719	1	Harness, Wiring - Control			

SPECIAL PARTS LIST FOR MODEL 3.5CCK-53CR SPEC 13037R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. 611-1190

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Vacuum Flo Cooled					
102-0859	1	Base, Oil			
505-0110	1	Plug, Oil Base			
505-0054	1	Plug, Oil Base			
502-0058	1	Tee, Oil Base			
517-0035	1	Button, Dot - Blower Housing			
134-2692	1	Scroll, Blower Housing			
309-0002	1	Switch, Hi Temp Cut off			
508-0031	1	Grommet, Rubber			
332-0556	1	Connector			
134-2956	1	Guard, Scroll Outlet			
154-0377	1	Manifold, Exhaust			
154-0360	2	Gasket, Exhaust Manifold MTG.			
220-1818	1	Strator Assy, Wound			
201-2323	1	Armature Assy, Wound			
309-0237	1	Switch, Low Oil Pressure			

SPECIAL PARTS LIST FOR MODEL 5.0CCX-3CR SPEC 13037R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 7
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. 611-1090-11

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Vacu - Flo Cooling			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off			
102-0859	1	Base, Oil - Includes Filler Neck			
505-0110	1	Plug, Oil Base (3/8)			
505-0054	1	Plug, Oil Base (1/4)			
309-0237	1	Switch, Low Oil Pressure			
526-0017	1	Washer, Flat - Flywheel Mtg.			
517-0035	1	Plug, Dot Button (1 1/16 Hole)			
134-2956	1	Guard, Scroll Outlet			
332-0556	1	Connector, Quick Disconnect			
134-2692	1	Scroll, Air Duct			
220-1821	1	Stator Assembly, Wound			
338-0739	1	Harness, Wiring - Includes Fuse and Holder			
166-0643	1	Coil, Ignition			
332-0527	1	Terminal, Choke Cover Wire			

SPECIAL PARTS LIST FOR MODEL 5.0CCK-4R31 SPEC 13153R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 7
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. 611-1090-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas Fuel System					
Vacu - Flo Cooling					
Housed					
110-0893	4	Washer, Valve Spring Retainer			
102-0859	1	Base, Oil - Includes Filter Neck			
505-0110	1	Plug, Oil Base (3/8)			
505-0054	1	Plug, Oil Base (1/4)			
150-1577	1	Bracket, Governor Spring			
526-0017	1	Washer, Flat - Flywheel Mtg.			
134-2956	1	Guard, Scroll Outlet			
517-0035	1	Plug, Dot Button (1 1/16 Hole)			
149-0558	1	Strainer			
166-0643	1	Coil, Ignition			
338-0719	1	Harness, Wiring - Includes Fuse and Holder			
307-0312	1	Valve, Solenoid - Fuel			
405-2147	1	Panel, Housing - Rear			
301-1385	1	Panel, Control			
308-0154	1	Switch, Start - Stop			

SPECIAL PARTS LIST FOR MODEL 5.0CCK-4R31 SPEC 13153V
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 7
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. 611-1142-05

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed Unit Vacu-Flo Cooling Natural Gas or LPG Vapor Carburetor Oil Base Heater					
167-0262	2	Plug, Spark-Resistor Type			
150-1467	1	Linkage, Governor (Includes Parts Marked *)			
150-0639	1	* Joint, Ball			
870-0131	1	* Nut, Hex w/ET-Ball Joint (#10-32)			
526-0196	1	* Washer, Flat-Ball Joint			
870-0053	1	* Nut, Hex-Governor Rod (#10-32)			
150-0430	1	* Bracket, Governor Spring			
150-0629	1	* Rod, Governor			

SPECIAL PARTS LIST FOR MODEL 5.0CCK-3CE SPEC 13276V
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 6
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 606-0203-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Contractors Model					
149-0611	1	Line, Fuel Pump To Carburetor			
502-0002	3	Elbow, Street - (1) Fuel Pump Inlet, (1) Fuel Pump Outlet, (1) Carburetor Inlet			
145-0080	3	Clamp, Air Cleaner Hose			
503-0286	1	Hose, Air Cleaner			
503-0107	1	Clamp, Air Inlet To Carburetor			
140-0211	1	Sleeve, Air Cleaner			
140-0399	1	Cleaner, Air			

SPECIAL PARTS LIST FOR MODEL 5.0CCK-3R SPEC 13283V
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 7
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. 611-1156-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed Unit					
Meter Panel					
Gas Carburetor					
Vacu-Flo Cooling					
Oil Base Heater					
167-0262	2	Plug, Spark-Resistor Type			
150-1467	1	Linkage, Governor (Includes Parts Marked *)			
150-0639	1	* Joint, Ball			
870-0131	1	* Nut, Hex w/ET-Ball Joint (#10-32)			
526-0196	1	* Washer, Flat-Ball Joint			
870-0053	1	* Nut, Hex-Governor Rod (#10-32)			
150-0430	1	* Bracket, Governor Spring			
150-0629	1	* Rod, Governor			

SPECIAL PARTS LIST FOR MODEL 4.0CCX-3CR SPEC 13424V
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 5
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. 611-1142-08

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas Carburetor					
High Air Temperature Cut Off					
167-0262	2	Plug, Spark-Resistor Type			
150-1467	1	Linkage, Governor (Includes Parts Marked *)			
150-0639	1	* Joint, Ball			
870-0131	1	* Nut, Hex w/ET-Ball Joint (#10-32)			
526-0196	1	* Washer, Flat-Ball Joint			
870-0053	1	* Nut, Hex-Governor Rod (#10-32)			
150-0430	1	* Bracket, Governor Spring			
150-0629	1	* Rod, Governor			

SPECIAL PARTS LIST FOR MODEL 5.0CCK-3CR SPEC 13476R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 7
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)611-1090-11

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Vacu-Flo Cooling			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off			
		Housed			
102-0859	1	Base, Oil			
134-2692	1	Scroll, Air Outlet (Does Not Include Outlet Guard)			
309-0237	1	Switch, Low Oil Pressure			
338-0739	1	Harness, Wiring - Control			

SPECIAL PARTS LIST FOR MODEL 5.0CCK-4R SPEC 13694R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 7
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. 611-1090-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Vacu - Flo Cooling					
Spin - On Oil Filter					
110-1860	1	Block Assembly, Cylinder			
526-0017	1	Washer, Flat - Flywheel Mtg.			
517-0035	1	Plug, Dot Button (1 1/16 Hole)			
134-2786	1	Housing, Blower			
134-2956	1	Guard, Scroll Outlet			
332-0527	1	Terminal, Choke Cover Wire			
505-0479	1	Cap, Muffler Pipe			
155-0714	1	Muffler, Exhaust			
134-2237	1	Housing, Cylinder Air - Right (#2 Cylinder)			
166-0643	1	Coil, Ignition			
501-0003	1	Line, Flexible - Oil Gauge			

SPECIAL PARTS LIST FOR MODEL 4.0CCK-3CR SPEC 13744R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 5
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. 611-1090-11

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas - Gasoline Fuel System					
Vacu - Flo Cooling					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Housed					
110-0893	4	Washer, Valve Spring Retainer			
309-0237	1	Switch, Low Oil Pressure			
526-0017	1	Washer, Flat - Flywheel Mtg.			
517-0035	1	Plug, Dot Button (1 1/16 Hole)			
134-2696	1	Scroll, Air Duct			
332-0556	1	Connect, Quick Disconnect			
134-2956	1	Guard, Scroll Outlet			
154-0817	1	Manifold, Intake			
502-0065	1	Elbow, Inverted Male - Carb Inlet			
332-0527	1	Terminal, Choke Cover Wire			
166-0643	1	Coil, Ignition			
338-0739	1	Harness, Wiring - Includes Fuse and Holder			
405-2147	1	Panel, Housing - Rear			
301-1385	1	Panel, Control			
308-0154	1	Switch, Start - Stop			

SPECIAL PARTS LIST FOR MODEL 5.0CCK-3R SPEC 13898V
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 7
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. 611-1158-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed Unit Meter Panel Gas Carburetor Vacu-Flo Cooling Oil Base Heater					
167-0262	2	Plug, Spark-Resistor Type			
150-1467	1	Linkage, Governor (Includes Parts Marked *)			
150-0639	1	* Joint, Ball			
879-0131	1	* Nut, Hex w/ET-Ball Joint (#10-32)			
526-0196	1	* Washer, Flat-Ball Joint			
870-0053	1	* Nut, Hex-Governor Rod (#10-32)			
150-0430	1	* Bracket, Governor Spring			
150-0629	1	* Rod, Governor			

SPECIAL PARTS LIST FOR MODEL 5.0CCK-4R SPEC 14015R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 7
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 611-1090-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Gas Fuel System			
		Vacu-Flo Cooling			
		Spin-On Oil Filter			
338-0719	1	Harness, Wiring - Control			

SPECIAL PARTS LIST FOR MODEL 5.0CCK-4XR SPEC 14015V
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 7
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. 611-1142-05

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas Carburetor Vacu-Flo Cooling Spin-On Oil Filter					
167-0262	2	Plug, Spark-Resistor Type			
150-1467	1	Linkage, Governor (Includes Parts Marked *)			
150-0639	1	* Joint, Ball			
870-0131	1	* Nut, Hex w/ET-Ball Joint (#10-32)			
526-0196	1	* Washer, Flat-Ball Joint			
870-0053	1	* Nut, Hex-Governor Rod (#10-32)			
150-0430	1	* Bracket, Governor Spring			
150-0629	1	* Rod, Governor			

SPECIAL PARTS LIST FOR MODEL 5.0CCK-5DR SPEC 14058R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 7
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. 611-1090-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Rope Sheave					
192-0308	1	Sheave, Rope			
166-0643	1	Coil, Ignition			
332-0527	1	Terminal, Choke Cover Wire			

SPECIAL PARTS LIST FOR MODEL 5.0CCK-3CR SPEC 14162R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 7
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. 611-1090-06

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas - Gasoline Fuel System					
Vacu - Flo Cooling					
Housed					
Low Oil Pressure Cut Off					
110-0893	4	Washer, Valve Spring Retainer			
102-0859	1	Base, oil - Includes Filler Neck			
505-0110	1	Plug, Oil Base (3/8)			
505-0054	1	Plug, Oil Base (1/4)			
309-0237	1	Switch, Low Oil Pressure			
526-0017	1	Washer, Flat - Flywheel Mtg.			
517-0035	1	Plug, Dot Button (1 1/16 Hole)			
134-2956	1	Guard, Scroll Outlet			
332-0527	1	Terminal, Choke Cover Wire			
154-0817	1	Manifold, Intake			
502-0065	1	Elbow, Inverted Male - Carb Inlet			
220-1821	1	Stator Assembly, Wound			
166-0643	1	Coil, Ignition			
338-0724	1	Harness, Wiring - Includes Fuse and Holder			
405-2147	1	Panel, Housing - Rear			
301-1385	1	Panel, Control			
308-0154	1	Switch, Start - Stop			

SPECIAL PARTS LIST FOR MODEL

5.0CCK-4R

SPEC

14208R

FOR STANDARD PARTS REFER TO CATALOG

927-0222

KEY NO.

7

(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO.

611-1090-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas Fuel System					
Vacu - Flo Cooling					
Housed					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
110-0893	4	Washer, Valve Spring Retainer			
150-0159	1	Bracket, Governor Spring			
102-0859	1	Base, Oil - Includes Filler Neck			
505-0110	1	Plug, Oil Base (3/8)			
505-0054	1	Plug, Oil Base (1/4)			
309-0237	1	Switch, Low Oil Pressure			
526-0017	1	Washer, Flat - Flywheel Mtg.			
517-0035	1	Plug, Dot Button (1 1/16 Hole)			
134-2956	1	Guard, Scroll Outlet			
332-0556	1	Connector, Quick Disconnect			
134-2692	1	Scroll, Air Duct			
502-0082	1	Nipple, Hex - Vacuum Switch			
148-0367	1	Switch, Vacuum			
154-0670	1	Manifold, Intake			
166-0643	1	Coil, Ignition			
338-0722	1	Harness, Wiring - Includes Fuse and Holder			
405-2147	1	Panel, Housing - Rear			
301-1385	1	Panel, Control			
308-0154	1	Switch, Start - Stop			

WIRING DIAGRAM NO. 611-1090

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Vacu Flo Cooling Housed					
502-0058	1	Tee			
309-0237	1	Switch Low Oil Pressure Cutoff			
517-0035	1	Button, Dot			
134-2692	1	Scroll, Blower Hsg.			
134-2956	1	Guard, Blower Hsg. Scroll			
508-0031	1	Grommet, Rubber			
309-0002	1	Switch Hi Temp. Cutoff			
508-0056	2	Washer, Insulator			
332-0556	1	Connector			
220-1818	1	Stator Assy, Wound			
201-1907	1	Rotor Assy, Wound			

SPECIAL PARTS LIST FOR MODEL 4.0CCX-4K SPEC 144000
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 5
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. 611-1090-11

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Vacu - Flo Cooling					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Housed					
309-0237	1	Switch, Low Oil Pressure			
526-0017	1	Washer, Flat - Flywheel Mtg.			
517-0035	1	Plug, Dot Button (1 1/16 Hole)			
134-2956	1	Guard, Scroll Outlet			
332-0556	1	Connector, Quick Disconnect			
134-2692	1	Scroll, Air Duct			
166-0643	1	Coil, Ignition			
338-0739	1	Harness, Wiring - Includes Fuse and Holder			
405-2147	1	Panel, Housing - Rear			
301-1385	1	Panel, Control			
308-0154	1	Switch, Start - Stop			
332-0527	1	Terminal, Choke Cover Wire			

SPECIAL PARTS LIST FOR MODEL 5.0CCX-3CR SPEC 14277R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 7
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. 611-1090-11

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Vacu - Flo Cooling			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off			
		Housed			
309-0237	1	Switch, Low Oil Pressure			
526-0017	1	Washer, Flat - Flywheel Mtg.			
517-0035	1	Plug, Dot Button (1 1/16 Hole)			
134-2956	1	Guard, Scroll Outlet			
332-0556	1	Connector, Quick Disconnect			
134-2692	1	Scroll, Air Duct			
220-1821	1	Stator Assembly, Wound			
166-0643	1	Coil, Ignition			
338-0739	1	Harness, Wiring - Includes Fuse and Holder			
405-2147	1	Panel, Housing - Rear			
301-1385	1	Panel, Control			
308-0154	1	Switch, Start - Stop			
332-0527	1	Terminal, Choke Cover Wire			

SPECIAL PARTS LIST FOR MODEL 5.0CCK-5DR SPEC 14277R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 7
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. 611-1090-11

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Vacu-Flo Cooling			
		Housed			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off			
309-0237	1	Switch, Low Oil Pressure			
526-0017	1	Washer, Flat - Flywheel Mtg.			
517-0035	1	Plug, Dot Button (1-1/16 Hole)			
134-2956	1	Guard, Scroll Outlet			
332-0556	1	Connector, Quick Disconnect			
134-2692	1	Scroll, Air Duct			
332-0527	1	Terminal, Choke Cover Wire			
338-0739	1	Harness, Wiring - Includes Fuse and Holder			
166-0643	1	Coil, Ignition			
405-2147	1	Panel, Housing - Rear			
301-1385	1	Panel, Control			
308-0154	1	Switch, Start - Stop			

SPECIAL PARTS LIST FOR MODEL 4. OCCK-3R SPEC 14361R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 5
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. 611-1122-10

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas Fuel System					
Vacu - Flo Cooling					
Low Oil Pressure Cut Off					
Housed					
Meter Panel					
309-0237	1	Switch, Low Oil Pressure			
110-0893	4	Washer, Valve Spring Retainer			
150-1577	1	Bracket, Governor Spring			
526-0017	1	Washer, Flat - Flywheel Mtg.			
517-0035	1	Plug, Dot Button (1 1/16 Hole)			
134-2956	1	Guard, Scroll Outlet			
220-1818	1	Stator Assembly, Wound			
201-1907	1	Rotor Assembly, Wound			
166-0643	1	Coil, Ignition			
538-0738	1	Harness, Wiring - Includes Fuse and Holder			
301-3114	1	Panel, Meter			
332-0142	1	Terminal, Solderless - Meter Panel			
332-0237	1	Strip, Marker			
332-0231	1	Block, Terminal			
308-0154	1	Switch, Start - Stop			
302-0213	1	Meter, Frequency (59-63 Hz)			
302-0465	1	Meter, Running Time (120 Volt)			
302-0421	1	Voltmeter, AC (0-300 Volt)			
302-0460	2	Ammeter, AC (0-20 Amp.)			
320-0170	2	Breaker, Circuit (18 Amp.)			
405-2147	1	Panel, Housing - Rear			

SPECIAL PARTS LIST FOR MODEL 5.0CCK-3R SPEC 14361R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 7
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. 611-1104-10

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas Fuel System					
Vacu - Flo Cooling					
Low Oil Pressure Cut Off					
Housed					
Meter Panel					
309-0237	1	Switch, Low Oil Pressure			
110-0893	4	Washer, Valve Spring Retainer			
150-1577	1	Bracket, Governor Spring			
526-0017	1	Washer, Flat - Flywheel Mtg.			
517-0035	1	Plug, Dot Button (1 1/16 Hole)			
134-2956	1	Guard, Scroll Outlet			
220-1821	1	Stator Assembly, Wound			
201-1903	1	Rotor Assembly, Wound			
338-0738	1	Harness, Wiring - Includes Fuse and Holder			
166-0643	1	Coil, Ignition			
301-3114	1	Panel, Meter			
332-0142	1	Terminal, Solderless - Meter Panel			
332-0237	1	Strip, Marker			
332-0231	1	Block, Terminal			
308-0154	1	Switch, Start - Stop			
302-0213	1	Meter, Frequency (59-63 Hz)			
302-0465	1	Meter, Running Time (120 Volt)			
302-0421	1	Voltmeter, AC (0-300 Volt)			
302-0418	2	Ammeter, AC (0-30 Amp.)			
320-0019	2	Breaker, Circuit (25 Amp.)			
405-2147	1	Panel, Housing - Rear			

SPECIAL PARTS LIST FOR MODEL 4.0CCK-3CR SPEC 14467J
 FOR STANDARD PARTS REFER TO CATALOG 927-0300 KEY NO. 3
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW
 WIRING DIAGRAM NO. 611-0235

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Vacu Flo Cooling					
502-0058	1	Tee			
309-0010	1	Switch, Low Oil Pressure			
502-0017	1	Connector Inverted Female			
517-0035	1	Button, Dot			
134-2956	1	Guard, Blower Hsg. Scroll			
160-1135	1	Box Assy, Ignition Breaker (Same as 160-0963 in Main Parts Catalog)			
220-1484	1	Stator Assy, Wound			
201-1735	1	Rotor Assy, Wound			
332-0142	1	Terminal, Ground			

SPECIAL PARTS LIST FOR MODEL 4.0 CCK-3R SPEC 14482R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 5
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 611-1113-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Vacu - Flo Cooled Housed					
166-0643	1	Coil, Ignition			
201-1907	1	Rotor Assembly, Wound			
220-1818	1	Stator Assembly, Wound			
301-1380	1	Panel, Meter - Housing, Rear			
320-0019	2	Circuit Breaker, (25 Amp.)			
302-0418	2	Ammeter - AC (0-30 Amp.)			
302-0421	1	Voltmeter - AC (0-300 Volt)			
323-0184	3	Receptacle, Duplex - (15 Amp)			
308-0154	1	Switch, Start - Stop			
332-0231	1	Block, Terminal			
332-0237	1	Marker Strip			
332-0142	2	Lug, Ground - Solderless			
301-1388	1	Panel, Receptacle - Housing Rear			
323-0856	2	Receptacle - Twistlock (20 Amp.)			
323-0857	2	Plug - Twistlock Receptacle			

SPECIAL PARTS LIST FOR MODEL 4.0CCK-3CR SPEC 14544R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 5
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. 611-1090-11

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas - Gasoline Fuel System					
Vacu - Flo Cooling					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Spin - On Oil Filter					
110-1860	1	Block Assembly, Cylinder			
110-0893	4	Washer, Valve Spring Retainer			
309-0237	1	Switch, Low Oil Pressure			
526-0017	1	Washer, Flat - Flywheel Mtg.			
501-0003	1	Line, Flexible - Oil Gauge			
134-2786	1	Housing, Blower			
517-0035	1	Plug, Dot Button (1 1/16 Hole)			
134-2692	1	Scroll, Air Duct			
332-0556	1	Connector, Quick Disconnect			
134-2956	1	Guard, Scroll Outlet			
154-0817	1	Manifold, Intake			
502-0065	1	Elbow, Inverted Male - Carb Inlet			
332-0527	1	Terminal, Choke Cover Wire			
134-2237	1	Housing, Cylinder Air - Right (#2 Cylinder)			
166-0643	1	Coil, Ignition			
338-0739	1	Harness, Wiring - Includes Fuse and Holder			

SPECIAL PARTS LIST FOR MODEL 5.0CCK-3CR SPEC 14544R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 7
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. 611-1090-11

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas - Gasoline Fuel System					
Vacu - Flo Cooling					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Spin - On Oil Filter					
110-1860	1	Block Assembly, Cylinder			
110-0893	4	Washer, Valve Spring Retainer			
309-0237	1	Switch, Low Oil Pressure			
526-0017	1	Washer, Flat - Flywheel Mtg.			
501-0003	1	Line, Flexible - Oil Gauge			
134-2786	1	Housing, Blower			
517-0035	1	Plug, Dot Button (1 1/16 Hole)			
134-2692	1	Scroll, Air Duct			
332-0556	1	Connector, Quick Disconnect			
134-2956	1	Guard, Scroll Outlet			
154-0817	1	Manifold, Intake			
502-0065	1	Elbow, Inverted Male - Carb Inlet			
332-0527	1	Terminal, Choke Cover Wire			
134-2237	1	Housing, Cylinder Air - Right (#2 Cylinder)			
220-1821	1	Stator Assembly, Wound			
166-0643	1	Coil, Ignition			
338-0739	1	Harness, Wiring - Includes Fuse and Holder			

SPECIAL PARTS LIST FOR MODEL 5.0CCX-3CR31 SPEC 14586R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 7
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. 611-1090-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas Fuel System					
Vacu - Flo Cooling					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
110-0893	4	Washer, Valve Spring Retainer			
150-1577	1	Bracket, Governor Spring			
526-0017	1	Washer, Flat - Flywheel Mtg.			
517-0035	1	Plug, Dot Button (1 1/16 Hole)			
309-0237	1	Low Oil Pressure Cut Off			
134-2956	1	Guard, Scroll Outlet			
332-0556	1	Connector, Quick Disconnect			
134-2692	1	Scroll, Air Duct			
149-0558	1	Strainer			
220-1821	1	Stator Assembly, Wound			
166-0643	1	Coil, Ignition			
338-0722	1	Harness, Wiring - Includes Fuse and Holder			
307-0312	1	Valve, Solenoid - Fuel			

SPECIAL PARTS LIST FOR MODEL 5.0CCK-3CE SPEC 14604R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 6
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. 611-0203-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Rope Sheave			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off			
		Spin - On Oil Filter			
		NOTE: This Model Contains Contractor Model Air Cleaner, Air Housing and Control. (For Replacement Parts See Contractors Model Special Parts Section)			
110-1860	1	Block Assembly, Cylinder			
102-0859	1	Base, Oil - Includes Filler Neck			
505-0110	1	Plug, Oil Base (3/8)			
505-0054	1	Plug, Oil Base (1/4)			
114-0171	1	Screw, Cylinder Head - High Air Temp. Switch Mounting			
309-0255	1	Switch, High Air Temperature			
309-0237	1	Switch, Low Oil Pressure			
526-0017	1	Washer, Flat - Flywheel Mtg.			
501-0003	1	Line, Flexible - Oil Gauge			
508-0095	2	Grommet, Rubber - Air Housing			
134-2867	1	Housing, Blower			
502-0017	1	Connector, Female - Oil Gauge			
153-0094	1	Cable Assembly, Choke			
153-0249	1	Bracket, Choke Cable			
149-0775	1	Line, Fuel Pump to Carburetor			
501-0003	1	Line, Fuel Pump to Filter			
134-2237	1	Housing, Cylinder Air - Right (#2 Cylinder)			
155-0824	1	Muffler, Exhaust			
301-3585	1	Bracket, Control Box Mounting			
508-0001	1	Grommet, Rubber - Control Box			
301-3591	2	Spacer, Switch Mounting			
402-0408	1	Mounting Package			
816-0212	4	Bolt, Carriage - Vibration Mtg.			
526-0195	4	Washer, Flat - Vibration Mtg. (29/64 ID x 3-1/4 OD x 1/8 THK.)			
505-0030	1	Coupling, Exhaust (1" Pipe)			
416-0077	1	Cable, Battery (28")			
416-0004	1	Cable, Jumper - Battery			
220-1821	1	Stator Assembly, Wound			
201-1903	1	Rotor Assembly, Wound			
332-0527	1	Terminal, Choke Cover Wire			

SPECIAL PARTS LIST FOR MODEL 4.0CCK-3CR SPEC 14608R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 5
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. 611-1086

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas Carburetor					
110-0893	2	Washer, Valve Spring Retainer			
110-0883	1	Head, Cylinder LH			
110-0884	1	Head, Cylinder RH			
403-0968	1	Plate, Mounting			
309-0237	1	Switch, Low Oil Pressure Cutoff			
502-0058	1	Tee			
505-0019	1	Bushing Reducer			
134-2340	1	Scroll, Blower Hsg.			
134-2102	1	Housing, Blower			
134-2956	1	Guard, Blower Hsg Scroll			
337-0122	1	Strap, Ground			
503-0643	1	Hose, Air Inlet			
503-0004	1	Clamp			
503-0311	1	Clamp			
504-0092	1	Valve, Oil Drain			
145-0094	1	Inlet, Carburetor Air			
148-0147	1	Pipe, Fuel			
154-1523	1	Manifold, Exhaust			
220-1818	1	Stator Assy, Wound			
201-1907	1	Rotor Assy, Wound			

Parts not furnished by Onan
 Rope Sheave

SPECIAL PARTS LIST FOR MODEL 5.0CCK-3CR SPEC 14612R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 7
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. 611-1090-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
----------	------	-------------	----------	------	-------------

Vacu - Flo Cooling
 Rope Sheave

526-0017	1	Washer, Flat - Flywheel Mtg.			
517-0035	1	Plug, Dot Button (1 1/16 Hole)			
134-3041	1	Scroll, Air Duct - Includes Guard			
134-2956	1	Guard, Scroll Outlet			
332-0527	1	Terminal, Choke Cover Wire			
220-1821	1	Stator Assembly, Wound			
166-0643	1	Coil, Ignition			

SPECIAL PARTS LIST FOR MODEL 5.0CCK-5DR SPEC 14612R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 7
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. 611-1090-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Vacu - Flo Cooling					
Rope Sheave					
526-0017	1	Washer, Flat - Flywheel Mtg.			
517-0035	1	Plug, Dot Button (1 1/16 Hole)			
134-3041	1	Scroll, Air Duct - Includes Guard			
134-2956	1	Guard, Scroll Outlet			
352-0527	1	Terminal, Choke Cover Wire			
166-0643	1	Coil, Ignition			

WIRING DIAGRAM NO. 611-1086-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Vacu - Flo Cooling	134-2956	1	Guard, Scroll Outlet
		Low Oil Pressure Cut Off	503-0643	1	Hose, Air Cleaner
		High Air Temperature Cut Off	503-0004	1	Clamp, Hose (1 7/8")
		Gas Fuel System	503-0311	1	Clamp, Hose (2 1/8")
110-0893	4	Washer, Valve Spring Retainer	403-0986	1	Plate, Engine and Generator Mounting
102-0909	1	Base, Oil - Includes Filler Necks	504-0092	1	Valve, Oil Drain
505-0019	1	Bushing, Reducer (Right Hand Drain)	337-0122	1	Strap, Ground
150-1577	1	Bracket, Governor Spring	402-0373	1	Mounting Cushion Package (Includes Parts Marked
309-0237	1	Switch, Low Oil Pressure	816-0206	4	#Bolt, Carriage (7/16-14 3-1/2")
526-0017	1	Washer, Flat - Flywheel Mtg.	862-0004	4	#Nut, Hex (7/16"-14)
501-0003	1	Line, Flexible - Oil Gauge	850-0055	4	#Washer, Lock - Spring (7/16" ID)
134-2102	1	Housing, Blower	526-0014	4	#Washer, Flat (29/64" ID x 1 1/2 OD x 1/8"
517-0035	1	Plug, Dot Button (1 1/16" Hole)	526-0198	8	#Washer, Flat (5/8" ID x 1 1/2" OD x 1/16" THK)
508-0084	1	Grommet, Rubber (1 1/4" Hole)	402-0282	4	#Snubber, Rubber
193-0006	1	Gauge, Oil Pressure	402-0283	4	#Cushion, Vibration
502-0196	1	Elbow, Street - Oil Pressure Gauge	Parts not Furnished by Onan Secondary Regulator		
193-0114	1	Bracket, Oil Pressure Gauge			
502-0003	1	Connector, Oil Pressure Line - Street Elbow			
505-0057	1	Plug, Square Head - Street Elbow			
134-1591	1	Housing, Cylinder Air - Right (#2 Cylinder)			
403-0934	1	Bracket, Lifting			
145-0094	1	Inlet, Carburetor Air			
220-1821	1	Stator Assembly, Wound			
338-0775	1	Harness, Wiring - Includes Fuse and Holder (Control)			
140-1173	1	Bracket Assembly, Air Cleaner			
140-1153	1	Cover, Air Cleaner			
140-0495	1	Cartridge, Air Cleaner			
518-0056	1	Screw, Wing (10-32 x 1/2" Lg.)			
330-0006	1	Cover, Outlet Box			
330-0028	1	Box, Outlet			
301-3483	1	Panel, Control Mounting			
321-0193	2	Holder Assy., Fuse - Includes 9 Amp. Fuse - (1) Control, (1) Wiring Harness			
321-0194	2	Fuse, 9 Amp.			
134-2334	1	Scroll, Air Duct			
332-0556	1	Connector, Quick Disconnect			

SPECIAL PARTS LIST FOR MODEL 5.0CCX-3R SPEC 14845R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 7
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. 611-1104-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas Fuel System					
Vacu - Flo Cooling					
Housed					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Meter Panel					
110-0893	4	Washer, Valve Spring Retainer			
150-1577	1	Bracket, Governor Spring			
526-0017	1	Washer, Flat - Flywheel Mtg.			
517-0035	1	Plug, Dot Button (1 1/16 Hole)			
309-0237	1	Low Oil Pressure Cut Off			
134-2956	1	Guard, Scroll Outlet			
332-0556	1	Connector, Quick Disconnect			
134-2692	1	Scroll, Air Duct			
201-1903	1	Rotor Assembly, Wound			
220-1821	1	Stator Assembly, Wound			
338-0722	1	Harness, Wiring - Includes Fuse and Holder			
166-0643	1	Coil, Ignition			
301-3114	1	Panel, Meter			
332-0142	1	Terminal, Solderless - Meter Panel			
332-0237	1	Strip, Marker			
332-0231	1	Block, Terminal			
308-0154	1	Switch, Start - Stop			
302-0213	1	Meter, Frequency (59-63 Hz)			
302-0465	1	Meter, Running Time (120 Volt)			
302-0421	1	Voltmeter, AC (0-300 Volt)			
302-0418	2	Ammeter, AC (0-30 Amp.)			
320-0019	2	Breaker, Circuit (25 Amp.)			
405-2147	1	Panel, Housing - Rear			

SPECIAL PARTS LIST FOR MODEL 7.000K-JCE SPEC 14855K
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 4
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. 606-0203

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Contractors Model					
309-0255	1	Switch, Hi Air Temp Cutoff			
309-0237	1	Switch, Low Oil Pressure Cutoff			
220-1818	1	Stator Assy, Wound			
201-1907	1	Rotor Assy, Wound			
332-0152	4	Terminal, Ring			
192-0308	1	Sheave, Rope			
517-0021	1	Button, Dot			
416-0657	1	Cable, Battery (B+)			
502-0137	1	Connector, Hose			
403-1258	1	Bracket, Lifting			
153-0249	1	Bracket, Choke			
518-0176	1	Clip, Choke Cable			
149-0271	1	Primer Lever, Fuel Pump			
502-0058	1	Tee, Street Pipe			

SPECIAL PARTS LIST FOR MODEL 5.0CCK-3CE SPEC 14855R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 6
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. 606-0203-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off High Air Temperature Cut Off NOTE: Contractors Model					
114-0171	1	Screw, Cylinder Head - High Air Temp. Switch Mtg.			
309-0255	1	Switch, High Air Temperature			
309-0237	1	Switch, Low Oil Pressure			
502-0017	1	Connector, Female - Oil Gauge			
220-1821	1	Stator Assembly, Wound			
508-0001	1	Grommet, Rubber (1-1/16" Hole)			
301-3591	2	Spacer, Switch Mounting			
502-0137	1	Connector, Hose - Male (1/4")			

SPECIAL PARTS LIST FOR MODEL 5.0CCK-3CE SPEC 14855V
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 6
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. _____

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Contractors Model					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Momentary Contact Switch					
309-0237	1	Switch, Low Oil Pressure			
309-0255	1	Switch, High Air Temperature			
114-0171	1	Screw, High Air Temperature Switch Mounting			

SPECIAL PARTS LIST FOR MODEL 5.0CCK-4E SPEC 14855V
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 6
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG)606-0207-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Contractors Model					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Momentary Contact Switch					
309-0237	1	Switch, Low Oil Pressure			
309-0255	1	Switch, High Air Temperature			
114-0171	1	Screw, High Air Temperature Switch Mounting			
220-1821	1	Stator Assembly, Wound			
201-2512	1	Rotor Assembly, Wound			
301-3750	1	Panel, Control			

SPECIAL PARTS LIST FOR MODEL 5.0CCK-4XR SPEC 14868R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 7
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. 611-1090-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas Fuel System					
Vacu - Flo Cooling					
Housed					
110-0893	4	Washer, Valve Spring Retainer			
150-0159	1	Bracket, Governor Spring			
526-0017	1	Washer, Flat - Flywheel Mtg.			
517-0035	1	Plug, Dot Button (1 1/16 Hole)			
134-2956	1	Guard, Scroll Outlet			
154-0670	1	Manifold, Intake			
148-0367	1	Switch, Vacuum			
502-0082	1	Nipple, Hex - Vacuum Switch			
166-0643	1	Coil, Ignition			
338-0719	1	Harness, Wiring - Includes Fuse and Holder			
405-2147	1	Panel, Housing - Rear			
301-1385	1	Panel, Control			
308-0154	1	Switch, Start - Stop			

SPECIAL PARTS LIST FOR MODEL 5.0CCK-3CR SPEC 14896R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 7
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. 611-1090-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas Fuel System					
Vacu - Flo Cooling					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Spin - On Oil Filter					
110-1860	1	Block Assembly, Cylinder			
110-0893	4	Washer, Valve Spring Retainer			
150-0159	1	Bracket, Governor Spring			
309-0237	1	Switch, Low Oil Pressure			
526-0017	1	Washer, Flat - Flywheel Mtg.			
501-0003	1	Line, Flexible - Oil Gauge			
134-2786	1	Housing, Blower			
517-0035	1	Plug, Dot Button (1 1/16 Hole)			
134-2692	1	Scroll, Air Duct			
332-0556	1	Connector, Quick Disconnect			
134-2956	1	Guard, Scroll Outlet			
134-2237	1	Housing, Cylinder Air - Right (#2 Cylinder)			
220-1821	1	Stator Assembly, Wound			
166-0643	1	Coil, Ignition			
338-0722	1	Harness, Wiring - Includes Fuse and Holder			

SPECIAL PARTS LIST FOR MODEL 5.0CCK-5DR SPEC 14896R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 7
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)611-1090-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Gas Fuel System			
		Vacu-Flo Cooling			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off			
		Spin-On Oil Filter			
134-2692	1	Scroll, Air Outlet (Does Not Include Outlet Guard)			
309-0237	1	Switch, Low Oil Pressure			
338-0722	1	Harness, Wiring - Control			

SPECIAL PARTS LIST FOR MODEL 5.0CCR-3CR SPEC 14928V
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 7
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. 611-1142-06

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Oil Base Heater			
		High Air Temperature Cut Off			
167-0262	2	Plug, Spark-Resistor Type			
150-1467	1	Linkage, Governor (Includes Parts Marked *)			
150-0639	1	* Joint, Ball			
870-0131	1	* Nut, Hex w/ET-Ball Joint (#10-32)			
526-0196	1	* Washer, Flat-Ball Joint			
870-0053	1	* Nut, Hex-Governor Rod (#10-32)			
150-0430	1	* Bracket, Governor Spring			
150-0629	1	* Rod, Governor			

SPECIAL PARTS LIST FOR MODEL 5.0CCK-3R SPEC 14964R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 7
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. 611-1104-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas Fuel System					
Vacu - Flo Cooling					
Housed					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Meter Panel					
110-0893	4	Washer, Valve Spring Retainer			
150-1577	1	Bracket, Governor Spring			
102-0859	1	Base, Oil - Includes Filler Neck			
505-0110	1	Plug, Oil Base (3/8)			
505-0054	1	Plug, Oil Base (1/4)			
309-0237	1	Switch, Low Oil Pressure			
526-0017	1	Washer, Flat - Flywheel Mtg.			
517-0035	1	Plug, Dot Button (1 1/16 Hole)			
134-2956	1	Guard, Scroll Outlet			
332-0556	1	Connect, Quick Disconnect			
134-2692	1	Scroll, Air Duct			
201-1903	1	Rotor Assembly, Wound			
220-1821	1	Stator Assembly, Wound			
338-0722	1	Harness, Wiring - Includes Fuse and Holder			
166-0643	1	Coil, Ignition			
301-3114	1	Panel, Meter			
332-0142	1	Terminal, Solderless - Meter Panel			
332-0237	1	Strip, Marker			
332-0231	1	Block, Terminal			
508-0154	1	Switch, Start - Stop			
302-0213	1	Meter, Frequency (59-63 Hz)			
302-0465	1	Meter, Running Time (120 Volt)			
302-0421	1	Voltmeter, AC (0-300 Volt)			
302-0418	2	Ammeter, AC (0-30 Amp.)			
320-0019	2	Breaker, Circuit (25 Amp.)			
405-2147	1	Panel, Housing - Rear			

SPECIAL PARTS LIST FOR MODEL 4.0CCK-3CR SPEC 15000U
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 5
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. 611-1142-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Vacu-Flo Cooling					
Low Oil Pressure Cut Off					
505-0019	1	Bushing, Reducer - Oil Base			
167-0262	2	Plug, Spark-Resistor Type			
150-1467	1	Linkage, Governor (Includes Parts Marked *)			
150-0639	1	* Joint, Ball			
870-0131	1	* Nut, Hex w/ET-Ball Joint (#10-32)			
526-0196	1	* Washer, Flat-Ball Joint			
870-0053	1	* Nut, Hex-Governor Rod (#10-32)			
150-0430	1	* Bracket, Governor Spring			
150-0629	1	* Rod, Governor			
154-1841	1	Manifold, Exhaust			
134-1591	1	Housing, Cylinder Air (RH)			
337-0122	1	Strap, Ground			
149-1531	1	Line, Fuel			
134-3032	1	Scroll, Air Outlet (Includes Guard)			
140-1525	1	Bracket, Air Cleaner Mounting			
140-1173	1	Bracket, Air Cleaner Cover			
140-1153	1	Cover, Air Cleaner			
140-0495	1	Element, Air Cleaner			
503-0643	1	Hose, Air Inlet			
503-0004	1	Clamp, Hose			
503-0311	1	Clamp, Hose			
504-0092	1	Valve, Drain			
403-0986	1	Plate, Engine/Generator Mounting			
402-0373	1	Hardware, Mounting			

SPECIAL PARTS LIST FOR MODEL 5.0CCK-3CR SPEC 15000U
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 7
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. 611-1142-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Vacu-Flo Cooling					
Low Oil Pressure Cut Off					
505-0019	1	Bushing, Reducer - Oil Base			
167-0262	2	Plug, Spark-Resistor Type			
150-1467	1	Linkage, Governor (Includes Parts Marked **)			
150-0639	1	** Joint, Ball			
870-0131	1	** Nut, Hex w/ET-Ball Joint (#10-32)			
526-0196	1	** Washer, Flat-Ball Joint			
870-0053	1	** Nut, Hex-Governor Rod (#10-32)			
150-0430	1	** Bracket, Governor Spring			
150-0629	1	** Rod, Governor			
154-1841	1	Manifold, Exhaust			
134-1591	1	Housing, Cylinder Air (RH)			
134-3032	1	Scroll, Air Outlet (Includes Guard)			
337-0122	1	Strap, Ground			
149-1531	1	Line, Fuel			
140-1525	1	Bracket, Air Cleaner Mounting			
140-1173	1	Bracket, Air Cleaner Cover			
140-1153	1	Cover, Air Cleaner			
140-0495	1	Element, Air Cleaner			
503-0643	1	Hose, Air Inlet			
503-0004	1	Clamp, Hose			
503-0311	1	Clamp, Hose			
403-0986	1	Plate, Engine/Generator Mounting			
402-0373	1	Hardware, Mounting			
504-0092	1	Valve, Drain			

SPECIAL PARTS LIST FOR MODEL S.0CCK-3R SPEC 15013R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 7
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. 611-1104-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas Fuel System					
Vacu - Flo Cooling					
Shutter Assembly					
Housed					
Low Oil Pressure Cut Off					
Meter Panel					
110-0893	4	Washer, Valve Spring Retainer			
102-0859	1	Base, Oil - Includes Filler Neck			
150-0159	1	Bracket, Governor Spring			
309-0237	1	Switch, Low Oil Pressure			
526-0017	1	Washer, Flat Flywheel Mtg.			
134-2696	1	Scroll, Air Duct			
332-0556	1	Connector, Quick Disconnect			
517-0035	1	Plug, Dot Button (1 1/16 Hole)			
201-1903	1	Rotor Assembly, Wound			
220-1821	1	Stator Assembly, Wound			
338-0722	1	Harness, Wiring - Includes Fuse and Holder			
166-0643	1	Coil, Ignition			
301-3114	1	Panel, Meter			
332-0142	1	Terminal, Solderless - Meter Panel			
332-0237	1	Strip, Marker			
332-0231	1	Block, Terminal			
308-0154	1	Switch, Start - Stop			
302-0213	1	Meter, Frequency (59-63 Hz)			
302-0465	1	Meter, Running Time (120 Volt)			
302-0421	1	Voltmeter, AC (0-300 Volt)			
302-0418	2	Ammeter, AC (0-30 Amp.)			
320-0019	2	Breaker, Circuit (25 Amp.)			
405-2147	1	Panel, Housing - Rear			

SPECIAL PARTS LIST FOR MODEL 4.2CCK-53R SPEC 15020R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 3
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. 611-1114-03

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Vacu - Flo Cooling					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Housed					
Mounted Fuel Tank					
Meter Panel					
309-0237	1	Switch, Low Oil Pressure			
526-0017	1	Washer, Flat - Flywheel Mtg.			
517-0035	1	Plug, Dot Button (1 1/16 Hole)			
134-2956	1	Guard, Scroll Outlet			
332-0556	1	Connector, Quick Disconnect			
134-2692	1	Scroll, Air Duct			
220-1822	1	Stator Assembly, Wound			
201-1912	1	Rotor Assembly, Wound			
166-0643	1	Coil, Ignition			
338-0739	1	Harness, Wiring - Includes Fuse and Holder			
301-3114	1	Panel, Meter			
332-0142	2	Terminal, Solderless - Meter Panel			
332-0237	1	Strip, Marker			
332-0231	1	Block, Terminal			
308-0154	1	Switch, Start - Stop			
302-0234	1	Meter, Frequency (49-53 Hz)			
302-0468	1	Meter, Running Time (120 Volt)			
302-0421	1	Voltmeter, AC (0-300 Volt)			
302-0418	2	Ammeter, AC (0-30 Amp.)			
320-0019	2	Breaker, Circuit (25 Amp.)			
405-2147	1	Panel, Housing - Rear			
159-0592	1	Tank, Fuel (6.5 Gal.) - Includes Cap			
159-0594	2	Band, Fuel Tank			
501-0131	1	Line, Fuel			
332-0527	1	Terminal, Choke Cover Wire			
159-0007	1	Cap, Fuel Tank			

SPECIAL PARTS LIST FOR MODEL 5.0CCK-3R SPEC 15020R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 7
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. 611-1104-03

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Vacu - Flo Cooling Low Oil Pressure Cut Off High Air Temperature Cut Off Housed Mounted Fuel Tank Meter Panel					
309-0237	1	Switch, Low Oil Pressure			
526-0017	1	Washer, Flat - Flywheel Mtg.			
517-0035	1	Plug, Dot Button (1 1/16 Hole)			
134-2956	1	Guard, Scroll Outlet			
332-0556	1	Connector, Quick Disconnect			
134-2692	1	Scroll, Air Duct			
220-1821	1	Stator Assembly, Wound			
201-1903	1	Rotor Assembly, Wound			
338-0739	1	Harness, Wiring - Includes Fuse and Holder			
166-0643	1	Coil, Ignition			
301-3114	1	Panel, Meter			
332-0142	1	Terminal, Solderless - Meter Panel			
332-0237	1	Strip, Marker			
332-0231	1	Block, Terminal			
308-0154	1	Switch, Start - Stop			
302-0213	1	Meter, Frequency (59-63 Hz)			
302-0465	1	Meter, Running Time (120 Volt)			
302-0421	1	Voltmeter, AC (0-300 Volt)			
302-0418	2	Ammeter, AC (0-30 Amp.)			
320-0019	2	Breaker, Circuit (25 Amp.)			
405-2147	1	Panel, Housing - Rear			
159-0592	1	Tank, Fuel (6.5 Gal.) - Includes Cap			
159-0594	2	Band, Fuel Tank			
501-0131	1	Line, Fuel			
332-0527	1	Terminal, Choke Cover Wire			
159-0007	1	Cap, Fuel Tank			

SPECIAL PARTS LIST FOR MODEL 5.0CCK-5DR SPEC 15040R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 7
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. 611-1090-06

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Vacu - Flo Cooling			
		Low Oil Pressure Cut Off			
		Spin - On Oil Filter			
110-1860	1	Block Assembly, Cylinder			
309-0237	1	Switch, Low Oil Pressure			
526-0017	1	Washer, Flat - Flywheel Mtg.			
501-0003	1	Line, Flexible - Oil Gauge			
134-2786	1	Housing, Blower			
517-0035	1	Plug, Dot Button (1 1/16 Hole)			
134-2956	1	Guard, Scroll Outlet			
332-0527	1	Terminal, Choke Cover Wire			
134-2237	1	Housing, Cylinder Air - Right (#2 Cylinder)			
154-0526	1	Muffler, Exhaust			
166-0643	1	Coil, Ignition			
338-0724	1	Harness, Wiring - Includes Fuse and Holder			

SPECIAL PARTS LIST FOR MODEL 5.0CCK-3CR SPEC 15050R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 7
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. 611-1090-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas Fuel System					
Vacu - Flo Cooling					
Housed					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Mounted Fuel Tank (Used as Oil Reservoir)					
110-0893	4	Washer, Valve Spring Retainer			
150-1577	1	Bracket, Governor Spring			
102-0859	1	Base, Oil - Includes Filler Neck			
505-0110	1	Plug, Oil Base (3/8)			
505-0054	1	Plug, Oil Base (1/4)			
309-0237	1	Switch, Low Oil Pressure			
526-0017	1	Washer, Flat - Flywheel Mtg.			
517-0035	1	Plug, Dot Button (1 1/16 Hole)			
134-2956	1	Guard, Scroll Outlet			
332-0556	1	Connector, Quick Disconnect			
134-2692	1	Scroll, Air Duct			
220-1821	1	Stator Assembly, Wound			
166-0643	1	Coil, Ignition			
338-0722	1	Harness, Wiring - Includes Fuse and Holder			
405-2147	1	Panel, Housing - Rear			
301-1385	1	Panel, Control			
308-0154	1	Switch, Start - Stop			
159-0592	1	Tank, Oil Reservoir (6.5 Gal.) Includes Cap			
159-0594	2	Band, Oil Reservoir Tank			
501-0131	1	Line, Oil			
504-0013	1	Valve, Oil Tank Shut-Off			
159-0007	1	Cap, Oil Tank			

SPECIAL PARTS LIST FOR MODEL 5.00CK-4XR SPEC 15201V
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 7
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. 611-1153-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed Unit					
Meter Panel					
Gas Carburetor					
Vacu-Flo Cooling					
167-0262	2	Plug, Spark-Resistor Type			
150-1467	1	Linkage, Governor (Includes Parts Marked *)			
150-0639	1	* Joint, Ball			
870-0131	1	* Nut, Hex w/ET-Ball Joint (#10-32)			
526-0196	1	* Washer, Flat-Ball Joint			
870-0053	1	* Nut, Hex-Governor Rod (#10-32)			
150-0430	1	* Bracket, Governor Spring			
150-0629	1	* Rod, Governor			

SPECIAL PARTS LIST FOR MODEL 5.0CCK-3CR SPEC 15206V
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 7
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW
 WIRING DIAGRAM NO. 611-1142-06

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Vacu-Flo Cooling					
Oil Base Heater					
High Air Temperature Cut Off					
167-0262	2	Plug, Spark-Resistor Type			
150-1467	1	Linkage, Governor (Includes Parts Marked *)			
150-0639	1	* Joint, Ball			
870-0131	1	* Nut, Hex w/ET-Ball Joint (#10-32)			
526-0196	1	* Washer, Flat-Ball Joint			
870-0053	1	* Nut, Hex-Governor Rod (#10-32)			
150-0430	1	* Bracket, Governor Spring			
150-0629	1	* Rod, Governor			

SPECIAL PARTS LIST FOR MODEL 5.0CCK-4R SPEC 15206V
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 7
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. 611-1142-06

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Vacu-Flo Cooling					
Oil Base Heater					
High Air Temperature Cut Off					
167-0262	2	Plug, Spark-Resistor Type			
150-1467	1	Linkage, Governor (Includes Parts Marked *)			
150-0639	1	* Joint, Ball			
870-0131	1	* Nut, Hex w/ET-Ball Joint (#10-32)			
526-0196	1	* Washer, Flat-Ball Joint			
870-0053	1	* Nut, Hex-Governor Rod (#10-32)			
150-0430	1	* Bracket, Governor Spring			
150-0629	1	* Rod, Governor			

SPECIAL PARTS LIST FOR MODEL 5.0 CCK-3R SPEC 15211R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 7
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 611-1104-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Vacu - Flo Cooling Housed					
166-0643	1	Coil, Ignition			
201-1902	1	Rotor Assembly, Wound			
220-1821	1	Stator Assembly, Wound			
320-0019	2	Circuit Breaker (25 Amp.)			
302-0418	2	Ammeter, AC (0-30 Amp.)			
302-0421	1	Voltmeter, AC (0-300 Volt)			
302-0465	1	Meter, Running Time (120 V.)			
302-0213	1	Meter, Frequency			
308-0154	1	Switch, Start - Stop			
332-0231	1	Block, Terminal			
332-0237	1	Marker, Strip			
301-3114	1	Panel, Meter			

SPECIAL PARTS LIST FOR MODEL 5.0CCK-3R SPEC 15211V
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 7
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. 611-1156-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed Unit Meter Panel Vacu-Flo Cooling					
167-0262	2	Plug, Spark-Resistor Type			
150-1467	1	Linkage, Governor (Includes Parts Marked *)			
150-0639	1	* Joint, Ball			
870-0131	1	* Nut, Hex w/ET-Ball Joint (#10-32)			
526-0196	1	* Washer, Flat-Ball Joint			
870-0053	1	* Nut, Hex-Governor Rod (#10-32)			
150-0430	1	* Bracket, Governor Spring			
150-0629	1	* Rod, Governor			

SPECIAL PARTS LIST FOR MODEL 4.0CCK-3CE SPEC 15288R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 4
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. 606-0203

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Contractors Model					
502-0058	1	Tee, Street Pipe			
309-0237	1	Switch, Low Oil Pressure Cut off			
192-0308	1	Sheave, Rope			
153-0249	1	Bracket, Choke			
518-0176	1	Clip, Choke Cable			
149-0271	1	Primer, Pump Fuel			
403-1248	1	Bracket, Lifting			
332-0152	4	Terminal, Ring			
301-3585	1	Bracket, Control MTG.			
220-1818	1	Stator Assy, Wound			
201-1907	1	Armature Assy, Wound			
517-0021	1	Button, Dot			
416-0657	1	Cable, Battery (B+)			
Parts not furnished by Onan					
Fuel Tank					
Carrying Frame					

SPECIAL PARTS LIST FOR MODEL 4.0CCK-3CR SPEC 15306R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 5
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. 611-1090

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Vacu Flo Cooling					
Carburetor (Gas-Gasoline)					
Housed					
110-0893	2	Washer, Valve Spring Retainer			
110-0883	1	Head, Cylinder LH			
110-0884	1	Head, Cylinder RH			
134-2015	1	Housing, Blower			
517-0035	1	Button, Dot			
134-2956	1	Guard, Blower Hsg. Scroll			
154-0670	1	Manifold, Intake			
148-0147	1	Pipe, Fuel			
148-0367	1	Switch, Reg. Vacuum			
502-0082	1	Nipple, Hex Pipe			
220-1818	1	Stator Assy, Wound			
201-1907	1	Rotor Assy, Wound			

SPECIAL PARTS LIST FOR MODEL 4.0CCK-3CR SPEC 15388R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 5
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. 611-1090

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Vacu Flo Cooling					
Carburetor (Gas-Gasoline)					
Housed					
110-0893	2	Washer, Valve Spring Retainer			
110-0883	1	Head, Cylinder LH			
110-0884	1	Head, Cylinder RH			
102-0859	1	Base, Oil			
505-0110	1	Plug, 3/8"			
505-0054	1	Plug, 1/4"			
160-0257	1	Box Assy, Ignition Breaker (Same as 160-1171 In Main Parts Catalog)			
134-2015	1	Housing, Blower			
517-0035	1	Button, Dot			
134-2956	1	Guard, Blower Hsg. Scroll			
148-0147	1	Pipe, Fuel			
159-0592	1	Tank, Fuel 6.5 Gal.			
159-0594	1	Band, Fuel Tank MTG			
501-0131	1	Line, Fuel			
504-0013	1	Valve, Fuel Shut-off			
220-1818	1	Stator Assy, Wound			
201-1907	1	Rotor Assy, Wound			

SPECIAL PARTS LIST FOR MODEL 3.000R-3UR SPEC 1000R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 7
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. 611-1090-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas - Gasoline Fuel System					
Vacu - Flo Cooling					
Housed					
Mounted Fuel Tank					
110-0893	4	Washer, Valve Spring Retainer			
102-0859	1	Base, Oil - Includes Filler Neck			
505-0110	1	Plug, Oil Base (3/8)			
505-0054	1	Plug, Oil Base (1/4)			
526-0017	1	Washer, Flat - Flywheel Mtg.			
134-2956	1	Guard, Scroll Outlet			
517-0035	1	Plug, Dot Button (1 1/16 Hole)			
154-0817	1	Manifold, Intake			
502-0065	1	Elbow, Inverted Male - Carb			
220-1821	1	Stator Assembly, Wound			
166-0643	1	Coil, Ignition			
405-2147	1	Panel, Housing - Rear			
301-1385	1	Panel, Control			
308-0154	1	Switch, Start - Stop			
159-0592	1	Tank, Fuel (6.5 Gal.) - Includes Cap.			
159-0594	2	Band, Fuel Tank			
501-0131	1	Line, Fuel Tank			
332-0527	1	Terminal, Choke Cover Wire			
159-0007	1	Cap, Fuel Tank			

SPECIAL PARTS LIST FOR MODEL 5.0CCK-3CR SPEC 15388V
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 7
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. 611-1142-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed Unit					
Gas/Gasoline Carburetor					
Mounted Fuel Tank					
Vacu-Flo Cooling					
Oil Base Heater					
167-0262	2	Plug, Spark-Resistor Type			
150-1467	1	Linkage, Governor (Includes Parts Marked *)			
150-0639	1	* Joint, Ball			
870-0131	1	* Nut, Hex w/ET-Ball Joint (#10-32)			
526-0196	1	* Washer, Flat-Ball Joint			
870-0053	1	* Nut, Hex-Governor Rod (#10-32)			
150-0430	1	* Bracket, Governor Spring			
150-0629	1	* Rod, Governor			
516-0039	1	Pin, Choke Lock			

SPECIAL PARTS LIST FOR MODEL 5.0CCK-4R SPEC 15388V
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 7
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. 611-1142-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed Unit					
Gas/Gasoline Carburetor					
Vacu-Flo Cooling					
Mounted Fuel Tank					
Oil Base Heater					
167-0262	2	Plug, Spark-Resistor Type			
150-1467	1	Linkage, Governor (Includes Parts Marked *)			
150-0639	1	* Joint, Ball			
870-0131	1	* Nut, Hex w/ET-Ball Joint (#10-32)			
526-0196	1	* Washer, Flat-Ball Joint			
870-0053	1	* Nut, Hex-Governor Rod (#10-32)			
150-0430	1	* Bracket, Governor Spring			
150-0629	1	* Rod, Governor			
516-0039	1	Pin, Choke Lock			

SPECIAL PARTS LIST FOR MODEL 3.8CCK-52R SPEC 15401R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 2
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. 611-1118

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Vacu Flo Cooled Housed Full Flo Oil Filter					
110-1860	1	Block Assy, Cylinder			
134-2956	1	Guard, Blower Hsg. Scroll			
154-0377	1	Manifold, Exhaust			
134-2786	1	Housing, Blower			
517-0035	1	Plug, Dot Button			
301-3802	1	Cover, Instrument Panel			
301-2045	1	Panel, Meter			
332-0231	1	Block, Terminal			
332-0237	1	Strip, Terminal Block Marker			
308-0154	1	Switch, Start-Stop			
302-0256	1	Meter, Frequency			
302-0469	1	Meter, Running			
302-0421	1	Votmeter, AC (0-300 Volts)			
302-0418	1	Ammeter, AC (0-30 amp)			
323-0213	1	Receptacle, Duplex			
320-0018	1	Breaker, Circuit - (20 amp)			
357-0017	1	Diode, 3 amp			
353-0047	1	Resistor			
338-1072	1	Harness, Wiring			
338-1073	1	Harness, Wiring			
134-2237	1	Housing, Cylinder Air RH			
220-1816	1	Stator Assembly, Wound			
201-1905	1	Armature Assembly, Wound			
159-0592	1	Tank, Fuel (6.5 Gal.)			
159-0594	2	Band, Fuel Tank			
159-0080	1	Cap, Fuel Filter			
501-0131	1	Line, Fuel			
504-0013	1	Cock, Fuel Tank Shut off.			

WIRING DIAGRAM NO. 611-1118-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Vacu - Flo Cooling					
Housed					
Spin - On Oil Filter					
Mounted Fuel Tank					
Meter Panel					
110-1860	1	Block Assembly, Culinder			
526-0017	1	Washer, Flat - Flywheel Mtg.			
501-0003	1	Line, Flexible - Oil Gauge			
134-2786	1	Housing, Blower			
517-0035	1	Plug, Dot Button (1 1/16 Hole)			
134-2956	1	Guard, Scroll Outlet			
332-0527	1	Terminal, Choke Cover Wire			
134-2237	1	Housing, Cylinder Air - Right (#2 Cylinder)			
220-1822	1	Stator Assembly, Wound			
201-1905	1	Rotor Assembly, Wound			
159-0592	1	Tank, Fuel (6.5 Gal.) - Includes Cap			
159-0594	2	Band, Fuel Tank			
501-0131	1	Line, Fuel			
159-0007	1	Cap, Fuel Tank			
516-0119	1	Pin, Toggle - Fuel Tank Cap			
159-0084	1	Spring, Retaining - Fuel Tank Cap			
880-0047	1	Chain, Fuel Tank Cap			
405-2147	1	Panel, Housing - Rear			
301-1385	1	Panel, Control			
308-0154	1	Switch, Start - Stop			
166-0643	1	Coil, Ignition			
338-1073	1	Harness, Wiring - Meter Panel To Generator			
338-1072	1	Harness, Wiring - Meter Panel Start - Stop Switch to Control			
301-3802	1	Cover, Instrument Panel			
301-2045	1	Panel, Meter			
332-0142	1	Terminal, Solderless - Meter Panel			
332-0237	1	Strip, Marker			
332-0231	1	Block, Terminal			
308-0154	1	Switch, Start - Stop			
302-0256	1	Meter, Frequency (48-52 Hzt)			
302-0469	1	Meter, Running Time (240 Volt)			
302-0421	1	Voltmeter, AC (0-300 Volt)			
302-0418	1	Ammeter, AC (0-30 Amp.)			
323-0213	1	Receptacle, Duplex			
320-0018	1	Breaker, Circuit (20 Amp.)			

SPECIAL PARTS LIST FOR MODEL 5.0CCK-1R SPEC 15436R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 7
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. 611-1119-06

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Vacu - Flo Cooling					
Low Oil Pressure Cut Off					
Housed					
Mounted Fuel Tank					
Meter Panel					
309-0237	1	Switch, Low Oil Pressure			
102-0859	1	Base, Oil - Includes Filler Neck			
505-0110	1	Plug, Oil Base (3/8)			
505-0054	1	Plug, Oil Base (1/4)			
526-0017	1	Washer, Flat - Flywheel Mtg.			
134-2956	1	Guard, Scroll Outlet			
517-0035	1	Plug, Dot Button (1/16 Hole)			
220-1821	1	Stator Assembly, Wound			
201-1903	1	Rotor Assembly, Wound			
166-0643	1	Coil, Ignition			
338-0724	1	Harness, Wiring - Includes Fuse and Holder			
301-1379	1	Panel, Meter			
332-0142	1	Terminal, Solderless - Meter Panel			
332-0237	1	Strip, Marker			
332-0231	1	Block, Terminal			
308-0154	1	Switch, Start - Stop			
302-0420	1	Voltmeter, AC (0-150 Volt)			
302-0419	1	Ammeter, AC (0-5- Amp.)			
320-0052	1	Breaker, Circuit (50 Amp.)			
323-0184	1	Receptacle, Duplex			
405-2147	1	Panel, Housing - Rear			
159-0592	1	Tank, Fuel (6.5 Gal.) - Includes Cap			
159-0594	2	Band, Fuel Tank			
501-0131	1	Line, Fuel			
332-0527	1	Terminal, Choke Cover Wire			
159-0007	1	Cap, Fuel Tank			

4.0CCK-4R SPEC 15452R

SPECIAL PARTS LIST FOR MODEL _____ **FOR STANDARD PARTS REFER TO CATALOG** 927-0222 **KEY NO.** 5

(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. 611-1117-03

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas - Gasoline Fuel System					
Vacu - Flo Cooling					
Low Oil Pressure Cut Off					
Housed					
Meter Panel					
Spin - On Oil Filter					
110-1860	1	Block Assembly, Cylinder			
110-0893	4	Washer, Valve Spring Retainer			
309-0237	1	Switch, Low Oil Pressure			
526-0017	1	Washer, Flat - Flywheel Mtg.			
501-0003	1	Line, Flexible - Oil Gauge			
134-2786	1	Housing, Blower			
517-0035	1	Plug, Dot Button (1 1/16 Hole)			
134-2956	1	Guard, Scroll Outlet			
154-0817	1	Manifold, Intake			
502-0065	1	Elbow, Inverted Male - Carb Inlet			
332-0527	1	Terminal, Choke Cover Wire			
134-2237	1	Housing, Cylinder Air - Right (#2 Cylinder)			
166-0643	1	Coil, Ignition			
338-0724	1	Harness, Wiring - Includes Fuse and Holder			
320-0002	3	Breaker, Circuit (15 Amp.)			
301-1381	1	Panel, Meter			
332-0142	1	Terminal, Solderless - Meter Panel			
332-0238	1	Strip, Marker			
332-0236	1	Block, Terminal			
308-0154	1	Switch, Start - Stop			
302-0421	1	Voltmeter, AC (0-300 Volt)			
302-0460	3	Ammeter, AC (0-20 Amp.)			
405-2147	1	Panel, Housing - Rear			

SPECIAL PARTS LIST FOR MODEL 5.0CCK-3CR SPEC 15454R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 7
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. 611-1090-06

ART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Vacu - Flo Cooling			
		Low Oil Pressure Cut Off			
		Spin - On Oil Filter			
110-1860	1	Block Assembly, Cylinder			
102-0859	1	Base, Oil - Includes Filler Neck			
505-0110	1	Plug, Oil Base (3/8)			
505-0054	1	Plug, Oil Base (1/4)			
309-0237	1	Switch, Low Oil Pressure			
526-0017	1	Washer, Flat - Flywheel Mtg.			
501-0003	1	Line, Flexible - Oil Gauge			
134-2786	1	Housing, Blower			
517-0035	1	Plug, Dot Button (1 1/16 Hole)			
134-2956	1	Guard, Scroll Outlet			
332-0527	1	Terminal, Choke Cover Wire			
134-2237	1	Housing, Cylinder Air - Right (#2 Cylinder)			
166-0643	1	Coil, Ignition			
338-0724	1	Harness, Wiring - Includes Fuse and Holder			
220-1821	1	Stator Assembly, Wound			

SPECIAL PARTS LIST FOR MODEL 5.0CCK-3CR SPEC 15457R
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 7
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. 611-1090-11

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Vacu - Flo Cooling Shutter Assembly High Air Temperature CutOff Low Oil Pressure Cut Off Spin - On Oil Filter					
110-1860	1	Block Assembly, Cylinder			
309-0237	1	Switch, Low Oil Pressure			
526-0017	1	Washer, Flat - Flywheel Mtg.			
501-0003	1	Line, Flexible - Oil Gauge			
134-2786	1	Housing, Blower			
517-0035	1	Plug, Dot Button (1 1/16 Hole)			
134-2696	1	Scroll, Air Duct			
332-0556	1	Connector, Quick Disconnect			
332-0527	1	Terminal, Choke Cover Wire			
134-2237	1	Housing, Cylinder Air - Right (#2 Cylinder)			
220-1821	1	Stator Assembly, Wound			
166-0643	1	Coil, Ignition			
338-0739	1	Harness, Wiring - Includes Fuse and Holder			

900-0043
Supplementary Parts List
for

Model 3.5CCK-599CM Spec 15458R
Standard Parts Catalog 927-0222 Parts Key 1

Parts Listed Below Apply to the Above Model. Use These Parts in Place of (or in Addition to) the Parts Listed in the Standard Parts Catalog.

PART NO.	QUAN.	DESCRIPTION
167-0245	2	Plug, Spark
155-0480	1	Muffler, Exhaust
201-1908	1	Rotor Wound Assembly
220-1818	1	Stator Wound Assembly
301-3585	1	Bracket, Control Mounting

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Contractors Model					
502-0058	1	Tee- Street Pipe			
309-0237	1	Switch, Low Oil Pressure Cut off			
192-0308	1	Sheave, Rope			
153-0249	1	Bracket, Choke			
518-0176	1	Clip, Choke Cable			
149-0271	1	Primer, Pump - fuel			
403-1248	1	Bracket, Lifting			
332-0152	4	Terminal, Ring			
220-1818	1	Stator Assy, Wound			
201-1907	1	Rotor Assy, Wound			
517-0021	1	Button, Dot			
502-0137	1	Connector, Hose			
416-0657	1	Cable, Battery (B+)			

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
NOTE: Contractors Model					
309-0237	1	Switch, Low Oil Pressure			
502-0017	1	Connector, Female - Oil Gauge			
220-1821	1	Stator Assembly, Wound			
508-0001	1	Grommet, Rubber (1-1/16" Hole)			
301-3591	2	Spacer, Switch Mounting			
502-0137	1	Connector, Hose - Male (1/4")			

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Contractors Model					
502-0058	1	Tee, Oil Drain	305-0254	1	Bracket, Mounting - Recti
502-0138	1	Elbow, Fuel Pump Outlet	305-0673	1	Rectifier (Includes Mount
405-1663	1	Bracket, Hood Support			Hardware) (100 PIV-10 A
517-0021	1	Plug, Dot Button - Blower	308-0028	1	Switch, Start (32 Volt -
		Housing			AMP)
167-0262	2	Plug, Spark-Resistor Type	301-3591	1	Spacer, Switch Mounting
150-1467	1	Linkage, Governor (Includes	405-1662	1	Hood Assembly (Includes S
		Parts Marked *)			and Fasteners)
150-0639	1	* Joint, Ball	416-0657	1	Cable, Battery - Positive
870-0131	1	* Nut, Hex w/ET-Ball Joint			(7 1/2)
		(#10-32)	502-0137	1	Connector, Male - Line To
526-0196	1	* Washer, Flat-Ball Joint			Elbow (1/4")
870-0053	1	* Nut, Hex-Governor Rod			
		(#10-32)			
150-0430	1	* Bracket, Governor Spring			
150-0629	1	* Rod, Governor			
149-0775	1	Line, Fuel-Fuel Pump To			
		Carburetor			
501-0153	1	Line, Fuel-15 1/2" Lg X 1/4" ID			
		(Gas Tank to Fuel Pump)			
134-1469	1	Cover Assembly, Engine			
403-1248	1	Bracket, Lifting			
145-0094	1	Inlet, Carburetor Air			
140-0537	1	Housing, Air Cleaner			
503-0280	1	Clamp, Hose-Air Cleaner			
140-0538	1	Cover, Air Cleaner			
140-0495	1	Element, Air Cleaner			
140-0596	1	Spacer, Air Cleaner Mounting			
134-1144	1	Baffle, Fuel Pump Air			
201-2505	1	Rotor Assembly, Wound			
220-1818	1	Stator Assembly, Wound			
301-3576	1	Box, Control (Includes Parts			
		Marked **)			
301-4757	1	** Door, Control Box			
301-4758	1	** Wrapper, Control Box			
301-4759	1	** Bottom, Control Box			
301-4760	1	** Top, Control Box			
406-0438	1	** Hinge, Control Box			
301-3577	1	Panel, Control			
313-0018	1	Switch, Push Button			
301-3571	1	Bracket, Mounting - Control Box			

SPECIAL PARTS LIST FOR MODEL 4.0CCK-3CE SPEC 15497V
FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 4
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 606-0203-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Contractors Model			
		Low Oil Pressure Cut Off Momentary Contact Switch			
309-0237	1	Switch, Low Oil Pressure			

SPECIAL PARTS LIST FOR MODEL 5.0CCK-3CE SPEC 15497V
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 6
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 606-0203-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Contractor Model					
Low Oil Pressure Cut Off Momentary Contact Switch					
309-0237	1	Switch, Low Oil Pressure			

SPECIAL PARTS LIST FOR MODEL 4.0CCK-3CR SPEC 15716V
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 5
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. 611-1142-06

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed Unit Vacu-Flo Cooling Gas/Gasoline Carburetor High Air Temperature Cut Off					
167-0262	2	Plug, Spark-Resistor Type			
150-1467	1	Linkage, Governor (Includes Parts Marked *)			
150-0639	1	* Joint, Ball			
870-0131	1	* Nut, Hex w/ET-Ball Joint (#10-32)			
526-0196	1	* Washer, Flat-Ball Joint			
870-0053	1	* Nut, Hex-Governor Rod (#10-32)			
150-0430	1	* Bracket, Governor Spring			
150-0629	1	* Rod, Governor			
516-0039	1	Pin, Choke Lock			

SPECIAL PARTS LIST FOR MODEL 5.0CCR-3CR SPEC 15716V
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. 7
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. 611-1142-06

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed Unit					
Gas/Gasoline Carburetor					
Vacu-Flo Cooling					
High Air Temperature Cut Off					
167-0262	2	Plug, Spark-Resistor Type			
150-1467	1	Linkage, Governor (Includes Parts Marked *)			
150-0639	1	* Joint, Ball			
870-0131	1	* Nut, Hex w/ET-Ball Joint (#10-32)			
526-0196	1	* Washer, Flat-Ball Joint			
870-0053	1	* Nut, Hex-Governor Rod (#10-32)			
150-0430	1	* Bracket, Governor Spring			
150-0629	1	* Rod, Governor			
516-0039	1	Pin, Choke Lock			

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas Fuel System					
Vacu - Flo Cooling					
Spin - On Oil Filter					
110-1860	1	Block Assembly, Cylinder			
110-0893	4	Washer, Valve Spring Retainer			
102-0859	1	Base, Oil - Includes Filler Neck			
505-0110	1	Plug, Oil Base (3/8)			
505-0054	1	Plug, Oil Base (1/4)			
150-0159	1	Bracket, Governor Spring			
526-0017	1	Washer, Flat - Flywheel Mtg.			
501-0003	1	Line, Flexible - Oil Gauge			
134-2786	1	Housing, Blower			
517-0035	1	Plug, Dot Button (1 1/16 Hole)			
134-2956	1	Guard, Scroll Outlet			
134-2237	1	Housing, Cylinder Air - Right (No. 2 Cylinder)			
220-1821	1	Stator Assembly, Wound			
166-0643	1	Coil, Ignition			
338-0719	1	Harness, Wiring - Includes Fuse and Holder			