

The following catalog has gaps in its page numbers, or doesn't have any numbers. We have chosen to leave the page numbering in the order that Acrobat assigns it.

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-3CR SPEC 16572AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. _____ (ENG) 612-4998-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Overspeed Cut Off			
		Duct Air Outlet			
		Skid Base and Battery Rack			
		Low Oil Pressure Cut Off			
		High Temperature Cut Off			
102-0549	1	Base, Oil			
309-0206	1	Switch, High Temperature			
134-1375	1	Plate, Exhaust Outlet Cover			
338-0917	1	Wiring Harness, Stator Exciter to Control			
322-0004	3	Lamp, Overspeed Low Oil Pressure, High Air Temperature			
322-0069	3	Holder, Lamp			
320-0259	1	Limiter, Cranking			
307-0655	2	Relay, Latching High Temperature, Overspeed			
322-0706	2	Terminal Block			
332-0707	1	Marker Strip			
301-3567	1	Panel, Control Box			
332-0216	1	Lug, Terminal Ground			

SPECIAL PARTS LIST FOR MODEL 12.0DJC-3R SPEC 16574AC
 FOR STANDARD PARTS REFER TO CATALOG 967 KEY NO. -
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5556-01 (AC)612-1559-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		Muffler Mounted On Housing			
		Meter Panel			
		Duct Air Outlet			
301-2288	1	Panel, Meter - Control (Upper)			

SPECIAL PARTS LIST FOR MODEL 12.0DJC-18R50 SPEC 16593AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. -
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5046-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
----------	------	-------------	----------	------	-------------

Note: Pennsylvania Approved
 Duct Air Outlet
 Skid And Battery Rack
 Overspeed Cut Off

332-0216	1	Lug, Ground - Solderless			
338-0917	1	Harness, Wiring - Overspeed			
307-0655	1	Relay, Emergency Latch - Overspeed			

SPECIAL PARTS LIST FOR MODEL 12 G DJC-3R SPEC 16606AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 612-1559-01 (ENG) 612-4998-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housing					
Overspeed Cut Off					
Low Oil Pressure Cut Off					
High Temperature Cut Off					
Meter Panel					
309-0206	1	Switch, High Temperature			
155-0360	1	Muffler, Exhaust			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Flexible Exhaust			
338-0305	1	Wiring Harness - Start Stop			
322-0004	3	Lamp (1) Overspeed Cut Off, (1) Low Oil Pressure Cut Off (1) High Temperature Cut Off			
322-0069	3	Holder, Lamp			
320-0259	1	Limitter, Cranking			
307-0655	2	Relay, Latching (1) High Temperature Cut Off (1) Overspeed Cut Off			
332-0707	1	Marker Strip			
301-3567	1	Panel, Control Box			
301-2288	1	Panel, Control Upper			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-4XR SPEC 16606AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 612-1851-04 (ENG) 612-4998-0

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housing			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Temperature Cut Off			
		Meter Panel			
155-0360	1	Muffler, Exhaust			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Flexible Exhaust			
309-0206	1	Switch, High Temperature			
338-0305	1	Wiring Harness, Start - Stop			
301-2308	1	Panel, Control - Upper			
304-0305	1	Resistor, 45,000 OHM 10 Watt			
301-3567	1	Panel, Control Box			
338-0917	1	Wiring Harness, Stator Exciter to Control			
322-0004	3	Lamp (1) Overspeed (1) Low Oil Pressure (1) High Temperature			
322-0069	3	Holder Lamp			
320-0259	1	Limiter Cranking			
307-0655	2	Relay, Latching (1) High Temperature (1) Overspeed			
332-0706	2	Terminal Block			
332-0707	1	Marker Strip			

SPECIAL PARTS LIST FOR **MODEL** 12.0 DJC-18R **SPEC** 16649AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.**
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-4792-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Low Oil Pressure Cut Off			
		High Temperature Cut Off			
416-0021	2	Cables, Battery			
220-2043	1	Stator Wound			
201-2158	1	Rotor Assembly, Wound			

SPECIAL PARTS LIST FOR MODEL 12.0DJC-18R SPEC 16649AC
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. -
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG)612-5557-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off (Normally Closed)			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
220-2043	1	Stator, Wound			
201-2158	1	Rotor Assembly, Wound			

SPECIAL PARTS LIST FOR MODEL 9.0 DJC-53CR SPEC 16687AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. 612-4792-01 (ENG)

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Low Oil Pressure Cut-Off			
		High Temperature Cut-Off			
416-0021	2	Cable, Battery			

SPECIAL PARTS LIST FOR MODEL 12.0DJG-3CE SPEC 16691AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. 612-4826-01 (ENG)

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Contractors Model					
High Temperature Cut-Off					
Duct, Air Outlet					
509-0111	1	Seal, Oil-Crankshaft Front			
509-0112	1	Seal, Oil-Crankshaft Rear			
103-0454	1	Gearcase Assembly			
338-0725	1	Wiring Harness-Switch Plate to Control			
338-0394	1	Wiring Harness-Starter Motor to Control			
134-1375	1	Plate, Exhaust Outlet Cover			
416-0021	2	Cables, Battery			
308-0069	1	Switch, Run Stop			
508-0008	1	Grommet, Rubber Control Box			

SPECIAL PARTS LIST FOR **MODEL** 12.0 DJC-3CR **SPEC** 16709AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. 612-4792-01 (ENG)

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Air Duct and Shutter Skid Base and Battery Rack Low Oil Pressure Cut-Off High Temperature Cut-Off			

SPECIAL PARTS LIST FOR **MODEL** 12.0DJC-18R50 **SPEC** 16764AA
FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** -
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5181-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
----------	------	-------------	----------	------	-------------

Note: Pennsylvania Approved
Oil Base Heater
Low Oil Pressure Cut Off
High Air Temperature Cut Off (Normally Open)

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-18R SPEC 16765AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. _____ (ENG) 612-4853-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housing					
Overspeed Cut Off					
Low Oil Speed Cut Off					
High Temperature Cut Off					
102-0549	1	Base, Oil			
155-0360	1	Muffler, Exhaust			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Flexible Exhaust			
338-0305	1	Wiring Harness, Start - Stop			
338-0917	1	Wiring Harness, Exciter Stator to Control			
307-0655	1	Relay, Latching Overspeed			
517-0012	1	Plug, Button - Control Box			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-18R SPEC 16786AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. _____ (ENG) 612-5042-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Skid Base and Battery Rack			
		Overspeed Cut Off			
		High Temperature Cut Off			
		Low Oil Pressure Cut Off			
309-0206	1	Switch, High Temperature			
338-0917	1	Wiring Harness, Stator Exciter to Control			
322-0004	3	Lamp (1) Overspeed (1) Low Oil Pressure (1) High Temperature			
322-0069	3	Holder Lamp			
320-0259	1	Limiter Cranking			
307-0655	2	Relay, Latching (1) High Temperature (1) Overspeed			
307-1143	1	Relay (DPDT)			
323-0760	1	Socket, Relay			
332-0943	2	Spacer, Relay Socket			
307-1157	1	Spring, Relay Holddown			
332-0706	2	Terminal Block			
332-0707	1	Marker Strip			
309-0270	1	Thermostat Low Engine Temp			
301-3567	1	Panel, Control Box			

SPECIAL PARTS LIST FOR MODEL 9.0DJC-599R SPEC 16852AA

FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____

(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. 612-5195-03 (AC) 612-5194-01 (ENG)

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed			
		Low Oil Pressure Cut-Off			
		High Temperature Cut-Off			
		Overspeed Cut-Off			
		Meter Panel			
150-1661	1	Switch Assembly, Overspeed			
301-2308	1	Panel, Instrument			
338-0917	1	Wiring Harness Exciter Stator to Control			
307-0655	1	Relay, Latching-Overspeed			
517-0012	1	Plug, Button Control			
220-2042	1	Stator, Wound			

SPECIAL PARTS LIST FOR MODEL 9.0 DTC-53R SPEC 16882AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. 612-1559-07 (AC) 612-4853-01 (ENG)

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed			
		Mounted Fuel Tank			
		Overspeed Cut-Off			
		High Temperature Cut-Off			
		Low Oil Pressure Cut-Off			
		Duct and Shutter			
		Meter Panel			
504-0007	1	Valve, Fuel Tank (Return)			
504-0013	1	Valve, Fuel Tank (Outlet)			
140-0078	2	Bands, Air Clearner			
155-0360	1	Muffler, Exhaust			
155-0949	1	Tube, Exhaust			
405-1674	1	Shield, Rain-Exhaust Pipe			
301-2288	1	Panel, Instrument			
307-0655	1	Relay, Latching-Overspeed			
517-0021	1	Plug, Button			
338-0917	1	Wiring Harness, Exciter Stator to Control			

SPECIAL PARTS LIST FOR **MODEL** 12.0DJC-3R **SPEC** 16882AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** -
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-4853-01 (AC)612-1559-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		Air Duct And Shutter			
		Meter Panel			
		Muffler Mounted On Housing			
		Mounted Fuel Tank			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off (Normally Closed)			
301-2288	1	Panel, Meter - Control (Upper)			
338-0917	1	Harness, Wiring - Overspeed			
307-0655	1	Relay, Emergency Latch - Overspeed			

SPECIAL PARTS LIST FOR MODEL 12.0DJC-18R SPEC 16894AC
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. -
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5557-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Oil Base Heater			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off (Normally Closed)			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
220-2043	1	Stator, Wound			
201-2158	1	Rotor Assembly, Wound			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-3CR SPEC 16897AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. _____ (ENG) 612-5042-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Low Oil Pressure Cut Off			
		High Temperature Cut Off			
		Overspeed Cut Off			
102-0549	1	Base, Oil			
309-0206	1	Switch, High Air Temperature			
416-0021	2	Cables, Battery			
338-0917	1	Wiring Harness, Exciter Stator to Control			
322-0004	3	Lamp Overspeed, High Air Temperature, Low Oil Pressure			
322-0069	3	Holder, Lamp			
320-0259	1	Limitter, Cranking			
307-0655	2	Relay Latching High Air Temperature, Overspeed			
307-1143	1	Relay (DPDT)			
323-0760	1	Socket, Relay			
332-0943	2	Spacer, Relay Socket			
307-1157	1	Spring, Relay Holddown			
332-0706	2	Terminal Block			
332-0707	1	Marker Strip			
309-0270	1	Thermostat(Low Engine Temp.)			
301-3567	1	Panel, Control Box			

SPECIAL PARTS LIST FOR **MODEL** 12.0 DJC-3CR **SPEC** 17082AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. 612-4853-01 (ENG)

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Oil Bath Air Cleaner			
		Duct Air Outlet			
		Low Oil Pressure Cut-Off			
		High Temperature Cut-Off			
416-0021	2	Cables, Battery			
134-1375	1	Plate, Exhaust Outlet Cover			
338-0917	1	Wiring Harness, Exciter Stator to Control			
307-0655	1	Relay, Latching (Overspeed)			
517-0012	1	Plug, Button			

SPECIAL PARTS LIST FOR **MODEL** 12.0 DJC-18R **SPEC** 17097AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4791-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed					
High Air Temperature Cut-Off					
102-0549	1	Base, Oil			
155-0360	1	Muffler, Exhaust			
155-0949	1	Tube, Flexible Exhaust			
140-0078	2	Band, Muffler Mounting			
338-0305	1	Wiring Harness, Start-Stop			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-4R SPEC 17120AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 612-1469-04 (ENG) 612-4998-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Mounted Fuel Tank			
		Housed			
		Meter Panel			
		Overspeed Cut-Off			
		Low Oil Pressure Cut-Off			
		High Air Temperature Cut-Off			
		Oil Bath Air Cleaner			
503-0274	2	Clamp, Hose Air Cleaner			
309-0206	1	Switch, Thermostat			
305-0533	1	Voltage Regulator Assembly - Adjustable			
301-2204	1	Panel, Control - Upper			
301-3567	1	Panel, Control Box			
338-0917	1	Wiring Harness, Stator Exciter to Control			
322-0004	3	Lamp(1) Overspeed (1) Low Oil Pressure (1) High Temperature			
322-0069	3	Holder, Lamp			
320-0259	1	Limiter Cranking			
307-0655	2	Relay, Latching (1) Over- speed (1) Low Oil Pressure (1) High Temperature			
332-0706	2	Terminal Block			
332-0707	1	Marker Strip			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC 3R SPEC 17181AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (AC) 612-1786-04 (ENG) 612-4853-0

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Temperature Cut Off			
		Housing			
		Air Duct and Shutter			
		Meter Panel			
155-0360	1	Muffler, Exhaust			
140-0078	2	Bands, Muffler Mounting			
155-0949	1	Tube, Flexible Exhaust			
301-1554	1	Panel, Instrument			
338-0917	1	Wiring Harness - Exciter Stator to Control			
307-0655	1	Relay, Latching (Overspeed)			
517-0012	1	Plug, Button			

SPECIAL PARTS LIST FOR **MODEL** 12.0DJC-18R **SPEC** 17211AC
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** -
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5557-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		Duct Air Outlet			
		Oil Base Heater			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off (Normally Closed)			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
220-2043	1	Stator, Wound			
201-2158	1	Rotor Assembly - Wound			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-18R SPEC 17224AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 612-1559-04 (ENG) 612-4853-0

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed			
		Overspeed Cut Off			
		High Temperature Cut Off			
		Low Oil Pressure Cut Off			
		Meter Panel			
155-0360	1	Muffler, Exhaust			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Flexible Exhaust			
338-0305	1	Wiring Harness - Start Stop			
220-2043	1	Stator, Wound			
201-2158	1	Rotor Assembly, Wound			
301-2288	1	Panel, Control - Upper			
338-0917	1	Wiring Harness Stator Exciter to Control			
307-0655	1	Relay, Latching - Over- speed			
517-0012	1	Plug, Button Control Box			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-3CR SPEC 17270AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. _____ (ENG) 612-5042-03

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Skid Base And Battery Rack			
		Low Oil Pressure Cut Off			
		High Temperature Cut Off			
		Overspeed Cut Off			
309-0206	1	Switch, High Temperature			
338-0917	1	Wiring Harness, Exciter Stator to Control			
322-0004	3	Lamp Overspeed, Low Oil Pressure, High Air Temperature			
322-0069	3	Holder, Lamp			
320-0259	1	Limiter, Cranking			
307-0655	2	Relay Latching High Temperature, Overspeed			
307-1143	1	Relay (DPDT)			
323-0760	1	Socket, Relay			
332-0943	2	Spacer, Relay Socket			
307-0057	1	Spring, Relay Holddown			
332-0706	2	Terminal Block			
332-0707	1	Marker Strip			
309-0270	1	Thermostat (Low Engine Temp.)			
301-3567	1	Panel, Control Box			
305-0533	1	Voltage Regulator Assembly - Adjustable			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-4R SPEC 17281AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC)612-1469-04 (ENG)612-5042-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed					
Mounted Fuel Tank					
Meter Panel					
Low Oil Pressure Cut-Off					
High Air Temperature Cut-Off					
Overspeed Cut-Off					
102-0549	1	Base, Oil			
309-0206	1	Switch, Thermostat			
301-2204	1	Panel, Control - Upper			
338-0917	1	Wiring Harness, Stator Exciter to Control			
322-0004	3	Lamp (1) Overspeed (1) Low Oil Pressure (1) High Temperature			
322-0069	3	Holder, Lamp			
320-0259	1	Limiter, Cranking			
307-0655	2	Relay, Latching (1) High Temperature (1) Overspeed			
307-1143	1	Relay (DPDT)			
323-0760	1	Socket, Relay			
332-0943	2	Spacer, Relay Socket			
307-1157	1	Spring, Relay Holddown			
332-0706	2	Terminal Block			
332-0707	1	Marker Strip			
309-0270	1	Thermostat Low Engine Temp.			
301-3567	1	Panel, Control Box			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-18R SPEC 17290AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4853-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housing			
		Mounted Fuel Tank			
		Low Oil Pressure Cut Off			
		High Temperature Cut Off			
		Overspeed Cut Off			
102-0549	1	Base, Oil			
338-0917	1	Wiring Harness Exciter Stator to Control			
307-0655	1	Relay, Latching - Overspeed			
517-0012	1	Plug, Button - Control Box			

SPECIAL PARTS LIST FOR MODEL 12.0DJC-3CR SPEC 17291AA
FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. 612-4791-01 (ENG)

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed Duct and Shutter					
155-0360	1	Muffler, Exhaust			
140-0078	2	Bands, Muffler Mounting			
155-0949	1	Tube, Exhaust			

SPECIAL PARTS LIST FOR **MODEL** 9.0DJC-518R **SPEC** 17291AC
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** -
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5556-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit Muffler Mounted On Housing Air Duct And Shutter			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-18R SPEC 17330AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. _____ (ENG) 612-5042-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Skid Base And Battery Rack			
		Duct Air Outlet			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Temperature Cut Off			
309-0206	1	Switch, High Temperature			
134-1375	1	Plate, Exhaust Outlet Cover			
232-2589	1	Regulator Filter Kit Includes 232-2460 Voltage Regulator Assembly And Parts Marked *			
304-0292	2	* Insulator - Resistor			
304-0015	4	* Washer, Centering			
304-0120	2	* Resistor, Fixed			
508-0071	1	* Grommet, Rubber			
312-0197	1	* Capacitor - Metal Box			
312-0198	2	* Bracket Capacitor Mounting			
232-2463	1	* Cover, Filter Mounting Box			
232-2462	1	* Mounting Box - Filter			
338-0917	1	Wiring Harness, Stator Exciter to Control			
322-0004	3	Lamp (1) Overspeed (1) Low Oil Pressure (1) High Temperature			
322-0069	3	Holder Lamp			
320-0259	1	Limiter Cranking			
307-0655	2	Relay, Latching (1) High Temperature (1) Overspeed			
307-1143	1	Relay (DPDT)			
323-0760	1	Socket, Relay			
332-0943	2	Spacer, Relay Socket			
307-1157	1	Spring, Relay Holddown			
332-0706	2	Terminal Block			
332-0707	1	Marker Strip			
309-0270	1	Thermostat			
301-3567	1	Panel, Control Box			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-18R SPEC 17338AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW

WIRING DIAGRAM NO. _____ (ENG) 612-4792-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Duct Air Outlet			
		Low Oil Pressure Cut-Off			
		High Temperatue Cut-Off			
134-1375	1	Plate, Exhaust Outlet over			
416-0022	2	Cables, Battery			
232-2589	1	Regulator Filter Kit, Includes 232-2460 Filter Assembly Regulator and Parts Marked*			
304-0292	2	* Insulator - Resistor			
304-0015	4	* Washer, Centering			
304-0120	2	* Resistor, Fixed			
508-0071	1	* Grommet, Rubber			
312-0198	2	* Bracket, Capacitor Mounting			
312-0197	1	* Capacitor - Metal Box			
232-2463	1	* Cover, Filter Mounting Box			
232-2462	1	* Mounting Box - Filter			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-4R SPEC 17383AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO (AC) 612-1469-04 (ENG) 612-5042-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housing					
Air Duct and Shutter					
Low Oil Pressure Cut Off					
High Temperature Cut Off					
Overspeed Cut Off					
Meter Panel					
309-0206	1	Switch, High Temperature			
301-2204	1	Panel, Control - Upper			
338-0917	1	Wiring Harness, Stator Exciter to Control			
322-0004	3	Lamp (1)Overspeed (1) Low Oil Pressure (1) High Temperature			
322-0069	3	Holder Lamp			
320-0259	1	Limiter Cranking			
307-0655	2	Relay, Latching (1) High Temperature (1) Overspeed			
307-1143	1	Relay (DPDT)			
323-0760	1	Socket, Relay			
332-0943	2	Spacer, Relay Socket			
307-1157	1	Spring, Relay Holddown			
332-0706	2	Terminal Block			
332-0707	1	Marker Strip			
309-0270	1	Thermostat Low Engine Temp			
301-3567	1	Panel, Control Box			

SPECIAL PARTS LIST FOR MODEL 9.0 DJC-57R SPEC 17404AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. 612-4310-08 (AC) 612-4792-02 (ENG)

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Duct and Shutter Housed Low Oil Pressure Cut-Off High Temperature Cut-Off Meter Panel			
301-2308	1	Panel, Instrument			
201-2312	1	Rotor Assembly Generator			
201-2299	1	Rotor Wound Excitor			
220-2660	1	Stator, Wound Generator			
220-2308	1	Stator, Wound Excitor			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-18R SPEC 17417AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. _____ (ENG) 612-4792-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed			
		Mounted Fuel Tank			
		Low Oil Pressure Cut Off			
		High Temperature Cut Off			
155-0360	1	Muffler, Exhaust			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Flexible Exhaust			
338-0305	1	Wiring Harness - Start Stop			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-3CR SPEC 17432AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. _____ (ENG) 612-4853-03

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Temperature Cut Off			
416-0021	2	Cable, Battery			
338-0917	1	Wiring Harness, Exciter Stator to Control			
307-0655	1	Relay, Latching (Overspeed)			
517-0012	1	Plug, Button			
305-0533	1	Voltage Regulator Assembly - Adjusting			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-3CR SPEC 17451AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. 612-4792-01 (ENG)

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Skid Base and Battery Rack			
		Duct Air Outlet			
		Low Oil Pressure Cut-Off			
		High Temperature Cut-Off			
134-1375	1	Plate, Exhaust Outlet Cover			
232-2589	1	Regulator Filter Kit Includes 232-2460 Filter Assembly Regulator and Parts Marked*			
304-0292	2	*Insulator - Resistor			
304-0015	4	*Washer, Centering			
304-0120	2	*Resistor, Fixed			
508-0071	1	*Grommet, Rubber			
312-0198	2	*Bracket, Capacitor Mounting			
312-0197	1	*Capacitor - Metal Box			
232-2463	1	*Cover, Filter Mounting Box			
232-2462	1	*Mounting Box - Filter			

SPECIAL PARTS LIST FOR MODEL 12.0DJC-18R SPEC 17457AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. -
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4998-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Duct Air Outlet			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off (Normally Open)			
338-0917	1	Harness, Wiring - Overspeed			
320-0259	1	Relay, Emergency - Low Oil Pressure			
307-0655	3	Relay, Latching - High Temp., Overspeed, Low Oil Pressure			
332-0707	1	Strip, Marker			
301-3567	1	Panel, Control Box			

SPECIAL PARTS LIST FOR **MODEL** 12.0 DJC-18R50 **SPEC** 17457AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. _____ (ENG) 612-4998-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Duct Air Outlet			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Temperature Cut Off			
309-0206	1	Switch, High Temperature			
134-1375	1	Plate, Exhaust Outlet Cover			
416-0021	2	Cable, Battery			
338-0917	1	Wiring Harness, Stator Exciter to Control			
322-0004	3	Lamp (1) Overspeed (1) Low Oil Pressure (1) High Temperature			
322-0069	3	Holder Lamp			
320-0259	1	Limiter Cranking			
307-0655	2	Relay, Latching (1) High Temperature (1) Overspeed			
332-0706	2	Terminal Block			
332-0707	1	Marker Strip			
305-0533	1	Voltage Regulator Assembly Adjustable			
301-3567	1	Panel, Control Box			

SPECIAL PARTS LIST FOR MODEL 12.0DJC-18R SPEC 17473AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. -
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5042-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		Duct Air Outlet			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off (Normally Open)			
		Overspeed Cut Off			
338-0917	1	Harness, Wiring - Overspeed			
307-0655	3	Relay, Emergency Latch - High Temperature, Overspeed & Low Oil Pressure			
307-1143	1	Relay, Generating			
332-0943	2	Spacer			
307-1157	1	Spring, Relay Holddown			
309-0270	1	Thermostat, Low Engine Temperature			
332-0707	1	Strip, Marker (Blank)			
301-3567	1	Panel, Control Box (With Bracket)			
320-0259	1	Relay, Emergency - Low Oil Pressure			
323-1042	1	Relay, Generating			
332-0706	2	Block, Terminal (8 Place)			

SPECIAL PARTS LIST FOR **MODEL** 12.0 DJC-18R **SPEC** 17481AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4791-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
416-0021	2	Cable, Battery			
102-0549	1	Base, Oil			
305-0533	1	Voltage Regulator Assembly - Adjustable			
517-0139	1	Plug, Button - Output			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-3CR SPEC 17522AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. _____ (ENG) 612-4853-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Mounted Fuel Tank			
		Housed			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Temperature Cut Off			
102-0549	1	Base, Oil			
155-0360	1	Muffler, Exhaust			
155-0949	1	Tube, Exhaust Muffler			
140-0078	2	Bands, Muffler Mounting			
338-0305	1	Wiring Harness, Assembly			
		Start Stop			
338-0917	1	Wiring Harness, Exciter			
		Stator to Control			
307-0655	1	Relay, Latching (Overspeed)			
517-0021	1	Plug, Button Control Box			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-3CR SPEC 17531AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. 612-4792-01 (ENG)

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Air Duct and Shutter			
		Low Oil Pressure Cut-Off			
		High Temperature Cut-Off			
416-0021	2	Cables, Battery			
232-2589	1	Regulator Filter Kit, Includes 232-2460 Filter Assembly Regulator & Parts Marked*			
304-0292	2	* Insulator - Resistor			
304-0015	4	* Washer, Centering			
304-0120	2	* Resistor, Fixed			
508-0071	1	* Grommet, Rubber			
312-0198	2	* Bracket, Capacitor Mounting			
312-0197	1	* Capacitor-Metal Box			
232-2463	1	* Cover, Filter Mounting Box			
232-2462	1	* Mounting Box - Filter			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-3CR SPEC 17636AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. _____ (ENG) 612-4998-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Temperature Cut Off			
		Housed			
309-0206	1	Switch, High Temperature			
155-0360	1	Muffler, Exhaust			
155-0949	1	Tube, Flexible Exhaust Tube			
140-0078	2	Bands Muffler Mounting			
338-0305	1	Wiring Harness Assembly - Start Stop			
338-0917	1	Wiring Harness, Stator Exciter to Control			
322-0004	3	Lamp Overspeed, Low Oil Pressure, High Air Temp- erature			
322-0069	3	Holder, Lamp			
320-0259	1	Limitter, Cranking			
307-0655	2	Relay, Latching High Temperature, Overspeed			
332-0706	2	Terminal Block			
332-0707	1	Marker Strip			
301-3567	1	Panel, Control Box			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-18E SPEC 17791AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. _____ (ENG) 612-5116-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Duct and Shutter			
		High Air Temperature Cut Off			
416-0021	2	Cable, Battery			
305-0541	1	Voltage Regulator Assembly			
301-3834	1	Panel, Voltage Regulator Mounting			
300-1405	1	Regulator Board Assembly			
308-0028	2	Switch, Start and Heater			
308-0069	1	Switch, Run - Stop			
301-2297	1	Panel, Control Box			
220-2652	1	Stator, Wound			
201-2312	1	Rotor Assembly, Wound			
338-0725	1	Wiring Harness, Switch Plate to Control			
338-0394	1	Wiring Harness, Starter Motor to Control			

SPECIAL PARTS LIST FOR MODEL 9.0 DJC-518E SPEC 17793AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. _____ (ENG) 612-5116-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Contractors Model					
Shutter Assembly					
High Air Temperature Cut Off					
509-0111	1	Seal, Oil - Crankshaft Front			
509-0112	1	Seal, Oil - Crankshaft Rear			
103-0454	1	Gearcase Assembly			
338-0725	1	Wiring Harness - Switch Plate to Control			
338-0394	1	Wiring Harness - Starter Motor to Control			
416-0021	2	Cable, Battery			
220-2660	1	Stator, Wound			
201-2312	1	Rotor Assembly, Wound			
305-0541	1	Voltage Regulator Assembly			
301-3834	1	Panel, Voltage Regulator Mounting			
300-1405	1	Regulator Board, Assembly			
Parts not Furnished by Onan Receptacles					

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-18E SPEC 17793AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. _____ (ENG) 612-5116-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Contractors Model Shutter Assembly High Air Temperature Cut Off					
509-0111	1	Seal, Oil - Crankshaft Front			
509-0112	1	Seal, Oil - Crankshaft Rear			
103-0454	1	Gearcase Assembly			
338-0725	1	Wiring Harness - Switch Plate to Control			
338-0394	1	Wiring Harness - Starter Motor to Control			
416-0021	2	Cable, Battery			
220-2652	1	Stator, Wound			
201-2312	1	Rotor Assembly, Wound			
305-0541	1	Voltage Regulator Assembly			
301-3834	1	Panel, Voltage Regulator Mounting			
300-1405	1	Regulator Board, Assembly			
		Parts not Furnished by Onan Receptacles.			

SPECIAL PARTS LIST FOR MODEL 12.0DJC-3CR SPEC 17794AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. -
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5042-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Air Duct And Shutter			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off (Normally Open)			
338-0917	1	Harness, Wiring - Overspeed			
307-0655	3	Relay, Emergency Latch - High Temperature, Overspeed & Low Oil Pressure			
307-1143	1	Relay, Generating			
332-0943	2	Spacer			
307-1157	1	Spring, Relay Holddown			
309-0270	1	Thermostat, Low Engine Temperature			
332-0707	1	Strip, Marker (Blank)			
301-3567	1	Panel, Control Box (With Bracket)			
320-0259	1	Relay, Emergency - Low Oil Pressure			
323-1042	1	Relay, Generating			
332-0706	2	Block, Terminal (8 Place)			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-18R SPEC 17794AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. _____ (ENG) 612-5042-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Air Duct And Shutter			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Temperature Cut Off			
416-0021	2	Cable, Battery			
309-0206	1	Switch, High Temperature			
338-0917	1	Wiring Harness, Stator Exciter to Control			
322-0004	3	Lamp (1) Overspeed (1) Low Oil Pressure (1) High Temperature			
322-0069	3	Holder Lamp			
320-0259	1	Limiter Cranking			
307-0655	2	Relay, Latching (1) High Temperature (1) Overspeed			
307-1143	1	Relay (DPDT)			
323-0760	1	Socket, Relay			
332-0943	2	Spacer, Relay Socket			
307-1157	1	Spring, Relay Holddown			
332-0706	2	Terminal Block			
332-0707	1	Marker Strip			
309-0270	1	Thermostat			
301-3567	1	Panel, Control Box			

SPECIAL PARTS LIST FOR **MODEL** 12.0DJC-3CR **SPEC** 17798AC
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** -
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5557-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit Muffler Mounted on Housing Mounted Fuel Tank Air Duct And Shutter Oil Base Heater Low Oil Pressure Cut Off			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-4R SPEC 17800AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC)612-1469-04 (ENG)612-4791-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Duct and Shutter Housed Meter Panel			
102-0549	1	Base, Oil			
155-0360	1	Muffler, Exhaust			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Flexible Exhaust			
301-2204	1	Panel, Control - Upper			

SPECIAL PARTS LIST FOR MODEL 9.0DJC-518R SPEC 17809AA
FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. 612-4792-02 (ENG)

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Low Oil Pressure Cut-Off Mounted Fuel Tank Skid Base and Battery Rack			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-18R SPEC 17833AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. _____ (ENG) 612-4792-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Contractor Type Air Cleaner			
		Duct Air Outlet			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off			
123-1104	1	Cap And Indicator Assembly			
102-0559	1	Base, Oil - Extension			
800-0080	10	Capscrew (7/16-14 x 3 1/4Lg)			
		Oil Base Mounting			
120-0638	1	Cup Assembly, Oil Pump Intake			
134-1375	1	Plate, Exhaust Outlet Cover			
220-2043	1	Stator Wound			
201-2158	1	Rotor Assembly, Wound			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-4R SPEC 17851AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 612-1469-04 (ENG) 612-4792-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Meter Panel			
		Mounted Fuel Tank			
		Oil Bath Air Cleaner			
		Duct and Shutter			
		Housed			
		Low Oil Pressure Cut-Off			
		High Air Temperature Cut-Off			
503-0274	2	Clamp, Hose Air Cleaner			
301-2204	1	Panel, Control - Upper			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-4R SPEC 17872AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 612-1469-04 (ENG) 612-4976-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Meter Panel			
		Housed			
		Low Oil Pressure Cut-Off			
		High Air Temperature Cut-Off			
102-0549	1	Base, Oil			
309-0206	1	Switch, Thermostat			
155-0360	1	Muffler, Exhaust			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Flexible Exhaust			
338-0305	1	Wiring Harness, Start-Stop			
301-2204	1	Panel, Control - Upper			
322-0004	2	Lamp (1) High Temperature (1) Low Oil Pressure			
320-0221	1	Limiter, Cranking - Low Oil Pressure			
307-0655	1	Relay, Latching - High Temperature			

SPECIAL PARTS LIST FOR **MODEL** 12.0 DJC-3R **SPEC** 17893AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 612-1559-04 (ENG) 612-4853-0

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housing					
Mounted Fuel Tank					
Overspeed Cut Off					
Low Oil Pressure Cut Off					
High Temperature Cut Off					
Meter Panel					
102-0549	1	Base, Oil			
155-0360	1	Muffler, Exhaust			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Flexible, Exhaust			
338-0305	1	Wiring Harness, Start Stop			
338-0917	1	Wiring Harness Exciter Stator to Control			
307-0655	1	Relay Latching Overspeed			
517-0012	1	Grommet, Control Box			
301-2288	1	Panel, Control Upper			
307-1274	1	Relay - Power (Glow Plug)			
315-0385	1	Transformer			
332-0406	1	Terminal Block			
332-0426	1	Marker Strip			
332-0236	1	Terminal Block			
352-0238	1	Marker Strip			
301-4428	1	Control Box - Glow Plug			
301-4429	1	Cover, Control Box Glow Plug			
508-0001	2	Grommet, Control Box			
332-0592	6	Jumper, Ground			

SPECIAL PARTS LIST FOR **MODEL** 12.0 DJC-4R **SPEC** 17893AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC)612-1469-04 (ENG)612-4853-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed					
Mounted Fuel Tank					
Overspeed Cut-Off					
Low Oil Pressure Cut-Off					
High Air Temperature Cut-Off					
Meter Panel					
102-0549	1	Base, Oil			
155-0360	1	Muffler, Exhaust			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Flexible Exhaust			
307-1274	1	Relay, Glow Plug			
315-0433	1	Transformer			
332-0406	1	Terminal Block			
332-0426	1	Marker, Strip			
332-0236	1	Terminal Block			
332-0238	1	Marker Strip			
301-4428	1	Control Box			
301-4429	1	Cover, Control Box			
508-0001	1	Grommet, Control Box			
301-2204	1	Panel Control - Upper			
338-0305	1	Wiring Harness, Start-Stop			
338-0917	1	Wiring Harness, Exciter Stator to Control			
307-0655	1	Relay, Latching - Overspeed			
517-0012	1	Plug, Button - Control Box			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-4R SPEC 17944AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC)612-1469-04 (ENG)612-4998-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Mounted Fuel Tank			
		Housed			
		Meter Panel			
		Overspeed Cut-Off			
		Low Oil Pressure Cut-Off			
		High Air Temperature Cut-Off			
102-0549	1	Base, Oil			
309-0206	1	Switch, Thermostat			
301-2204	1	Panel, Control - Upper			
300-0947	1	Glow Plug, Control - Includes Parts Marked #			
307-1274	1	# Relay, Glow Plug			
315-0433	1	# Transformer Assembly			
332-0406	1	# Terminal Block			
332-0426	1	# Marker, Strip			
332-0236	1	# Terminal Block			
332-0238	1	# Marker Strip			
301-3671	1	# Control Box			
301-3673	1	# Cover, Control Box			
301-3567	1	Panel, Control Box			
338-0917	1	Wiring Harness, Stator Exciter to Control			
322-0004	3	Lamp (1) Overspeed (1) Low Oil Pressure (1) High Temperature			
322-0069	3	Holder Lamp			
320-0259	1	Limiters, Cranking			
307-0655	2	Relay, Latching (1) High Temperature (1) Overspeed			
332-0706	2	Terminal Block			
332-0707	1	Marker, Strip			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-3R SPEC 17952AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 612-1559-04 (ENG) 612-5042-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housing			
		Low Oil Pressure Cut Off			
		High Temperature Cut Off			
		Overspeed Cut Off			
		Meter Panel			
309-0206	1	Switch, High Temperature			
102-0549	1	Base, Oil			
155-0360	1	Muffler, Exhaust			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Flexible Exhaust			
338-0305	1	Wiring Harness, Start - Stop			
301-2288	1	Panel, Control - Upper			
338-0917	1	Wiring Harness, Exciter Stator to Control			
322-0004	3	Lamp (1) Overspeed, (1) High Temperature, (1) Low Oil Pressure			
322-0069	3	Holder, Lamp			
320-0259	1	Limiter, Cranking			
307-0655	2	Relay Latching (1) High Temperature, (1) Over- speed			
307-1145	1	Relay (DPDT)			
323-0760	1	Socket, Relay			
332-0943	2	Spacer, Relay Socket			
307-1157	1	Spring, Relay Holddown			
332-0706	2	Terminal Block			
332-0707	1	Marker Strip			
309-0270	1	Thermostat			
301-3567	1	Panel, Control Box			
305-0533	1	Voltage Regulator Assembly - Adjustable			

SPECIAL PARTS LIST FOR **MODEL** 9.0 DJC-53R **SPEC** 17967AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. 612-1559-07 (AC) 612-4791-01 (ENC)

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed Mounted Fuel Tank Meter Panel					
504-0007	1	Valve, Fuel Tank (Return)			
504-0013	1	Valve, Fuel Tank (Outlet)			
405-1674	1	Shield, Rain-Exhaust Pipe			
301-2288	1	Panel, Control-Meter			

SPECIAL PARTS LIST FOR **MODEL** 9.0 DJC-57R **SPEC** 17967AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.**
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. 612-4310-08 (AC) 612-4791-02 (EN

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed Mounted Fuel Tank Meter Panel					
504-0007	1	Valve, Fuel Tank (Return)			
504-0013	1	Valve, Fuel Tank (Outlet)			
405-1674	1	Shield, Rain-Exhaust Pipe			
301-2308	1	Panel, Instrument			

SPECIAL PARTS LIST FOR MODEL 9.0 DJC-58R SPEC 17967AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. 612-4572-05 (AC) 612-4791-02 (ENG)

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed Mounted Fuel Tank Meter Panel					
504-0007	1	Valve, Fuel Tank (Return)			
504-0013	1	Valve, Fuel Tank (Outlet)			
405-1674	1	Shield, Rain-Exhaust Pipe			
320-0058	3	Circuit Breaker (30 A)			
301-2204	1	Panel, Instrument			

SPECIAL PARTS LIST FOR MODEL 12.0DJC-3R SPEC 17973AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. -
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5042-01 (AC)612-1559-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		Air Duct And Shutter			
		Oil Base Heater			
		Meter Panel			
		Muffler Mounted On Housing			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off (Normally Open)			
301-2288	1	Panel, Control - Upper			
338-0917	1	Harness, Wiring - Overspeed			
307-0655	3	Relay, Emergency Latch - High Temperature, Overspeed & Low Oil Pressure			
307-1143	1	Relay, Generating			
332-0943	2	Spacer			
307-1157	1	Spring, Relay Holddown			
309-0270	1	Thermostat, Low Engine Temperature			
332-0707	1	Strip, Marker (Blank)			
301-3567	1	Panel, Control Box (With Bracket)			
320-0259	1	Relay, Emergency - Low Oil Pressure			
323-1042	1	Relay, Generating			
332-0706	2	Block, Terminal (8 Place)			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-3R SPEC 17991AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (AC) 612-1559-04 (ENG) 612-4998-0

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housing					
Air Duct wit Shutter					
Overspeed Cut Off					
Low Oil Pressure Cut Off					
High Temperature Cut Off					
Meter Panel					
309-0206	1	Switch, High Temperature			
322-0004	3	Lamp (1) Overspeed (1) Low Oil Pressure (1) High Temperature			
322-0069	3	Holder, Lamp			
320-0259	1	Limiter, Cranking			
307-0655	2	Relay, Latching (1) High Temperature (1) Overspeed			
332-0707	1	Marker Strip			
301-2567	1	Panel, Control Box			
30i-2288	1	Panel, Control Upper			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-4R SPEC 17994AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 612-1469-04 (ENG) 612-5042-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Oil Bath Air Cleaner			
		Meter Panel			
		Housed			
		Low Oil Pressure			
		High Air Temperature Cut Off			
		Overspeed Cut Off			
309-0206	1	Switch, Thermostat			
503-0274	2	Clamp, Hose Air Cleaner			
301-2204	1	Panel, Control - Upper			
338-0917	1	Wiring Harness, Stator Exciter to Control			
322-0004	3	Lamp (1) Overspeed (1) Low Oil Pressure (1) High Temperature			
322-0069	3	Holder Lamp			
320-0259	1	Limiter Cranking			
307-0655	2	Relay, Latching (1) High Temperature (1)Overspeed			
307-1143	1	Relay (DPDT)			
323-0760	1	Socket, Relay			
332-0943	2	Spacer, Relay Socket			
307-1157	1	Spring, Relay Holddown			
332-0706	2	Terminal Block			
332-0707	1	Marker Strip			
309-0270	1	Thermostat Low Engine Temp			
301-3567	1	Panel, Control Box			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-3R SPEC 18024AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (AC) 612-1559-04 (ENG) 612-2476-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Meter Panel			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off			
		Housed			
		Mounted Fuel Tank			
		Oil Bath Air Cleaner			
309-0206	1	Switch, Thermostat			
503-0274	2	Clamp, Hose - Air Cleaner			
301-2288	1	Panel, Control - Upper			
320-0221	1	Limiters, Cranking - Low Oil Pressure			
307-0655	1	Relay, Latching - High Temperature			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-4R SPEC 18078AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 612-1469-04 (ENG) 612-4998-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housing					
Mounted Fuel Tank					
Overspeed Cut Off					
Low Oil Pressure Cut Off					
High Temperature Cut Off					
Meter Panel					
155-0360	1	Muffler, Exhaust			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Flexible Exhaust			
309-0206	1	Switch, High Temperature			
338-0305	1	Wiring Harness, Start - Stop			
301-2204	1	Panel, Control - Upper			
305-0533	1	Voltage Regulator Assembly - Adjustable			
301-3567	1	Panel, Control Box			
338-0917	1	Wiring Harness, Stator Exciter to Control			
322-0004	3	Lamp (1) Overspeed (1) Low Oil Pressure (1) High Temperature			
322-0069	3	Holder Lamp			
320-0259	1	Limiter Cranking			
307-0655	2	Relay, Latching (1) High Temperature (1) Overspeed			
332-0706	2	Terminal Block			
332-0707	1	Marker Strip			

SPECIAL PARTS LIST FOR MODEL 9.0 DJC-58R SPEC 18099AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. 612-4791-02 (ENG)

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Skid Base					
Air duct					
416-0021	2	Cables, Battery			
134-1375	1	Plate, Exhaust Outlet Cover			

SPECIAL PARTS LIST FOR MODEL 9.0 DJC-53CR SPEC 18100AA
FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. 612-4791-01 (ENG)

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
416-0021	2	Cables, Battery			

SPECIAL PARTS LIST FOR MODEL 9.0DJC-518R SPEC 1810CAA
FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. 612-4791-02 (ENG)

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
416-0021	2	Cables, Battery			

SPECIAL PARTS LIST FOR **MODEL** 12.0DJC-18R **SPEC** 18100AA
FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** -
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-4791-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Standard Engine			

SPECIAL PARTS LIST FOR MODEL 9.0 DJC-53CR SPEC 18109AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. 612-5077-01 (ENG)

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Low Oil Pressure Cut-Off			
		High Temperature Cut-Off			
		Overspeed Cut-Off			
309-0206	1	Switch, High Temperature			
150-1661	1	Switch, Overspeed			
416-0021	2	Cables, Battery			
322-0004	3	Lamp (1)Low Oil Pressure. (1) High Temperature(1)&Overspeed			
322-0069	3	Holder, Lamp			
338-0917	1	Wiring Harness, Exciter Stator to Control			
304-0506	1	Resistor, Tapped (6-0HM 150 W)			
304-0592	1	Spacer, Resistor Mounting			
320-0259	1	Limiter, Cranking			
307-0655	2	Relay, Latching (1) High Temperature (1) Overspeed			
332-0706	2	Terminal Block			
332-0707	1	Marker Strip			
301-3567	1	Panel, Control Box			

SPECIAL PARTS LIST FOR MODEL 12.0DJC-3CR SPEC 18145AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. -
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4792-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit Air Duct And Shutter Muffler Mounted On Housing Low Oil Pressure Cut Off High Air Temperature Cut Off (Normally Closed)			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-5DR SPEC 18188AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO.
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC)612-1556-02 (ENG)612-5042-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed					
Duct and Shutter					
Meter Panel					
Low Oil Pressure Cut-Off					
High Air Temperature Cut-Off					
Overspeed Cut-Off					
102-0549	1	Base, Oil			
155-0360	1	Muffler, Exhaust			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Flexible Exhaust			
301-2204	1	Panel, Control - Upper			
320-0058	3	Circuit Breaker			
305-0533	1	Voltage Regulator Assembly - Adjustable			
338-0917	1	Wiring Harness, Stator Exciter to Control			
322-0004	3	Lamp (1) Overspeed (1) Low Oil Pressure (1) High Temperature			
322-0069	3	Holder, Lamp			
320-0259	1	Limiter, Cranking			
307-0655	2	Relay, Latching (1) High Temperature (1) Overspeed			
307-1143	1	Relay (DPDT)			
323-0760	1	Socket, Relay			
332-0943	2	Spacer, Relay Socket			
307-1157	1	Spring, Relay Holddown			
332-0706	2	Terminal Block			
332-0707	1	Marker Strip			
309-0270	1	Thermostat, Low Engine Temp			
301-3567	1	Panel, Control Box			

SPECIAL PARTS LIST FOR MODEL 9.0DJC-53R SPEC 18188AC
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. -
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5575-03 (AC)612-1559-07

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		Meter Panel			
		Oil Base Heater			
		Muffler Mounted on Housing			
		Air Duct And Shutter			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off (Normally Open)			
		Overspeed Cut Off			
301-2288	1	Panel, Control - Upper			
338-0917	1	Harness, Wiring - Overspeed			
307-0655	3	Relay, Emergency Latch - High Temperature, Overspeed & Low Oil Pressure			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Relay			
332-0943	2	Spacer			
307-1157	1	Spring, Relay Holddown			
309-0270	1	Thermostat, Low Engine Temperature			
332-0707	1	Strip, Marker (Blank)			
301-3567	1	Panel, Control Box (With Bracket)			
320-0259	1	Relay, Emergency - Low Oil Pressure			

SPECIAL PARTS LIST FOR MODEL 12.0DJC-3R SPEC 18188AC
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. ..
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5575-03 (AC)612-1559-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		Air Duct And Shutter			
		Meter Panel			
		Muffler Mounted On Housing			
		Oil Base Heater			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off (Normally Open)			
301-2288	1	Panel, Control - Upper			
338-0917	1	Harness, Wiring - Overspeed			
307-0655	3	Relay, Emergency Latch - High Temperature, Overspeed & Low Oil Pressure			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Relay			
332-0943	2	Spacer			
307-1157	1	Spring, Relay Holddown			
309-0270	1	Thermostat, Low Engine Temperature			
332-0707	1	Strip, Marker (Blank)			
301-3567	1	Panel, Control Box (With Bracket)			
320-0259	1	Relay, Emergency - Low Oil Pressure			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-3CR SPEC 18204AA
 FOR STANDARD PARTS REFER TO CATALOG 967 0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. _____ (ENG) 612-4792-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Duct Air Outlet			
		Skid Base And Battery Rack			
		Low Oil Pressure Cut Off			
		High Temperature Cut Off			
102-0549	1	Base, Oil			
134-1375	1	Plate, Exhaust Outlet Cover			
232-2589	1	Regulator Filter Kit, Includes 232-2460 Filter Assembly Regulator And Parts Marked*			
304-0292	2	* Insulator - Resistor			
304-0015	4	* Washer, Centering			
304-0120	2	* Resistor, Fixed			
508-0071	1	* Grommet, Rubber			
312-0198	2	* Bracket, Capacitor Moun- ting			
312-0197	1	* Capacitor - Metal Box			
232-2465	1	* Cover, Filter Mounting Box			
232-2462	1	* Mounting Box - Filter			

SPECIAL PARTS LIST FOR MODEL 12.0DJC-3CR SPEC 18204AC
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. -
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5557-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Skid And Battery Rack			
		Duct Air Outlet			
		Oil Base Heater			
		Voltage Regulator Filter			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off (Normally Closed)			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-3CR SPEC 18242AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. _____ (ENG) 612-5042-03

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Duct Air Outlet			
		Low Oil Pressure Cut-Off			
		High Temperature-Cut-Off			
		Overspeed Cut-Off			
416-0021	2	Cables, Battery			
309-0206	1	Switch, Thermostat			
134-1375	1	Plate, Exhaust Outlet Cover			
338-0917	1	Wiring Harness, Exciter Stator to Control			
322-0004	3	Lamp Overspeed, High Air Temperature, Low Oil Pressure			
322-0069	3	Holder, Lamp			
320-0259	1	Limiter, Cranking			
307-0655	2	Relay Latching High Temperature, Overspeed			
307-1143	1	Relay (DPDT)			
323-0760	1	Socket, Relay			
332-0943	2	Spacer, Relay Socket			
307-1157	1	Spring, Relay Holddown			
332-0706	2	Terminal Block			
332-0707	1	Marker Strip			
309-0270	1	Thermostat			
301-2567	1	Panel, Control Box			
305-0533	1	Voltage Regulator Assembly - Adjustable			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-18R SPEC 18246AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. _____ (ENG) 612-4792-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Skid Base And Battery Rack			
		Low Oil Pressure Cut Off			
		High Temperature Cut Off			
220-2043	1	Stator Wound			
201-2158	1	Rotor Assembly, Wound			

SPECIAL PARTS LIST FOR MODEL 12.0DJC-18R SPEC 18246AC
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. -
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5557-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Skid And Battery Rack			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off (Normally Closed)			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
220-2043	1	Stator, Wound			
201-2158	1	Rotor Assembly, Wound			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-4R SPEC 18268AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 612-1469-04 (ENG) 612-4998-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housing					
Overspeed Cut-Off					
Low Oil Pressure Cut-Off					
High Temperature Cut-Off					
Meter Panel					
309-0206	1	Switch, High Temperature			
301-2204	1	Panel, Control - Upper			
301-3567	1	Panel, Control Box			
338-0917	1	Wiring Harness, Stator Exciter to Control			
322-0004	3	Lamp (1) Overspeed (1) Low Oil Pressure (1) High Temperature			
322-0069	3	Holder Lamp			
320-0259	1	Limiter Cranking			
307-0655	2	Relay, Latching (1) High Temperature (1) Overspeed			
332-0706	2	Terminal Block			
332-0707	1	Marker Strip			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-18R SPEC 18308AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4976-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Skid Base and Battery Rack			
		Low Oil Pressure Cut-Off			
		High Air Temperature Cut-Off			
102-0549	1	Base, Oil			
309-0206	1	Switch, Thermostat - High Temperature			
220-2043	1	Stator, Wound			
201-2158	1	Rotor Assembly, Wound			
320-0221	1	Limiter, Cranking - Low Oil Pressure			
307-0655	1	Relay, Latching - High Temperature			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-3CR SPEC 18319AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. _____ (ENG) 612-4791-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed					
Air Duct And Shutter					
102-0549	1	Base, Oil			
155-0360	1	Muffler, Exhaust			
155-0949	1	Tube, Exhaust Flexible			
140-0078	2	Bands, Muffler Mounting			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-3CR SPEC 18323AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. _____ (ENG) 612-4792-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Air Duct W/Shutter			
		Skid Base and Battery Rack			
		Low Oil Pressure Cut Off			
		High Temperature Cut Off			
102-0549	1	Base, Oil			
232-2589	1	Regulator Filter Kit, Includes 232-2460 Filter Assembly Regulator and Parts Marked*			
304-0292	2	* Insulator - Resistor			
304-0015	4	* Washer, Centering			
304-0120	2	* Resistor, Fixed			
508-0071	1	* Grommet, Rubber			
312-0198	2	* Bracket, Capacitor Mount- ing Box			
312-0197	1	* Capacitor - Metal Box			
232-2463	1	* Cover, Filter Mounting Box			
232-2462	1	* Mounting Box - Filter Box			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-18R SPEC 18333AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO.
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5042-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Duct Air Outlet			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Temperature Cut Off			
416-0021	2	Cable, Battery			
309-0206	1	Switch, High Temperature			
134-1375	1	Plate, Exhaust Outlet Cover			
305-0533	1	Voltage Regulator Assembly - Adjustable			
338-0917	1	Wiring Harness, Stator Exciter to Control			
322-0004	3	Lamp (1) Overspeed (1) Low Oil Pressure (1) High Temperature			
322-0069	3	Holder Lamp			
320-0259	1	Limiter Cranking			
307-0655	2	Relay, Latching (1) High Temperature (1) Overspeed			
307-1143	1	Relay (DPDT)			
323-0760	1	Socket, Relay			
332-0943	2	Spacer, Relay Socket			
307-1157	1	Spring, Relay Holddown			
332-0706	2	Terminal Block			
332-0707	1	Marker Strip			
309-0270	1	Thermostat (Low Engine Temp)			
301-3567	1	Panel, Control Box			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-18R SPEC 18349AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. _____ (ENG) 612-5075-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Low Oil Pressure Cut Off			
		Duct Air Outlet			
416-0921	2	Cables, Battery			
134-1375	1	Plate Exhaust Outlet Cover			
320-0221	1	Limiters Cranking - Low Oil Pressure			
321-0174	1	Fuse - 5 Amp			
321-0175	1	Holder, Fuse			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-3CR SPEC 18350AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. _____ (ENG) 612-5171-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Contractor Type Air Cleaner			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off			
333-0104	2	Glow Plug			
191-0433	1	Solenoid, Starting Switch			
416-0021	2	Cable, Battery			
338-0917	1	wiring Harness Exciter Stator to Control			
321-0146	1	Fuse, 10 Amp			
321-0175	1	Holder, Fuse			
337-0089	1	Strap, Jumper Control Box			
304-0521	1	Resistor - Tap (8.0 - OHM)			
304-0194	1	Resistor, Adjusting (50 -OHM, 25 Watt)			
304-0268	1	Resistor (5 OHM, 50 Watt)			