

The following catalog has gaps in its page numbers, or doesn't have any numbers. We have chosen to leave the page numbering in the order that Acrobat assigns it.

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-3CR SPEC 13038T
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO.
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-3955-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Temperature Cut Off			
		Skid Base and Battery Rack			
102-0549	1	Base, Oil			
209-0081	1	Exciter, Complete			
312-0082	2	Capacitor, Exciter .1 MFD			
312-0083	1	Capacitor, Exciter 1.75 MFD			
312-0140	1	Capacitor, Exciter .3 MFD			
315-0100	1	Reactor, Exciter Control			
312-0145	2	Capacitor .1MFD Output Box			
220-1486	1	Stator Assembly Wound			
201-2280	1	Rotor Assembly Wound			
301-2307	1	Output Box			
508-0001	1	Grommet, Control Box			
508-0117	1	Grommet, Output Box			
332-0751	1	Terminal Block			
332-1235	1	Spacer Strip			
304-0506	1	Resistor Tapped Adjustable			
304-0592	1	Spacer, Resistor Mounting			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-3CR SPEC 13053T
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. _____ (ENG) 612-2662-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housing			
		Air Duct and Shutter			
		Low Oil Pre-sure Cut Off			
		High Temperature Cut Off			
102-0549	1	Base, Oil			
220-0600	1	Stator Assembly Wound			
508-0001	1	Grommet, Control Box			
508-0117	1	Grommet, Output Box			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-5DR SPEC 13053T
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. _____ (ENG) 612-2662-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed			
		Duct and Shutter			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off			
102-0549	1	Base, Oil			
508-0001	1	Grommet, Control Box			
508-0117	1	Grommet, Output Box			
220-0652	1	Stator Assembly, Wound			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-3CR SPEC 13053AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. _____ (ENG) 612-4792-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housing			
		Air Duct and Shutter			
		Low Oil Pressure Cut Off			
		High Temperature Cut Off			
102-0549	1	Base, Oil			

SPECIAL PARTS LIST FOR **MODEL** 12.0 DJC-18R **SPEC** 13053AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4792-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed		Air Duct and Shutter			
		Low Oil Pressure Cut-Off			
		High Temperature Cut-Off			
102-0549	1	Base, Oil			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-3CR SPEC 13108T
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. _____ (ENG) 612-2856-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Temperature Cut Off			
		Air Duct and Shutter			
416-0021	2	Cables, Battery			
102-0549	1	Base, Oil			
220-0808	1	Stator Assembly, Wound			
307-0655	1	Relay, Latching (Overspeed)			
508-0001	1	Grommet, Control Box			
508-0117	1	Grommet, Output Box			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-3CR SPEC 13108AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. _____ (ENG) 612-4853-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Air Duct W/Shutter					
Overspeed Cut Off					
High Temperature Cut Off					
Low Oil Pressure Cut Off					
102-0549	1	Base, Oil			
416-0021	2	Cables, Battery			
338-0768	1	Wiring Harness, Overspeed			
338-0917	1	Wiring Harness, Exciter Stator to Control			
307-0655	1	Relay, Latching (Overspeed)			
517-0012	1	Plug, Button - Control Box			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-18R SPEC 13108AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO.
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4853-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Air Duct and Shutter			
		Low Oil Pressure Cut-Off			
		High Temperature Cut-Off			
		Overspeed Cut-Off			
102-0549	1	Base, Oil			
416-0021	2	Cable, Battery			
338-0768	1	Wiring Harness, Overspeed			
338-0917	1	Wiring Harness, Exciter Stator to Control			
307-0655	1	Relay, Latching			
517-0012	1	Plug, Button Control Box			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-5DR SPEC 13145AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 612-1556-02 (ENG) 612-4792-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed					
Low Oil Pressure Cut Off					
Meter Panel					
155-0360	1	Muffler, Exhaust			
155-0949	1	Tube, Flexible Exhaust			
140-0078	2	Band, Muffler Mounting			
134-1805	1	Duct, Air Outlet			
338-0305	1	Wiring Harness, Star - Stop			
301-2204	1	Panel, Control - Meter			
320-0058	3	Circuit Breaker			

SPECIAL PARTS LIST FOR MODEL 9.0DJC-57R SPEC 13158T
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. 612-4750-02 (ENG)

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Low Oil Pressure Cut-Off			
		High Temperature Cut-Off			
		Air Duct			
		Overspeed Cut-Off			
102-0549	1	Base, Oil			
140-0721	1	Cleaner, Air Includes Element			
140-0765	1	Element, Air Cleaner			
140-0722	2	Band, Air Cleaner Mounting			
140-0720	1	Bracket, Air Cleaner Mounting			
503-0419	1	Elbow, Air Cleaner			
503-0365	1	Clamp, Air Cleaner Hose			
140-0723	1	Pre-Cleaner, Air Cleaner- Plastic			
140-0740	1	Tube, Air Induction			
503-0571	1	Hose, Air Cleaner			
140-0852	1	Bracket, Hose Support			
503-0365	2	Clamp, Hose Air Cleaner			
211-0152	1	End Bell Gennator			
220-2083	1	Stator Assembly, Wound			
304-0592	1	Spacer, Resistor Mounting			
304-0506	1	Resistor-Tap (6 OHM 150W)			
320-0017	1	Circuit Breaker (10 Amp)			
320-0221	1	Cranking Limiter (LOP)			
307-0655	1	Relay, Latching- Overspeed			
332-0333	1	Block Terminal			
332-0499	1	Marker Strip			
332-0751	1	Block, Terminal			
332-1235	1	Marker Strip			
301-3665	1	Panel, Control Box			
301-3129	1	Control Box			
508-0001	1	Grommet-Control Box			
508-0117	1	Grommet-Output Box			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-4R SPEC 13199T
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 612-1469-04 (ENG) 612-3129-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Overspeed Cut Off Housed			
		Low Oil Pressure Cut Off			
		Meter Panel			
102-0549	1	Base, Oil			
220-1011	1	Stator Assembly, Wound			
301-2204	1	Panel, Control - Meter			
320-0221	1	Limiters, Cranking - Low Oil Pressure			
307-0655	1	Relay, Latching - Overspeed			
322-0004	2	Lamp, Overspeed and Low Oil Pressure			
322-0069	2	Holder, Lamp			
332-0751	1	Terminal Block			
332-1235	1	Marker Strip			
508-0001	1	Grommet, Control Box			
508-0117	1	Grommet, Output Box			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-3CR SPEC 13224T
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. _____ (ENG) 612-4760-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Air Duct and Shutter			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Temperature Cut Off			
416-0021	2	Cables, Battery			
309-0206	1	Switch, High Temperature			
322-0004	3	Lamp (1) Low Oil Pressure (1) High Temperature (1) Over- speed)			
322-0069	3	Holder, Lamp			
320-0259	1	Limitter, Cranking Low Oil Pressure			
307-0655	2	Relay, Latching (1) High Temperature (1) Overspeed			
332-0751	1	Terminal Block			
332-1235	1	Marker Strip			
301-3567	1	Panel, Control Box			
508-0001	1	Grommet, Control Box			
508-0117	1	Grommet, Output Box			
332-0291	1	Terminal Block			
332-0427	1	Marker Strip			
220-0808	1	Stator Assembly Wound			

SPECIAL PARTS LIST FOR MODEL 9.0 DJC-53CE SPEC 13237AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. 612-4826-01 (ENG)

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Contractors Model					
103-0454	1	Gearcase Assembly			
509-0111	1	Seal, Oil-Crankshaft Front			
509-0112	1	Seal, Oil-Crankshaft Rear			
416-0021	2	Cables, Battery			
503-0571	1	Hose, Air Cleaner Connector			
338-0725	1	Wiring Harness, Switch Plate to Control			
338-0394	1	Wiring Harness, Starter Motor to Control			
503-0571	1	Hose, Air Cleaner Connector			
308-0069	1	Switch, Run-Stop			
332-1695	2	Tab, Terminal Connector			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-5DR SPEC 13330T
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. _____ (ENG) 612-3129-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Duct Air Outlet			
		Low Oil Pressure Cut Off			
		Overspeed Cut Off			
102-0549	1	Base, Oil			
320-0221	1	Limitter, Cranking - Low Oil Pressure			
307-0655	1	Relay, Latching - Overspeed			
322-0004	2	Lamp, Overspeed and Low Oil Pressure			
322-0069	2	Holder, Lamp			
332-0751	1	Terminal Block			
332-1235	1	Marker Strip			
508-0001	1	Grommet, Control Box			
508-0117	1	Grommet, Output Box			
220-0983	1	Stator Assembly, Wound			
211-0152	1	End Bell, Generator			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-4R SPEC 13373AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (AC) 612-1469-04 (ENG) 612-4853-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		Meter Panel			
301-2204	1	Panel, Control - Upper			
338-0917	1	Wiring Harness - Stator Exciter to Control			
307-0655	1	Relay, Latching - Overspeed			
517-0012	1	Plug, Button Control Box			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-4R SPEC 13389T
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 612-1469-04 (ENG) 612-2661-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed			
		Duct And Shutter			
		Meter Panel			
102-0549	1	Base, Oil			
220-0602	1	Stator Assembly, Wound			
508-0001	1	Grommet, Control Box			
508-0117	1	Grommet, Output Box			
301-2204	1	Panel, Control - Meter			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-3R SPEC 13447T
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 612-1559-04 (ENG) 612-2662-0

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Mounted Fuel Tank			
		Air Duct and Shutter			
		Housing			
		Low Oil Pressure Cut Off			
		High Temperature Cut Off			
		Oil Bath Air Cleaner			
405-1651	1	Panel, Front End- Upper			
155-0360	1	Muffler, Exhaust			
140-0078	2	Bands, Muffler Mounting			
155-0949	1	Tube, Exhaust Flexible			
220-0600	1	Stator Assembly Wound			
508-0001	1	Grommet, Control Box			
508-0117	1	Grommet, Output Box			
301-2288	1	Panel, Instrument			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-3CR SPEC 13517T
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. _____ (ENG) 612-2661-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed					
Air Duct And Shutter					
102-0549	1	Base, Oil			
332-0499	1	Marker Strip			
332-0333	1	Block, Terminal			
508-0001	1	Grommet, Control Box			
508-0117	1	Grommet, Output Box			
220-0600	1	Stator Assembly Wound			
516-0083	2	Pin Roll Generator Frame			
234-0541	1	Cover, End Bell			
333-0157	1	Heater, Immersion - End Bell			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-4R SPEC 13518T
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 612-1469-04 (ENG) 612-2961-0

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed			
		Overspeed Cut Off			
		Meter Panel			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off			
102-0549	1	Base, Oil			
309-0206	1	Switch, Thermostat			
155-0360	1	Muffler, Exhaust			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Flexible, Exhaust			
211-0152	1	End Bell, Generator			
220-1011	1	Stator Assembly, Wound			
338-0305	1	Wiring Harness, Start Stop			
301-2204	1	Panel, Control - Meter			
322-0004	2	Lamp (1) High Temperature (1) Overspeed (1) Low Oil Pressure			
322-0069	2	Holder, Lamp			
320-0221	1	Limiter, Cranking (1) Low Oil Pressure			
307-0655	1	Relay, Latching - High Temperature			
322-1235	1	Marker Strip			
332-0751	1	Terminal Block			
508-0001	1	Grommet, Control Box			
508-0117	1	Grommet, Output Box			

SPECIAL PARTS LIST FOR **MODEL** 12.0 DJC-4R **SPEC** 13546AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (AC) 612-1486-04 (ENG) 612-4792-0

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed Low Oil Pressure Cut Off Meter Panel					
301-2088	1	Panel, Control - Upper			

SPECIAL PARTS LIST FOR **MODEL** 12.0 DJC-3R **SPEC** 13576T
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO(AC) 612-1559-04 (ENG) 612-2662-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housing					
Low Oil Pressure Cut Off					
High Temperature Cut Off					
102-0549	1	Base, Oil			
220-0600	1	Stator Assembly Wound			
301-2288	1	Panel, Instrument			
508-0001	1	Grommet, Control Box			
508-0117	1	Grommet, Output Box			

SPECIAL PARTS LIST FOR MODEL 12.0DJC-3R SPEC 13576AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. -
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG)612-4792-01 (AC)612-1559-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		Meter Panel			
		Oil Base Heater			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off (Normally Closed)			
		Duct Air Outlet			
301-2288	1	Panel, Meter - Control (Upper)			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-4XR SPEC 13576AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 612-1851-04 (ENG) 612-1542-05

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed			
		Low Oil Pressure Cut-Off			
		High Air Temperature Cut-Off			
		Meter Panel			
102-0549	1	Base, Oil			
304-0305	1	Resistor, Control Panel			
301-2308	1	Panel, Control - Upper			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-3R SPEC 13631T
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO.
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 612-4811-05 (ENG) 612-2661-(

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Mounted Fuel Tank			
		Oil Bath Air Cleaner			
		Housing			
		High Air Temperature Cut Off			
		Meter Panel			
155-0360	1	Muffler, Exhaust			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Flexible Exhaust			
338-0305	1	Wiring Harness, Tart - Stop			
220-0957	1	Stator Assembly Wound			
303-0097	1	Rheostat - Adjusting			
303-0032	1	Knob, Rheostat			
323-0184	1	Receptacle, Duplex			
332-0609	1	Terminal Block			
332-0610	1	Marker Strip			
209-0060	1	Exciter			
315-0102	1	Reactor, Gate			
304-0510	1	Resistor, Fixed (250 OHM 25 Watt)			
304-0479	1	Resistor, Voltage Control			
315-0100	1	Reactor, Voltage Control			
305-0239	1	Rectifier, Field - Positive			
304-0512	1	Resistor, Stabilizing			
305-0240	1	Rectifier, Voltage Control			
305-0238	1	Rectifier, Field - Negative			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-3CR SPEC 1367IT
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. _____ (ENG) 612-4326-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Skid Base and Battery Rack			
		Low Oil Pressure Cut Off			
		High Temperature Cut Off			
		Overspeed Cut Off			
102-0549	1	Base, Oil			
309-0206	1	Switch, High Temperature			
416-0021	2	Cables, Battery			
220-1935	1	Stator Assembly Wound			
320-0259	1	Limitter Assembly Cranking			
309-0270	1	Thermostat - Low Engine Temperature			
332-0706	2	Terminal Block			
332-0707	1	Marker Strip			
332-0609	1	Terminal, Block			
332-0610	1	Marker Strip			
301-3392	1	Panel, Control Box			
508-0001	1	Grommet, Control Box			
508-0117	1	Grommet, Output Box			
307-0655	2	Relay, Latching (1) High Temperature (1) Overspeed			
307-1143	1	Relay, Generating (DPDT)			
323-0760	1	Socket, Relay			
332-0943	2	Spacer, Relay Socket			
307-1157	1	Spring, Relay Holddown			

SPECIAL PARTS LIST FOR MODEL 9.0 DJC-57R SPEC 13705T
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. 612-2662-02 (ENG)

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed			
		Low Oil Pressure Cut-Off			
		High Temperature Cut-Off			
		Mounted Fuel Tank			
508-0001	1	Grommet, Control Box			
508-0117	1	Grommet, Output Box			
301-1195	1	Panel, Instrument			
405-1674	1	Shield, Rain-Exhaust Pipe			
504-0007	1	Valve, Tank Return			
504-0013	1	Valve, Tank Outlet			
220-0761	1	Stator Assembly, Wound			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-3CR SPEC 13800AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. _____ (ENG) 612-4791-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed Mounted Fuel Tank Duct and Shutter					
102-0549	1	Base, Oil			
155-0360	1	Muffler, Exhaust			
155-0949	1	Tube, Flexible Exhaust			
140-0078	2	Band, Muffler Mounting			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-3CR SPEC 13840T
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. _____ (ENG) 612-4833-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Overspeed Cut Off			
		Air Duct and Shutter			
		Low Oil Pressure Cut Off			
		High Temperature Cut Off			
		Contractor Type Air Cleaner			
102-0549	1	Base, Oil			
211-0152	1	Bell, End			
122-0193	1	Filter Oil			
309-0206	1	Switch, High Temperature			
220-0808	1	Stator Assembly Wound			
304-0506	1	Resistor, Tapped			
304-0592	1	Spacer, Resistor Mounting			
320-0221	1	Limiter Cranking Assembly Includes Micro Switch			
309-0042	1	Switch, Micro			
307-0655	1	Relay, Latching (High Temperature)			
332-0751	1	Terminal Block			
332-1235	1	Marker Strip			
508-0001	1	Grommet, Control Box			
508-0117	1	Grommet, Output Box			

SPECIAL PARTS LIST FOR **MODEL** 12.0 DJC-3R **SPEC** 13874T
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 612-1786-04 (ENG) 612-2661-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Mounted Fuel Tank			
		Housed			
		High Air Temperature Cut-Off			
		Meter Panel			
220-0600	1	Stator Assembly, Wound			
508-0001	1	Grommet, Control Box			
508-0117	1	Grommet, Output Box			
301-1554	1	Panel, Control - Meter			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-3CR SPEC 13878T
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. _____ (ENG) 612-2791-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Overspeed Cut Off			
		Duct Air Outlet			
		High Temperature Cut Off			
416-0021	2	Cables, Battery			
102-0549	1	Base, Oil			
134-1375	1	Plate, Exhaust Outlet Cover			
220-0808	1	Stator Assembly Wound			
307-0655	1	Relay, Latching (Overspeed)			
307-0597	1	Relay, Start Stop			
508-0001	1	Grommet, Control Box			
508-0117	1	Grommet, Output Box			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-3CR SPEC 13940T
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. _____ (ENG) 612-4326-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Air Duct and Shutter			
		Low Oil Pressure Cut Off			
		High Temperature Cut Off			
		Overspeed Cut Off			
102-0549	1	Base, Oil			
309-0206	1	Switch, High Temperature			
416-0021	2	Cables, Battery			
220-1935	1	Stator Assembly Wound			
320-0259	1	Limiter Assembly Cranking			
309-0270	1	Thermostat - Low Engine Temperature			
332-0706	2	Terminal Block			
332-0707	1	Marker Strip			
332-0609	1	Terminal, Block			
332-0610	1	Marker Strip			
301-3392	1	Panel, Control Box			
508-0001	1	Grommet, Control Box			
508-0117	1	Grommet, Output Box			
307-0655	2	Relay, Latching (1) High Temperature (1) Overspeed			
307-1143	1	Relay, Generating(DPDT)			
323-0760	1	Socket, Relay			
332-0943	2	Spacer, Relay Socket			
307-1157	1	Spring, Relay Holddown			

SPECIAL PARTS LIST FOR MODEL 12.0DJC-3R SPEC 13957AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. -
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-4853-01 (AC)612-1559-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		Duct Air Outlet			
		Muffler Mounted On Housing			
		Meter Panel			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off (Normally Closed)			
301-2288	1	Panel, Meter - Control (Upper)			
338-0917	1	Harness, Wiring - Overspeed			
307-0655	1	Relay, Emergency Latch - Overspeed			

SPECIAL PARTS LIST FOR MODEL 12.0DJC-4XR SPEC 13957AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. -
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-4853-02 (AC)612-1851-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		Meter Panel			
		Duct Air Outlet			
		Muffler Mounted On Housing			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off (Normally Closed)			
301-2308	1	Panel, Meter - Instrument			
304-0305	1	Resistor, Fixed (45,000 ohm, 10 Watt)			
338-0917	1	Harness, Wiring - Overspeed			
307-0655	1	Relay, Emergency Latch - Overspeed			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-5DR SPEC 13957AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 612-1556-02 (ENG) 612-4853-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housing			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Temperature Cut Off			
		Meter Panel			
155-0360	1	Muffler, Exhaust			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Flexible Exhaust			
309-0206	1	Switch, High Temperature			
338-0917	1	Wiring Harness Exciter Stator to Control			
307-0655	1	Relay, Latching (1) Overspeed			
517-0012	1	Plug, Button - Control Box			
338-0305	1	Wiring Harness, Start - Stop			
301-2204	1	Panel, Control - Upper			
320-0058	3	Circuit Breaker - 30 Amp			

SPECIAL PARTS LIST FOR MODEL 12,0DJC-3R SPEC 13957AC
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. -
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5567-01 (AC)612-1559-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		Meter Panel			
		Muffler Mounted On Housing			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off - Normally Closed			
		Duct Air Outlet			
301-2288	1	Panel, Control - Upper			
307-0655	1	Relay, Emergency Latch - High Temperature			
338-0917	1	Harness, Wiring - Overspeed			

SPECIAL PARTS LIST FOR MODEL 12.0DJC-4XR SPEC 13957AC
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. -
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5567-02 (AC)612-1851-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		Duct Air Outlet			
		Meter, Panel			
		Muffler Mounted On Housing			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off (Normally Closed)			
301-2308	1	Panel, Meter - Instrument			
304-0305	1	Resistor, Fixed (45,000 ohm, 10 Watt)			
338-0917	1	Harness, Wiring - Overspeed			
307-0655	1	Relay, Emergency Latch - Overspeed			

SPECIAL PARTS LIST FOR MODEL 12.0DJC-4R SPEC 14017AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. -
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-4976-02 (AC)612-1469-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		Duct Air Outlet			
		Meter Panel			
		Oil Base Heater			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off (Normally Open)			
301-2204	1	Panel, Meter - Instrument			
320-0221	1	Relay, Emergency - Low Oil Pressure			
307-0655	1	Relay, Emergency Latch - High Temperature			

SPECIAL PARTS LIST FOR MODEL 12.0DJC-4R SPEC 14019AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. -
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5042-02 (AC) 612-1469-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		Duct Air Outlet			
		Meter Panel			
		Muffler Mounted On Housing			
		Mounted Fuel Tank			
		Oil Base Heater			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off (Normally Open)			
		Overspeed Cut Off			
301-2204	1	Panel, Meter - Instrument			
338-0917	1	Harness, Wiring - Overspeed			
307-0655	3	Relay, Emergency Latch - High Temperature, Overspeed & Low Oil Pressure			
307-1143	1	Relay, Generating			
332-0943	2	Spacer			
307-1157	1	Spring, Relay Holddown			
309-0270	1	Thermostat, Low Engine Temperature			
332-0707	1	Strip, Marker (Blank)			
301-3567	1	Panel, Control Box (With Bracket)			
320-0259	1	Relay, Emergency - Low Oil Pressure			
323-1042	1	Relay, Generating			
332-0706	2	Block, Terminal (8 Place)			

SPECIAL PARTS LIST FOR MODEL 12.0DJC-4XR SPEC 14019AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. -
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5042-02 (AC)612-1851-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		Duct Air Outlet			
		Meter Panel			
		Muffler Mounted On Housing			
		Oil Base Heater			
		Low Oil Pressure Cut Off			
		Overspeed Cut Off			
		High Air Temperature Cut Off (Normally Open)			
301-2308	1	Panel, Meter - Instrument			
304-0305	1	Resistor, Fixed (45,000 ohm, 10 Watt)			
338-0917	1	Harness, Wiring - Overspeed			
307-0655	3	Relay, Emergency Latch - High Temperature, Overspeed & Low Oil Pressure			
307-1143	1	Relay, Generating			
332-0943	2	Spacer			
307-1157	1	Spring, Relay Holddown			
309-0270	1	Thermostat, Low Engine Temperature			
332-0707	1	Strip, Marker (Blank)			
301-3567	1	Panel, Control Box (With Bracket)			
332-0706	2	Block, Terminal (8 Place)			
323-1042	1	Socket Assembly, Relay			
320-0259	1	Relay, Emergency - Low Oil Pressure			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-18R SPEC 14069AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-4791-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Duct Air Outlet			
		Skid Base and Battery Rack			
		High Air Temperature Cut-Off			
102-0549	1	Base, Oil			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-4R SPEC 14098AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC)612-1469-04 (ENG)612-4791-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housing					
Skid Base					
102-0549	1	Base, Oil			
155-0360	1	Muffler, Exhaust			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Flexible Exhaust			
415-0327	1	Tank, Fuel - Day (15 Gallon)			
416-0656	1	Frame, Battery Holddown			
520-0502	2	Stud, Battery Frame			
415-0170	1	Switch, Float - Fuel Tank			
338-0305	1	Wiring Harness, Start-Stop			
301-2204	1	Panel, Control - Upper			

SPECIAL PARTS LIST FOR MODEL 9.0 DJC-53R SPEC 14112AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. 612-1559-07 (AC) 612-4853-01 (ENG)

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed			
		Low Oil Pressure Cut-Off			
		High Temperature Cut-Off			
		Overspeed Cut-Off			
		Duct and Shutter			
		Meter Panel			
140-0078	2	Bands, Muffler Mounting			
155-0360	1	Muffler, Exhaust			
155-0949	1	Tube, Exhaust			
150-1661	1	Switch Assembly-Overspeed			
405-1674	1	Shield, Rain-Exhaust Pipe			
301-2288	1	Panel, Instrument			
338-0917	1	Wiring Harness Excitor Stator to Control			
307-0655	1	Relay, Latching (Overspeed)			
517-0012	1	Plug, Button			

SPECIAL PARTS LIST FOR MODEL 12.0DJC-3CE SPEC 14141AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO.
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. 612-4948-01 (ENG)

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Contractor Model					
509-0112	1	Seal, Oil-Crankshaft Rear			
509-0111	1	Seal, Oil-Crankshaft Front			
103-0454	1	Gearcase Assembly			
338-0725	1	Wiring Harness-Switch Plate to Control			
338-0394	1	Wiring Harness-Starter Motor to Control			
503-0365	3	Clamp, Air Cleaner Hose			
201-2312	1	Rotor Assembly, Wound			
201-2299	1	Rotor Wound, Exciter			
220-2670	1	Stator, Wound			
220-2308	1	Stator, Wound Exciter			
308-0069	1	Switch, Run-Stop			
305-0541	1	Regulator Assembly, Voltage Non-Adjustable (For Component Parts Use 305-0532 Voltage Assembly)			
300-1405	1	Board Assembly, Complete (For Component Parts Use 300-1404 Board Assembly)			
301-3834	1	Panel, Voltage Regulator Mounting			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-3CR SPEC 14206AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO.
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4792-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Skid Base And Battery Rack			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off			
102-0549	1	Base, Oil			
134-1805	1	Duct Air Outlet			
134-1375	1	Plate, Exhaust Outlet Cover			

SPECIAL PARTS LIST FOR **MODEL** 12.0 DJC-18R **SPEC** 14206AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4792-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Duct Air Outlet			
		Skid Base and Battery Rack			
		Low Oil Pressure Cut-Off			
		High Temperature Cut-Off			
102-0549	1	Base, Oil			
134-1375	1	Plate, Exhaust Outlet Cover			

SPECIAL PARTS LIST FOR **MODEL** 12.0 DJC-4R **SPEC** 14229AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (AC)612-1469-04 (ENG)612-4791-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Mounted Fuel Tank			
		Housing			
		Air Duct and Shutter			
		Meter Panel			
102-0549	1	Base, Oil			
301-2204	1	Panel, Control - Upper			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-3R SPEC 14240AA
FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____

(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 612-1559-04 (ENG) 612-4791-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housing			
		Meter Panel			
102-0549	1	Base, Oil			
155-0360	1	Muffler, Exhaust			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Flexible Exhaust			
338-0305	1	Wiring Harness - Start Stop			
301-2288	1	Panel, Control - Upper			
517-0139	1	Plug, Button Output Box			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-4R SPEC 14240AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO.
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC)612-1469-04 (ENG)612-1491-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housing					
Meter Panel					
102-0549	1	Base, Oil			
155-0360	1	Muffler, Exhaust			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Flexible - Exhaust			
338-0305	1	Wiring Harness, Start-Stop			
301-2204	1	Panel, Control - Upper			

SPECIAL PARTS LIST FOR **MODEL** 12.0 DJC-4XR **SPEC** 14240AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (AC)612-1851-04 (ENG)612-4791-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed					
Meter Panel					
102-0549	1	Base, Oil			
155-0360	1	Muffler, Exhaust			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Flexible Exhaust			
338-0305	1	Wiring Harness, Start-Stop			
304-0305	1	Resistor, Control Panel			
301-2308	1	Panel, Control - Upper			

SPECIAL PARTS LIST FOR **MODEL** 12.0 DJC-18R **SPEC** 14253AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4791-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed Air Duct and Shutter					
102-0549	1	Base, Oil			

SPECIAL PARTS LIST FOR MODEL 12.0DJC-3CE SPEC 14319AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. 612-4826-01 (ENG)

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Contractors Model Duct and Shutter High Temperature Cut-Off					
509-0111	1	Seal, Oil-Crankshaft Front			
509-0112	1	Seal, Oil-Crankshaft Rear			
103-0454	1	Gearcase Assembly			
416-0021	2	Cable, Battery			
338-0725	1	Wiring Harness-Switch Plate to Control			
338-0394	1	Wiring Harness-Starter Motor to Control			
308-0069	1	Switch, Run-Stop			
508-0008	1	Grommet, Rubber Control Box			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-5DR SPEC 14340T
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. _____ (ENG) 612-2662-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off			
154-0695	2	Manifold, Exhaust			
154-0133	2	Gasket, Exhaust Outlet			
155-0170	2	Flange, Exhaust Outlet			
134-1882	1	Duct Air Outlet			
134-1375	2	Plate, Exhaust Outlet Cover			
154-0738	2	Gasket Outlet Cover			
140-0721	1	Air Cleaner, Includes Element			
140-0765	1	Element, Air Cleaner			
140-0722	2	Band, Air Cleaner Mounting			
140-0720	1	Bracket, Mounting - Air Cleaner			
503-0419	1	Elbow, Air Cleaner			
503-0365	4	Clamp, Hose - Air Cleaner			
503-0698	1	Tube, Air Cleaner			
220-2390	1	Stator Assembly, Wound			
201-1122	1	Rotor Assembly, Wound			
508-0117	1	Grommet, Output Box			
508-0001	1	Grommet, Control Box			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-3CR SPEC 14379AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. _____ (ENG) 612-4792-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
416-0021	2	Cables, Battery			
509-0111	1	Seal, Oil Crankshaft - Front			
509-0112	1	Seal, Oil Crankshaft - Rear			
103-0454	1	Gearcase Assembly			
862-0003	1	Nut Governor Adjusting Spring			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-18R SPEC 14398AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. _____ (ENG) 612-4847-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Skid Base and Battery Rack			
		Duct Air Outlet			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off			
		Oil Bath Air Cleaner			
309-0206	1	Switch, Thermostat			
134-1375	1	Plate, Exhaust Outlet Cover			
338-0917	1	Wiring Harness, Exciter Stator to Control			
307-0221	1	Limiter, Cranking Low Oil Pressure			
307-0655	1	Relay, Latching, High Temp and Overspeed			

SPECIAL PARTS LIST FOR MODEL 9.0 DJC-518E SPEC 14513AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. 612-4855-02 (ENG)

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Contractor Model					
103-0454	1	Gearcase Assembly			
509-0111	1	Seal, Oil-Crankshaft Front			
509-0112	1	Seal, Oil-Crankshaft-Rear			
416-0021	2	Cables, Battery			
338-0725	1	Wiring Harness, Switch Plate to Control			
338-0394	1	Wiring Harness, Starter Meter to Control			
308-0069	1	Switch, Run-Stop			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-18E SPEC 14513AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. _____ (ENG) 612-4855-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Contractor Model					
416-0021	2	Cable, Battery			
509-0111	1	Seal, Oil - Cranksaft Front			
509-0112	1	Seal, Oil - Cranshaft Rear			
103-0454	1	Gearcase Assembly			
338-0725	1	Wiring Harness - Switch Plate to Control			
338-0394	1	Wiring - Harness - Starter Motor to Control			
Parts not Furnished by Onan Receptacles.					

SPECIAL PARTS LIST FOR **MODEL** 12.0DJC-18E **SPEC** 14513AB
FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** -
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4855-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Contractors Model			

SPECIAL PARTS LIST FOR MODEL 9.0DJC-518R SPEC 14527AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. 612-4791-02(ENG)

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
416-0021	2	Cables, Battery			
201-2158	1	Rotor Assembly, Wound			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-18R SPEC 14527AA
FOR STANDARD PARTS REFER TO CATALOG _____ KEY NO. _____
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4791-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
416-0021	2	Cable, Battery			
220-2043	1	Stator, Wound			
201-2158	1	Rotor Assembly, Wound			

Dated Mar 1, 1978

Revised

1

1

SPECIAL PARTS LIST FOR **MODEL** 9.0DJC-518R **SPEC** 14527AC
FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** -
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5556-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
201-2158	1	Rotor Assembly, Wound			
220-2051	1	Stator, Wound			

SPECIAL PARTS LIST FOR **MODEL** 12,0DJC-18R **SPEC** 14527AC
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** -
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5556-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Standard Engine					
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
220-2043	1	Stator, Wound			
201-2158	1	Rotor Assembly, Wound			

SPECIAL PARTS LIST FOR **MODEL** 12.0DJC-3CE **SPEC** 14575AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. 612-4826-01 (ENG)

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Contractors Model High Temperature Cut-Off Skid Mounted					
509-0111	1	Seal, Oil-Crankshaft-Front			
509-0112	1	Seal, Oil-Crankshaft-Rear			
103-0454	1	Gearcase Assembly			
338-0725	1	Wiring Harness-Switch Plate to Control			
338-0394	1	Wiring Harness-Starter Motor to Control			
308-0069	1	Switch, Run-Stop			
508-0008	1	Grommet, Rubber Control Box			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-3CR SPEC 14603AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. 612-5042-01 (ENG)

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Duct Air Inlet			
		Low Oil Pressure Cut-Off			
		High Temperature Cut-Off			
		Overspeed Cut-Off			
416-0021	2	Cables, Battery			
309-0206	1	Switch, Thermostat			
134-1375	1	Plate, Exhaust Outlet Cover			
338-0917	1	Wiring Harness, Exciter			
		Stator to Control			
322-0004	3	Lamp (1) OSKO (1) HATKO (1)			
		LOPKO			
322-0069	3	Holder, Lamp			
320-0259	1	Limiter, Cranking			
307-0655	2	Relay Latching (1) HT (1)			
		OSKO			
307-1143	1	Relay (DPDT)			
323-0760	1	Socket, Relay			
332-0943	2	Spacer, Relay Socket			
307-1157	1	Spring, Relay Holddown			
332-0706	2	Terminal Block			
332-0707	1	Marker Strip			
309-0270	1	Thermostat			
301-3567	1	Panel, Control Box			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-18R SPEC 14603AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. _____ (ENG) 612-5042-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Duct Air Outlet			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Temperature Cut Off			
416-0021	2	Cable, Battery			
309-0206	1	Switch, High Temperature			
338-0917	1	Wiring Harness, Stator Exciter to Control			
322-0004	3	Lamp (1) Overspeed (1) Low Oil Pressure (1) High Temperature			
322-0069	3	Holder Lamp			
320-0259	1	Limiter Cranking			
307-0655	2	Relay, Latching (1) High Temperature (1) Overspeed			
307-1143	1	Relay (DPDT)			
323-0760	1	Socket, Relay			
332-0943	2	Spacer, Relay Socket			
307-1157	1	Spring, Relay Holddown			
332-0706	2	Terminal Block			
332-0707	1	Marker Strip			
309-0270	1	Thermostat Low Engine Temp			
301-3567	1	Panel, Control Box			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-18R50 SPEC 14603AA
 FOR STANDARD PARTS REFER TO CATALOG 927-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5042-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Duct Air Outlet			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off			
		Overspeed Cut Off			
416-0021	2	Cable, Battery			
309-0206	1	Switch, Thermostat			
134-1375	1	Plate, Exhaust Outlet Cover			
338-0917	1	Wiring Harness, Stator Exciter to Control			
322-0004	3	Lamp, Indicator (1) Over- speed (1) Low Oil Pressure (1) High Temperature			
322-0069	3	Holder, Lamp			
320-0259	1	Limiter, Cranking			
307-0655	2	Relay, Latching - High Temperature and Overspeed			
307-1143	1	Relay (DPDT)			
323-0760	1	Socket, Relay			
332-0943	2	Spacer, Relay Socket			
307-1157	1	Spring Relay Holddown			
332-0706	2	Terminal Block			
332-0707	1	Marker Strip			
309-0270	1	Thermostat, Low Engine Temperature			
301-3567	1	Panel, Control Box			

SPECIAL PARTS LIST FOR **MODEL** 12.0 DJC-18R **SPEC** 14610AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. _____ (ENG) 612-4792-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Skid Base and Battery Rack Low Oil Pressure Cut Off					
102-0549	1	Base, Oil			

SPECIAL PARTS LIST FOR **MODEL** 12.0 DJC-3CR **SPEC** 14627AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. 612-4853-01 (ENG)

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Overspeed Cut-Off			
		Low Oil Pressure Cut-Off			
		High Temperature Cut-Off			
		Duct Air Outlet			
		Skid Base And Battery Rack			
134-1375	1	Plate, Exhaust Outlet Cover			
338-0917	1	Wiring Harness, Exciter Stator to Control			
307-0655	1	Relay, Latching Overspeed			
517-0012	1	Plug, Button			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-18R SPEC 14627AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4853-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Overspeed Cut-Off			
		Duct Air Outlet			
		Skid Base and Battery Rack			
		Low Oil Pressure Cut-Off			
		High Temperature Cut-Off			
134-1375	1	Plate, Exhaust Outlet Cover			
338-0917	1	Wiring Harness, Exciter Stator to Control			
307-0655	1	Relay, Latching - Overspeed			
517-0012	1	Plug, Button Control Box			

SPECIAL PARTS LIST FOR MODEL 12.0DJC-3CR SPEC 14627AC
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. -
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5567-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Skid And Battery Rack			
		Duct Air Outlet			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off (Normally Closed)			
338-0917	1	Harness, Wiring - Overspeed			
307-0655	1	Relay, Emergency Latch - Overspeed			

SPECIAL PARTS LIST FOR MODEL 12.0 DIC-3CR SPEC 14646AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. _____ (ENG) 612-4792-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Duct Air Outlet			
		Low Oil Pressure Cut Off			
		High Temperature Cut Off			
134-1375	1	Plate, Exhaust Outlet Cover			
416-0021	2	Cables, Battery			
509-0111	1	Seal, Oil Crankshaft - Front			
509-0112	1	Seal, Oil Crankshaft - Rear			
103-0454	1	Gearcase Assembly			

SPECIAL PARTS LIST FOR **MODEL** 12.0 DJC-4R **SPEC** 14734AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC)612-1469-04 (ENG)612-4853-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed			
		Air Duct and Shutter			
		Meter Panel			
		Low Oil Pressure Cut-Off			
		High Air Temperature Cut-Off			
		Overspeed Cut-Off			
102-0549	1	Base, Oil			
301-2204	1	Panel, Control - Upper			
338-0917	1	Wiring Harness, Exciter Stator to Control			
307-0655	1	Relay, Latching - Overspeed			
517-0012	1	Plug, Button Control Box			

SPECIAL PARTS LIST FOR **MODEL** 12.0 DJC-5DR **SPEC** 14734AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 612-1556-02 (ENG) 612-4853-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed			
		Mounted Fuel Tank			
		Air Duct and Shutter			
		Overspeed Cut-Off			
		Low Oil Pressure Cut-Off			
		High Air Temperature Cut-Off			
		Meter Panel			
102-0549	1	Base, Oil			
338-0768	1	Wiring Harness - Overspeed			
301-2204	1	Panel, Control - Upper			
320-0058	3	Circuit Breaker - 30 Amp			
338-0917	1	Wiring Harness Exciter Stator to Control			
307-0655	1	Relay, Latching - Overspeed			
517-0012	1	Plug, Button Control Box			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-18E SPEC 14785AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. _____ (ENG) 612-4855-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Contractors Model					
Duct Air Outlet					
High Air Temperature Cut Off					
Low Oil Pressure Cut Off					
509-0111	1	Seal, Oil - Crankshaft Front			
509-0112	1	Seal, Oil - Crankshaft Rear			
103-0454	1	Gearcase Assembly			
338-0725	1	Wiring Harness - Switch Plate to Control			
338-0394	1	Wiring Harness - Stator Motor to Control			
416-0021	2	Cable, Battery			
123-1104	1	Cap and Indicator Assembly			
102-0559	1	Oil Base, Extension			
800-0080	10	Capscrew (7/16-14 x 3 1/4) Oil Base			
120-0638	1	Cup Assembly Oil Pump Intake			
220-2043	1	Stator, Wound			
201-2158	1	Rotor Assembly, Wound			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-3CR SPEC 14815AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. _____ (ENG) 612-4792-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed			
		Low Oil Pressure Cut Off			
		High Temperature Cut Off			
102-0549	1	Base, Oil			
301-1195	1	Panel, Instrument (Blank)			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-3CR SPEC 14876AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. _____ (ENG) 612-5042-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Low Oil Pressure Cut Off			
		High Temperature Cut Off			
		Overspeed Cut Off			
416-0021	2	Cables, Battery			
309-0206	1	Switch Thermostat			
338-0917	1	Wiring Harness, Exciter Stator to Control			
322-0004	3	Lamp (1) Overspeed (1) Low Oil Pressure (1) High Temperature			
322-0069	3	Holder, Lamp			
320-0259	1	Limitter, Cranking			
307-0655	2	Relay Latching (1) High Temperature (1) Overspeed			
307-1143	1	Relay (DPDT)			
323-0760	1	Socket, Relay			
332-0943	2	Spacer, Relay Socket			
307-1157	1	Spring, Relay Holddown			
332-0706	2	Terminal Block			
332-0707	1	Marker Strip			
309-0270	1	Thermostat (Low Engine Temp)			
301-3567	1	Panel, Control Box			

Dated

Mar 1, 1978

Revised

1

1

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-18R SPEC 14876AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. _____ (ENG) 612-5042-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Temperature Cut Off			
416-0021	2	Cable, Battery			
309-0206	1	Switch, High Temperature			
338-0917	1	Wiring Harness, Stator Exciter to Control			
322-0004	3	Lamp (1) Overspeed (1) Low Oil Pressure (1) High Temperature			
322-0069	3	Holder Lamp			
320-0259	1	Limiter Cranking			
307-0655	2	Relay, Latching (1) High Temperature (1) Overspeed			
307-1143	1	Relay (DPDT)			
323-0760	1	Socket, Relay			
332-0943	2	Spacer, Relay Socket			
307-1157	1	Spring, Relay Holddown			
332-0706	2	Terminal Block			
332-0707	1	Marker Strip			
309-0270	1	Thermostat Low Engine Temp			
301-3567	1	Panel, Control Box			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-18R50 SPEC 14876AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. _____ (ENG) 612-5042-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Temperature Cut Off			
416-0021	2	Cable, Battery			
309-0206	1	Switch, High Temperature			
338-0917	1	Wiring Harness, Stator Exciter to Control			
322-0004	3	Lamp (1) Overspeed (1) Low Oil Pressure (1) High Temperature			
322-0069	3	Holder Lamp			
320-0259	1	Limiter Cranking			
307-0655	2	Relay, Latching (1) High Temperature (1) Overspeed			
307-1143	1	Relay (DPDT)			
323-0760	1	Socket, Relay			
332-0943	2	Spacer, Relay Socket			
307-1157	1	Spring, Relay Holddown			
332-0706	2	Terminal Block			
332-0707	1	Marker Strip			
309-0270	1	Thermostat			
301-3567	1	Panel, Control Box			

SPECIAL PARTS LIST FOR **MODEL** 12.0DJC-4R **SPEC** 14901AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** -
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG)612-4792-02 (AC)612-1469-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		Air Duct And Shutter			
		Meter Panel			
		Muffler Mounted On Housing			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off (Normally Closed)			
301-2204	1	Panel, Meter - Instrument			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-3R SPEC 14910AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 612-1559-04 (ENG) 612-4853-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Temperature Cut Off			
		Housing			
		Mounted Fuel Tank			
		Meter Panel			
155-0360	1	Muffler, Exhaust			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Flexible Muffler			
338-0305	1	Wiring Harness, Start - Stop			
301-2288	1	Panel, Control - Upper			
338-0917	1	Wiring Harness - Exciter Stator to Control			
307-0655	1	Relay, Latching (Overspeed)			
517-0012	1	Plug, Button			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-18R SPEC 14958AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4791-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed					
Air Duct and Shutter					
Oil Bath Air Cleaner					
503-0274	2	Clamp, Hose Air Cleaner			
405-1651	1	Panel, Housing Front End			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-18R SPEC 15024AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. _____ (ENG) 612-4792-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Duct Air Outlet			
		Low Oil Pressure Cut Off			
134-1375	1	Plate, Exhaust Outlet Cover			
416-0021	2	Cables, Battery			
220-2043	1	Stator, Wound			
201-2158	1	Rotor Assembly, Wound			

SPECIAL PARTS LIST FOR **MODEL** 12.0DJC-18R **SPEC** 15024AC
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** -
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5557-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Duct Air Outlet			
		Low Oil Pressure Cut Off			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
220-2043	1	Stator, Wound			
201-2158	1	Rotor Assembly, Wound			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-3CR SPEC 15033AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. _____ (ENG) 612-4998-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Temperature Cut Off			
		Duct Air Outlet			
102-0549	1	Base, Oil			
309-0206	1	Switch, High Temperature			
416-0021	2	Cables, Battery			
134-1375	1	Plate, Exhaust Outlet Cover			
338-0917	1	Wiring Harness, Stator Exciter to Control			
322-0004	3	Lamp Overspeed, Low Oil Pressure, High Air Temperature			
322-0069	3	Holder, Lamp			
320-0259	1	Limitter, Cranking			
307-0655	2	Relay, Latching High Temperature, Overspeed			
332-0706	2	Terminal Block			
332-0707	1	Marker Strip			
301-3567	1	Panel, Control Box			

SPECIAL PARTS LIST FOR MODEL 12.0DJC-3CR50 SPEC 15033AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. -
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4998-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Note: Pennsylvania Approved					
Duct Air Outlet					
Oil Base Heater					
Overspeed Cut Off					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off (Normally Open)					
338-0917	1	Harness, Wiring - Overspeed			
320-0259	1	Relay, Emergency - Low Oil Pressure			
307-0655	3	Relay, Emergency Latch - High Temperature, Overspeed & Low Oil Pressure			
332-0707	1	Strip, Marker (Blank)			
301-3567	1	Panel, Control Box (With Bracket)			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-18R SPEC 15033AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4998-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Duct Air Outlet			
		Overspeed Cut-Off			
		Low Oil Pressure Cut-Off			
		High Air Temperature Cut-Off			
134-1375	1	Plate, Exhaust Outlet Cover			
102-0549	1	Base, Oil			
309-0206	1	Switch, Thermostat - High Temperature			
416-0021	2	Cable, Battery			
338-0768	1	Wiring Harness - Overspeed			
301-3567	1	Panel, Control Box			
338-0917	1	Wiring Harness, Stator Exciter to Control			
322-0004	3	Lamp (1) Overspeed (1) Low Oil Pressure (1) High Temperature			
322-0069	3	Holder Lamp			
320-0259	1	Limitter, Cranking			
307-0655	2	Relay, Latching (1) High Temperature (1) Overspeed			
332-0706	2	Terminal Block			
332-0707	1	Marker Strip			

SPECIAL PARTS LIST FOR MODEL 12.0DJC-18R SPEC 15033AC
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. -
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5574-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Duct Air Outlet			
		Oil Base Heater			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off (Normally Open)			
338-0917	1	Harness, Wiring - Overspeed			
307-0655	3	Relay, Emergency Latch - High Temperature, Overspeed & Low Oil Pressure			
332-0707	1	Strip, Marker (Blank)			
301-3567	1	Panel, Control Box (With Bracket)			
320-0259	1	Relay, Emergency - Low Oil Pressure			

SPECIAL PARTS LIST FOR **MODEL** 12.0 DJC-18R **SPEC** 15125AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4792-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed			
		Mounted Fuel Tank			
		Air Duct and Shutter			
		Low Oil Pressure Cut-Off			
		High Temperature Cut-Off			
102-0549	1	Base, Oil			
155-0360	1	Muffler, Exhaust			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Flexible Exhaust			

SPECIAL PARTS LIST FOR **MODEL** 12.0 DJC-3R **SPEC** 15160AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (AC) 612-1559-04 (ENG) 612-4791-

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housing			
		Mounted Fuel Tank			
		Meter Panel			
102-0549	1	Base, Oil			
416-0656	1	Frame Battery Holddown			
301-2288	1	Panel, Control Upper			
517-0139	1	Plug, Button Output Box			