

The following catalog has gaps in its page numbers, or doesn't have any numbers. We have chosen to leave the page numbering in the order that Acrobat assigns it.

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-18R SPEC 18354AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. \_\_\_\_\_  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. \_\_\_\_\_ (ENG) 612-4998-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Skid Base And Battery Rack			
		Duct Air Outlet			
		Overspeed Cut-Off			
		Low Oil Pressure Cut-Off			
		High Temperature Cut-Off			
309-0206	1	Switch, High Temperature			
134-1375	1	Plate, Exhaust Outlet Cover			
416-0021	2	Cable, Battery			
338-0917	1	Wiring Harness, Stator Exciter to Control			
322-0004	3	Lamp (1) Overspeed (1) Low Oil Pressure (1) High Temperature			
322-0069	3	Holder Lamp			
320-0259	1	Limiter Cranking			
307-0655	2	Relay, Latching (1) High Temperature (1) Overspeed			
332-07	2	Terminal Block			
332-C..	1	Marker Strip			
305-0533	1	Voltage Regulator Assembly - Adjustable			
301-3567	1	Panel, Control Box			

SPECIAL PARTS LIST FOR MODEL 9.0 DJC-53CR SPEC 18389AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. \_\_\_\_\_  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. 612-4792-01 (ENG)

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Low Oil Pressure Cut-Off			
		High Temperature Cut-Off			
		Air Duct			
416-0021	2	Cable, Battery			
134-1375	1	Plate, Exhaust Outlet Cover			

SPECIAL PARTS LIST FOR **MODEL** 9.0DJC-53CR **SPEC** 18389AC  
 FOR ST. NDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** -  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (ENG)612-5557-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Fungus Treated Control Duct Air Outlet Low Oil Pressure Cut Off High Air Temperature Cut Off (Normally Closed)			

SPECIAL PARTS LIST FOR **MODEL** 12.0DJC-3CR **SPEC** 18389AC  
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** -  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (ENG)612-5557-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Fungus Treated Control Duct Air Outlet Low Oil Pressure Cut Off High Air Temperature Cut Off (Normally Closed)			

SPECIAL PARTS LIST FOR MODEL 9.0 DJC-53CR SPEC 18402AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. \_\_\_\_\_  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. 612-5063-01 (ENG)

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Low Oil Pressure Cut-Off			
		High Temperature Cut-Off			
102-0863	1	Base, Oil			
416-0021	2	Cables, Battery			
338-0744	1	Wiring Harness, Rotor Excitor to Control.			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-18R SPEC 18407AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. \_\_\_\_\_  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. \_\_\_\_\_ (ENG) 612-4792-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Low Oil Pressure Cut-Off			
		High Temperature Cut-Off			
		Air Duct and Shutter			
416-0021	2	Cables, Battery			
220-2043	1	Stator, Wound			
201-2158	1	Rotor Assembly, Wound			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-3CR SPEC 18410AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. \_\_\_\_\_  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. \_\_\_\_\_ (ENG) 612-5410-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Skid Base and Battery Rack			
		Low Oil Pressure Cut Off			
		High Temperature Cut Off			
309-0206	1	Switch, High Temperature			
320-0221	1	Limiters, Cranking - Low Oil Pressure			
307-0655	1	Relay, Latching - High Temperature			
301-1170	1	Cover, Output Box			
323-0856	2	Receptacle - Twistlock			
323-0857	2	Plug - Twistlock Receptacle			
323-0184	2	Receptacle, Duplex			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-5DR SPEC 18420AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO.             
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC)612-1556-02 (ENG)612-4853-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed					
Overspeed Cut-Off					
High Temperature Cut-Off					
Low Oil Pressure Cut-Off					
Meter Panel					
155-0360	1	Muffler, Exhaust			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Flexible Exhaust			
338-0305	1	Wiring Harness, Start-Stop			
301-2204	1	Panel, Control - Upper			
320-0058	3	Circuit Breaker, 30 Amp			
338-0917	1	Wiring Harness, Exciter Stator to Control			
307-0655	1	Relay, Latching - Overspeed			
517-0012	1	Plug, Button Control Box			
305-0533	1	Voltage Regulator Assembly - Adjustable			



SPECIAL PARTS LIST FOR MODEL 12.0DJC-5CR SPEC 18435AC  
FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. -  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5557-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Duct Air Outlet			
		Contractor Type Air Cleaner			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off (Normally Closed)			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-18R SPEC 18455AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO.             
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 612-1559-04 (ENG) 612-4853-0

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housing					
Mounted Fuel Tank					
Overspeed Cut Off					
Low Oil Pressure Cut Off					
High Temperature Cut Off					
Meter Panel					
155-0360	1	Muffler, Exhaust			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Flexible Exhaust			
338-0305	1	Wiring Harness, Start - Stop			
220-2043	1	Stator Wound			
201-2158	1	Rotor Assembly Wound			
301-2288	1	Panel, Control - Upper			
338-0917	1	Wiring Harness, Exciter Stator to Control			
307-0655	1	Relay, Latching - Overspeed			
517-0012	1	Plug, Botton Control Box			

SPECIAL PARTS LIST FOR MODEL 12.0DJC-3CR SPEC 18484AC  
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. -  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5575-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Voltage Regulator Filter			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off (Normally Open)			
		Overspeed Cut Off			
338-0917	1	Harness, Wiring - Overspeed			
307-0655	3	Relay, Emergency Latch - High Temperature, Overspeed & Low Oil Pressure			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Relay			
332-0943	2	Spacer			
307-1157	1	Spring, Relay Holddown			
309-0270	1	Thermostat, Low Engine Temperature			
332-0707	1	Strip, Marker (Blank)			
301-3567	1	Panel, Control Box (With Bracket)			
320-0259	1	Relay, Emergency - Low Oil Pressure			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-18R SPEC 18498AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. \_\_\_\_\_  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. 612-4853-02 (ENG)

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Overspeed Cut-Off			
		Low Oil Pressure Cut-Off			
		High Temperature Cut-Off			
416-0021	2	Cables, Battery			
333-0157	1	Heater, Immersion - Generator			
234-0543	1	Cover, End Bell			
232-2589	1	Regulator Filter Kit Includes 232-2460 Filter Assembly Regulator and Parts Marked*			
304-0292	2	*Insulator - Resistor			
304-0015	4	*Washer, Centering			
304-0120	2	*Resistor, Fixed			
508-0071	1	*Grommet, Rubber			
312-0198	2	*Bracket, Capacitor Mounting			
312-0197	1	*Capacitor - Metal Box			
232-2463	1	*Cover, Filter Mounting Box			
232-2462	1	*Mounting Box - Filter			
338-0917	1	Wiring Harness, Exciter Stator to Control			
307-0655	1	Relay, Latching - Overspeed			
517-0012	1	Plug, Button Control Box			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-18R SPEC 18592AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. \_\_\_\_\_  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4792-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housing			
		Mounted Fuel Tank			
		Air Duct And Shutter			
		Low Oil Pressure Cut Off			
		High Temperature Cut Off			
102-0549	1	Base, Oil			
155-0360	1	Muffler, Exhaust			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Flexible Exhaust			
234-0541	1	Cover, End Bell			
333-0157	1	Heater, Immersion			
301-1886	1	Cover, Thermostat			
309-0128	1	Thermostat, Adjustable Control			
335-0110	1	Cable Assembly, Control			
333-0151	1	Heater Strip, Control			

SPECIAL PARTS LIST FOR MODEL 9.0DJC-518R SPEC 18611AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. \_\_\_\_\_  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. 612-4792-02 (ENG)

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Duct and Outlet			
		Low Oil Pressure Cut-Off			
		High Temperature Cut-Off			
134-1375	1	Plate, Exhaust Outlet Cover			
416-0021	2	Cables, Battery			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-3CR SPEC 18633AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. \_\_\_\_\_  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. \_\_\_\_\_ (ENG) 612-5042-03

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Skid Base And Battery Rack			
		Low Oil Pressure Cut Off			
		High Temperature Cut Off			
		Overspeed Cut Off			
102-0549	1	Base, Oil			
309-0206	1	Switch, High Temperature			
338-0917	1	Wiring Harness, Exciter Stator to Control			
332-0004	3	Lamp Overspeed Low Oil Pressure High Air Temperature			
322-0069	3	Holder, Lamp			
320-0259	1	Limiter, Cranking			
307-0655	2	Relay Latching High Temperature Overspeed			
307-1143	1	Relay (DPDT)			
323-0760	1	Socket, Relay			
332-0943	2	Spacer, Relay Socket			
307-1157	1	Spring, Relay Holddown			
332-0706	2	Terminal Block			
332-0707	1	Marker Strip			
309-0270	1	Thermostat			
301-3567	1	Panel, Control Box			
05-0533	1	Voltage Regulator Awsembly - Adjustable			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-18R SPEC 18633AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. \_\_\_\_\_  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. \_\_\_\_\_ (ENG) 612-5042-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Skid Base And Battery Rack			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off			
		Overspeed Cut Off			
102-0549	1	Base, Oil			
309-0206	1	Switch, Thermostat			
305-0533	1	Voltage Regulator Assembly With Voltage Adjustment			
338-0917	1	Wiring Harness, Stator Exciter to Control			
322-0004	3	Lamp, Indicating (1) Over- speed (1) High Temperature (1) Low Oil Pressure			
322-0069	3	Holder, Lamp			
320-0259	1	Limiter, Cranking			
307-0655	2	Relay, Latching - High Temperature and Overspeed			
307-1143	1	Relay (DPDT)			
323-0760	1	Socket, Relay			
332-0943	2	Spacer, Relay Socket			
307-1157	1	Spring, Relay Holddown			
332-0706	2	Terminal Block			
332-0707	1	Marker Strip			
309-0270	1	Thermostat, Low Engine Temperature			
301-3567	1	Panel, Control Box			

SPECIAL PARTS LIST FOR **MODEL** 12.0 DJC-3CR **SPEC** 18672AA  
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** \_\_\_\_\_  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (ENG) 612-4976-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed					
Low Oil Pressure Cut-Off					
High Air Temperature Cut-Off					
102-0549	1	Base, Oil			
309-0206	1	Switch, Thermostat			
322-0004	2	Lamp, (1) High Temperature (1) Low Oil Pressure			
320-0221	1	Limitter, Cranking - Low Oil Pressure			
307-0655	1	Relay, Latching - High Temperature			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-3CR SPEC 18680AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. \_\_\_\_\_  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. \_\_\_\_\_ (ENG) 612-4998-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Duct Air Outlet			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Temperature Cut Off			
416-0021	2	Cable, Battery			
309-0206	1	Switch, High Temperature			
134-1375	1	Plate, Exhaust Outlet Cover			
232-2589	1	Regulator Filter Kit Includes 232-2460 Voltage Regulator Assembly And Parts Marked *			
304-0292	2	* Insulator - Resistor			
304-0015	4	* Washer, Centering			
304-0120	2	* Resistor, Fixed			
508-0071	1	* Grommet, Rubber			
312-0197	1	* Capacitor - Metal Box			
312-0198	2	* Bracket Capacitor Mounting			
232-2463	1	* Cover, Filter Mounting Box			
232-2462	1	* Mounting Box - Filter			
301-3567	1	Panel, Control Box			
338-0917	1	Wiring Harness, Stator Exciter to Control			
322-0004	3	Lamp (1) Overspeed (1) Low Oil Pressure (1) High Temperature			
322-0069	3	Holder Lamp			
320-0259	1	Limiter Cranking			
307-0655	2	Relay, Latching (1) High Temperature (1) Overspeed			
332-0706	2	Terminal Block			
332-0707	1	Marker Strip			

SPECIAL PARTS LIST FOR MODEL 12.0DJC-3CR SPEC 18704AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. -  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
**WIRING DIAGRAM NO.** (ENG)612-4998-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Air Duct And Shutter			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off (Normally Open)			
338-0917	1	Harness, Wiring - Overspeed			
320-0259	1	Relay, Emergency - Low Oil Pressure			
307-0655	3	Relay, Latching - High Temp, Overspeed, Low Oil Pressure			
332-0707	1	Strip, Marker			
301-3567	1	Panel, Control Box			

SPECIAL PARTS LIST FOR MODEL 12.0DJC-9XR SPEC 18704AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. -  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5731-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Air Duct And Shutter			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off (Normally Open)			
220-2285	1	Stator, Wound			
320-0259	1	Relay, Emergency - Low Oil Pressure			
307-0655	3	Relay, Emergency Latch-Hi Temp., Overspeed, Low Oil Pressure			
332-0707	1	Strip, Marker			
301-3567	1	Panel, Control Box			







SPECIAL PARTS LIST FOR **MODEL** 12.0DJC-4R **SPEC** 18745AC  
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** -  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (ENG)612-5557-02 (AC)612-1486-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		Duct Air Outlet			
		Meter Panel			
		Oil Base Heater			
		Muffler Mounted On Housing			
		Mounted Fuel Tank			
		Low Oil Pressure Cut Off			
301-2088	1	Panel, Meter - Instrument			

SPECIAL PARTS LIST FOR **MODEL** 12.0 D.JC-4XR **SPEC** 18748AA  
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** \_\_\_\_\_  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (AC)612-1851-04 (ENG)612-4792-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed			
		Mounted Fuel Tank			
		Low Oil Pressure Cut-Off			
		High Air Temperature Cut-Off			
		Meter Panel			
102-0549	1	Base, Oil			
155-0360	1	Muffler, Exhaust			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Flexible Exhaust			
304-0305	1	Resistor, Control Panel			
301-2308	1	Panel, Control - Upper			
338-0305	1	Wiring Harness, Start-Stop			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-4R SPEC 18770AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. \_\_\_\_\_  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
**WIRING DIAGRAM NO.** (AC) 612-1486-04 (ENG) 612-5042-0

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housing			
		Overspeed Cut-Off			
		Low Oil Pressure Cut-Off			
		High Temperature Cut-Off			
		Meter Panel			
309-0206	1	Switch, High Temperature			
338-0917	1	Wiring Harness, Stator Exciter to Control			
322-0004	3	Lamp (1) Overspeed (1) Low Oil Pressure (1) High Temperature			
322-0069	3	Holder Lamp			
320-0259	1	Limiter Cranking			
307-0655	2	Relay, Latching (1) High Temperature (1) Overspeed			
307-1143	1	Relay (DPDT)			
323-0760	1	Socket, Relay			
332-0943	2	Spacer, Relay Socket			
307-1157	1	Spring, Relay Holddown			
332-0706	2	Terminal Block			
332-0707	1	Marker Strip			
309-0270	1	Thermostat Low Engine Temp			
301-3567	1	Panel, Control Box			

SPECIAL PARTS LIST FOR **MODEL** 12.0 DJC-3CR **SPEC** 18809AA  
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** \_\_\_\_\_  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
**WIRING DIAGRAM NO.** \_\_\_\_\_ (ENG) 612-4792-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed			
		Duct and Shutter			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off			
509-0111	1	Seal, Oil - Crankshaft-Front			
509-0112	1	Seal, Oil - Crankshaft-Rear			
103-0454	1	Gearcase Assembly			
309-0206	1	Switch, Thermostat			

SPECIAL PARTS LIST FOR MODEL 12.0 DTC-18R SPEC 18813AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. \_\_\_\_\_  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. \_\_\_\_\_ (ENG) 612-4792-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Duct Air Outlet			
		Low Oil Pressure Cut Off			
		High Temperature Cut Off			
102-0459	1	Base, Oil			
134-1375	1	Plate, Exhaust Outlet Cover			
416-0021	2	Cable, Battery			
220-2043	1	Stator, Wound			
201-2158	1	Rotor Assembly, Wound			

SPECIAL PARTS LIST FOR MODEL 12.0DJC-18R SPEC 18813AC  
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. -  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5557-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Oil Base Heater			
		Duct Air Outlet			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off (Normally Closed)			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
220-2043	1	Stator, Wound			
201-2158	1	Rotor Assembly - Wound			

SPECIAL PARTS LIST FOR **MODEL** 12.0DJC-18R **SPEC** 18832AA  
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** -  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (ENG)612-4792-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Duct Air Outlet			
		Oil Base Heater			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off (Normally Closed)			
102-0622	1	Base, Oil			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
201-2158	1	Rotor Assembly, Wound			
220-2043	1	Stator, Wound			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-18R SPEC 18844AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. \_\_\_\_\_  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4791-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Mounted Fuel Tank			
		Duct and Shutter			
		Housed			
		High Air Temperature Cut-Off			
102-0549	1	Base, Oil			
155-0360	1	Muffler, Exhaust			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Flexible Exhaust			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-18R SPEC 18846AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. \_\_\_\_\_  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. \_\_\_\_\_ (ENG) 612-5415-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Duct and Shutter			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off			
		Overspeed Cut Off			
122-0193	1	Filter, Oil			
309-0206	1	Switch, Thermostat			
304-0506	1	Resistor, Tapped Adjustable (6 OHM 150 Watt)			
304-0592	1	Spacer, Resistor Mounting			
322-0004	3	Lamp (1) Low Oil Pressure (1) Overspeed (1) High Temperature			
322-0069	3	Holder, Lamp			
320-0259	1	Limiter, Cranking Low Oil Pressure			
307-0655	2	Relay, Latching High Temperature, and Overspeed			
307-1143	1	Relay, (DPDT) Generating			
323-0760	1	Socket, Relay			
332-0943	2	Spacer, Socket			
307-1157	1	Spring, Relay Holddown			
309-0270	1	Thermostat			
332-0706	2	Terminal, Block			
332-0707	1	Marker, Strip			
321-0146	1	Fuse, 10 Amp			
321-0175	1	Holder, Fuse			
301-3567	1	Panel, Control Box			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-4R SPEC 18847AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. \_\_\_\_\_  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 612-1469-04 (ENG) 612-4791-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed Meter Panel					
155-0360	1	Muffler, Exhaust			
140-0072	2	Band, Muffler Mounting			
155-0949	1	Tube, Flexible Exhaust			
338-0305	1	Wiring Harness, Start-Stop			
301-2204	1	Panel, Control - Upper			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-4R50 SPEC 18878AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. \_\_\_\_\_  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.(AC) 612-1469-04 (ENG) 612-5042-02**

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed			
		Duct and Shutter			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off			
		Overspeed Cut Off			
		Meter Panel			
102-0549	1	Base, Oil			
309-0206	1	Switch, Thermostat			
338-0917	1	Wiring Harness, Exciter Stator to Control			
322-0004	3	Lamp, Indicator - Overspeed, Low Oil Pressure and High Temperature			
322-0069	3	Holder, Lamp			
320-0259	1	Limiter, Cranking			
307-0655	2	Relay, Latching - High Temperature and Overspeed			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Relay			
332-0943	2	Spacer, Relay Socket			
307-1157	1	Spring, Relay Holddown			
332-0706	2	Terminal, Block			
332-0707	1	Marker Strip			
309-0270	1	Thermostat - Low Engine Temperature			
301-3567	1	Panel, Control Box			
301-2204	1	Panel, Control - Meter			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-5DR SPEC 18878AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. \_\_\_\_\_  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
**WIRING DIAGRAM NO.** (AC) 612-1556-02 (ENG) 612-5042-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Duct And Shutter Housed Meter Panel High Air Temperature Cut Off Low Oil Pressure Cut Off Overspeed Cut Off			
102-0549	1	Base, Oil			
309-0206	1	Switch, Thermostat			
301-2204	1	Panel, Control - Upper			
320-0058	3	Circuit Breaker			
338-0917	1	Wiring Harness, Stator Exciter to Control			
322-0004	3	Lamp (1) Overspeed (1) Low Oil Pressure (1) High Temperature			
322-0069	3	Holder Lamp			
320-0259	1	Limiter Cranking			
307-0655	2	Relay, Latching (1) High Temperature (1) Overspeed			
307-1143	1	Relay, (DPDT)			
23-0760	1	Socket, Relay			
332-0943	2	Spacer, Relay Socket			
307-1157	1	Sping, Relay Holddown			
332-0706	2	Terminal Block			
332-0707	1	Marker Strip			
309-0270	1	Thermostat-Low Engine Temp			
301-3567	1	Panel, Control Box			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-18R SPEC 18947AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. \_\_\_\_\_  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4998-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Low Oil Pressure Cut-Off			
		High Air Temperature Cut-Off			
		Overspeed Cut-Off			
		Duct and Shutter			
416-0021	2	Cable, Battery			
309-0206	1	Switch, Thermostat			
231-0171	1	Adapter, Generator			
301-3567	1	Panel, Control Box			
338-0917	1	Wiring Harness, Stator Exciter to Control			
322-0004	3	Lamp (1) Overspeed (1) Low Oil Pressure (1) High Temperature			
322-0069	3	Holder, Lamp			
320-0259	1	Limitter, Cranking			
307-0655	2	Relay, Latching (1) High Temperature (1) Overspeed			
332-0706	2	Terminal Block			
332-0707	1	Marker, Strip			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-18R SPEC 18981AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. \_\_\_\_\_  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. \_\_\_\_\_ (ENG) 612-4792-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Contractor Type Air Cleaner Low Oil Pressure Cut Off					
102-0549	1	Base, Oil			
220-2043	1	Stator Assembly, Wound			
201-2158	1	Rotor Assembly, Wound			

SPECIAL PARTS LIST FOR **MODEL** 12.0DJC-18R **SPEC** 18981AC  
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** -  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (ENG) 612-5557-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Contractor Type Air Cleaner			
		Oil Base Heater			
		Low Oil Pressure Cut Off			
309-0177	1	Switch, Pressure - Oil (Normally Open)			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
201-2158	1	Rotor Assembly, Wound			
220-2043	1	Stator, Wound			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-4XR SPEC 19074AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. \_\_\_\_\_  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 612-1859-04 (ENG) 612-4853-0

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off			
		Overspeed Cut Off			
		Housed			
		Meter Panel			
102-0549	1	Base, Oil			
155-0360	1	Muffler, Exhaust			
155-0949	1	Tube, Flexible Mounting			
140-0078	2	Band, Muffler Mounting			
338-0305	1	Wiring Harness, Start - Stop			
338-0917	1	Wiring Harness, Stator Exciter to Control			
307-0655	1	Relay, Latching - Overspeed			
517-0012	1	Plug, Dot Button			
301-2373	1	Panel, Instrument - Meter			

SPECIAL PARTS LIST FOR **MODEL** 12.0DJC-4R **SPEC** 19074AC  
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** -  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (ENG)612-5567-02 (AC)612-1486-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		Oil Base Heater			
		Muffler Mounted On Housing			
		Meter Panel			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off (Normally Closed)			
		Duct Air Outlet			
301-2088	1	Panel, Meter - Instrument			
338-0917	1	Harness, Wiring - Overspeed			
307-0655	1	Relay, Emergency Latch - Overspeed			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-18R SPEC 19103AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. \_\_\_\_\_  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4976-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off			
309-0206	1	Switch, Thermostat			
155-0360	1	Muffler, Exhaust			
155-0949	1	Tube, Flexible Exhaust			
140-0078	2	Band, Muffler Mounting			
338-0305	1	Wiring Harness, Start - Stop			
322-0004	2	Lamp, Indicator - High Temperature and Low Oil Pressure			
322-0069	2	Holder, Lamp			
320-0221	1	Limiter, Cranking - Low Oil Pressure			
307-0655	1	Relay, Latching - High Temperature			

SPECIAL PARTS LIST FOR **MODEL** 12.0 DJC-3CR **SPEC** 19122AA  
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** \_\_\_\_\_  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** \_\_\_\_\_ (ENG) 612-4853-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Mounted Fuel Tank			
		Housed			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off			
		Overspeed Cut Off			
155-0360	1	Muffler, Exhaust			
155-0949	1	Tube, Flexible Exhaust			
140-0078	2	Band, Muffler Mounting			
338-0305	1	Wiring Harness, Start - Stop			
338-0917	1	Wiring Harness, Stator Exciter to Control			
307-0655	1	Relay, Latching (Overspeed)			
517-0012	1	Plug, Button Control Box			

SPECIAL PARTS LIST FOR MODEL 12.0DJC-3R SPEC 19139AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. -  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-4998-03 (AC)612-1559-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		Duct Air Outlet			
		Meter Panel			
		Mounted Fuel Tank			
		Oil Base Heater			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off (Normally Open)			
301-2288	1	Panel, Control - Upper			
338-0917	1	Harness, Wiring - Overspeed			
320-0259	1	Relay, Emergency - Low Oil Pressure			
307-0655	3	Relay, Latching - High Temp., Overspeed, Low Oil Pressure			
332-0707	1	Strip, Marker			
301-3567	1	Panel, Control Box			

SPECIAL PARTS LIST FOR MODEL 12.0DJC-4R SPEC 19139AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. -  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-4998-04 (AC)612-1469-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		Duct Air Outlet			
		Mounted Fuel Tank			
		Meter Panel			
		Oil Base Heater			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off (Normally Open)			
301-2204	1	Panel, Meter - Instrument			
338-0917	1	Harness, Wiring - Overspeed			
307-0655	3	Relay, Latching - High Temp., Overspeed, Low Oil Pressure			
332-0707	1	Strip, Marker			
301-3567	1	Panel, Control Box			
320-0259	1	Relay, Emergency - Low Oil Pressure			

SPECIAL PARTS LIST FOR **MODEL** 12.0DJC-18R **SPEC** 19143AC  
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** -  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
**WIRING DIAGRAM NO.** (ENG)612-5556-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Spanish Nameplate			

SPECIAL PARTS LIST FOR **MODEL** 12.0 DJC-3CR **SPEC** 19151AA  
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** \_\_\_\_\_  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** \_\_\_\_\_ (ENG) 612-4792-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Low Oil Pressure Cut - Off			
		High Air Temperature Cut - Off			
102-0549	1	Base, Oil			
416-0021	2	Cable, Battery			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-18R SPEC 19182AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO.             
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4792-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Low Oil Pressure Cut Off			
416-0021	2	Cable, Battery			
220-2043	1	Stator, Wound			
201-2158	1	Rotor Assembly, Wound			

WIRING DIAGRAM NO. (ENG) 612-5042-03

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Low Oil Pressure Cut - Off			
		High Air Temperature Cut - Off			
		Overspeed Cut - Off			
		Skid Base and Battery Rack			
102-0549	1	Base, Oil			
309-0206	1	Switch, High Temperature			
134-1805	1	Duct Air Outlet			
134-1375	1	Plate, Exhaust Outlet Cover			
232-2589	1	Regulator Filter Kit Includes 232-2460 Voltage Regulator And Parts Marked #			
304-0292	2	#Insulator - Resistor			
304-0015	4	#Washer, Centering			
304-0120	2	#Resistor, Fixed			
508-0071	1	#Grommet, Rubber			
312-0197	1	#Capacitor - Metal Box			
312-0198	2	#Bracket, Capacitor Mounting			
232-2463	1	#Cover, Filter Mounting Box			
232-2462	1	#Mounting Box - Filter			
338-0917	1	Wiring Harness, Stator Exciter to Control			
322-0004	3	Lamp, Indicator (1) Over- speed (1) High Temperature (1) Low Oil Pressure			
322-0069	3	Holder, Lamp			
320-0259	1	Limitter, Cranking			
307-0655	2	Relay, Latching (1) High Temperature (1) Overpeed			
307-1143	1	Relay (DPDT)			
323-0760	1	Socket, Relay			
332-0943	2	Spacer, Relay Socket			
307-1157	1	Spring, Relay Holddown			
332-0706	2	Terminal Block			
332-0707	1	Marker, Strip			
309-0270	1	Thermostat, Low Engine Temperature			
301-3567	1	Panel, Control Box			
305-0533	1	Voltage Regulator Assembly With Voltage Adjustment			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-18E SPEC 19206AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. \_\_\_\_\_  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. 612-4855-02 (ENG)

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Contractor Model					
Skid Base and Battery Rack					
509-0111	1	Seal, Oil Crankshaft - Front			
509-0112	1	Seal, Oil Crankshaft - Rear			
103-0454	1	Gearcase Assembly			
338-0725	1	Wiring Harness Switch Plate to Control			
338-0394	1	Wiring Harness, Starter Motor to Control			
201-2158	1	Rotor Assembly, Wound			
220-2043	1	Stator, Wound			

SPECIAL PARTS LIST FOR MODEL 12.0DJC-18E SPEC 19206AC  
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. -  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5586-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Skid And Battery Rack			
		Contractors Model-Less Receptacles			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
201-2158	1	Rotor Assembly, Wound			
220-2043	1	Stator, Wound			

SPECIAL PARTS LIST FOR MODEL 12.0DJC-7R SPEC 19290AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. -  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5042-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Duct Air Outlet			
		Contractor Type Air Cleaner			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off (Normally Open)			
338-0917	1	Harness, Wiring - Overspeed			
307-0655	3	Relay, Emergency Latch - High Temperature, Overspeed & Low Oil Pressure			
307-1143	1	Relay, Generating			
332-0943	2	Spacer			
307-1157	1	Spring, Relay Holddown			
309-0270	1	Thermostat, Low Engine Temperature			
332-0707	1	Strip, Marker (Blank)			
301-3567	1	Panel, Control Box (With Bracket)			
320-0259	1	Relay, Emergency - Low Oil Pressure			
323-1042	1	Socket, Relay			
332-0706	1	Block, Terminal - 8 Place			

SPECIAL PARTS LIST FOR **MODEL** 9.0DJC-53R **SPEC** 19336AA  
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** -  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (ENG)612-4792-01 (AC)612-1559-07

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		Meter Panel			
		Air Duct And Shutter			
		Mounted Fuel Tank			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off (Normally Closed)			
301-2288	1	Panel, Control - Upper			
323-0943	1	Receptacle, Twist Lock (30 Amp, 120/240 Volt) (Mounted On Housing)			
323-0952	1	Plug, Receptacle			
323-1043	1	Cover, Receptacle - Weather- proof			

SPECIAL PARTS LIST FOR MODEL 9.0DJC-53CR SPEC 19408AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. -  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5136-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Air Duct And Shutter			
		Oil Base Heater			
		Voltage Regulator Filter			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off (Normally Closed)			
220-2308	1	Stator, Wound - Exciter			
220-2678	1	Stator, Wound			
201-2312	1	Rotor Assembly, Wound			
305-0585	1	Regulator Assembly, Voltage - (Environmentally Protected) Without Voltage Adjustment			
301-3834	1	Panel, Voltage Regulator Mounting			
300-1654	1	Board Assembly, Voltage Regulator (Polyurethane Coated) -For Parts Break- down use 300-1540 In Parts Catalog			

SPECIAL PARTS LIST FOR MODEL 12.0DJC-5DR SPEC 19426AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. -  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-4998-02 (AC)612-1556-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		Air Duct And Shutter			
		Meter Panel			
		Muffler Mounted On Housing			
		Oil Base Heater			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off (Normally Open)			
301-2204	1	Panel, Meter - Instrument			
338-0917	1	Harness, Wiring - Overspeed			
320-0259	1	Relay, Emergency - Low Oil Pressure			
307-0655	3	Relay, Latching - High Temp., Overspeed, Low Oil Pressure			
332-0707	1	Strip, Marker			
301-3567	1	Panel, Control Box			

SPECIAL PARTS LIST FOR **MODEL** 12.0DJC-4XR **SPEC** 19427AA  
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** -  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (ENG)612-4853-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Duct Air Outlet			
		Skid And Battery Rack			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off (Normally Closed)			
338-0917	1	Harness, Wiring - Overspeed			
307-0655	1	Relay, Emergency Latch - Overspeed			

SPECIAL PARTS LIST FOR MODEL 12.0DJC-3R SPEC 19448AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. -  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-4792-01 (AC)612-1786-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		Duct Air Outlet			
		Meter Panel			
		Fungus Treated Control			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off (Normally Closed)			
301-1554	1	Panel, Meter - Instrument			

SPECIAL PARTS LIST FOR MODEL 12.0DJC-18R SPEC 19456AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. -  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5042-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		Duct Air Outlet			
		Mounted Fuel Tank			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off (Normally Open)			
338-0917	1	Harness, Wiring - Overspeed			
307-0655	3	Relay, Emergency Latch - High Temperature, Overspeed & Low Oil Pressure			
307-1143	1	Relay, Generating			
332-0943	2	Spacer			
307-1157	1	Spring, Relay Holddown			
309-0270	1	Thermostat, Low Engine Temperature			
332-0707	1	Strip, Marker (Blank)			
301-3567	1	Panel, Control Box (With Bracket)			
320-0259	1	Relay, Emergency - Low Oil Pressure			
323-1042	1	Socket, Relay			
332-0706	1	Block, Terminal - 8 Place			

SPECIAL PARTS LIST FOR MODEL 12.0DJC-3R SPEC 19482AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. -  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-4792-01 (AC)612-1786-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		Duct Air Outlet			
		Meter Panel			
		Fungus Treated Control			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off (Normally Closed)			
301-1554	1	Panel, Meter - Instrument			

SPECIAL PARTS LIST FOR **MODEL** 12.0DJC-18R **SPEC** 19496AA  
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** -  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (ENG)612-4845-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		Duct Air Outlet			
		Oil Base Heater			
		Mounted Fuel Tank			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
307-0623	1	Relay, Start Disconnect And Fuel Solenoid			
320-0221	1	Relay, Emergency - Low Oil Pressure			
307-0655	2	Relay, Emergency Latch - Low Oil Pressure, Overspeed			

SPECIAL PARTS LIST FOR **MODEL** 12.0DJC-3R **SPEC** 19500AA  
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** -  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (ENG) 612-4998-01 (AC) 612-1559-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		Muffler Mounted On Housing			
		Meter Panel			
		Oil Base Heater			
		Duct Air Outlet			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off (Normally Open)			
301-2288	1	Panel, Control - Upper			
338-0917	1	Harness, Wiring - Overspeed			
320-0259	1	Relay, Emergency - Low Oil Pressure			
307-0655	3	Relay, Latching - High Temp, Overspeed, Low Oil Pressure			
332-0707	1	Strip, Marker			
301-3567	1	Panel, Control Box			

SPECIAL PARTS LIST FOR MODEL 12.0DJC-4XR SPEC 19500AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. -  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4998-02 (AC) 612-1851-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		Duct Air Outlet			
		Meter Panel			
		Oil Base Heater			
		Muffler Mounted On Housing			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off (Normally Open)			
301-2308	1	Panel, Meter - Instrument			
304-0305	1	Resistor, Fixed (45,000 ohm, 10 Watt)			
338-0917	1	Harness, Wiring - Overspeed			
320-0259	1	Relay, Emergency - Low Oil Pressure			
307-0655	3	Relay, Latching - High Temp., Overspeed, Low Oil Pressure			
332-0707	1	Strip, Marker			
301-3567	1	Panel, Control Box			

SPECIAL PARTS LIST FOR **MODEL** 12.0DJC-18R **SPEC** 19563AA  
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** -  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (ENG)612-4792-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Duct Air Outlet					
Skid And Battery Rack					
Oil Base Heater					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off (Normally Closed)					
102-0622	1	Base, Oil			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
201-2158	1	Rotor Assembly, Wound			
220-2043	1	Stator, Wound			

SPECIAL PARTS LIST FOR MODEL 12.0DJC-18R SPEC 19563AC  
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. -  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5557-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Duct Air Outlet			
		Skid And Battery Rack			
		Oil Base Heater			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off (Normally Closed)			
102-0622	1	Base, Oil			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
201-2158	1	Rotor Assembly, Wound			
220-2043	1	Stator, Wound			

SPECIAL PARTS LIST FOR MODEL 9.0DJC-53CR SPEC 19717AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. -  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5581-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Contractor Type Air Cleaner			
		Two-Stage Charging Circuit			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off (Normally Closed)			
304-0521	1	Resistor, Charge - 8 ohm, 150 Watt			

SPECIAL PARTS LIST FOR MODEL 12.0DJC-3CR SPEC 19757AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. -  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4976-03

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Skid And Battery Rack			
		Duct Air Outlet			
		Oil Base Heater			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off (Normally Open)			
102-0622	1	Base, Oil			
320-0221	1	Relay, Emergency - Low Oil Pressure			
307-0655	1	Relay, Emergency Latch - High Temperature			

SPECIAL PARTS LIST FOR MODEL 12.0DJC-18R SPEC 19772AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. -  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-4792-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Contractor Type Air Cleaner					
Low Oil Pressure Cut Off					
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
201-2158	1	Rotor Assembly, Wound			
220-2043	1	Stator, Wound			

SPECIAL PARTS LIST FOR **MODEL** 12.0DJC-18R **SPEC** 19772AC  
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** -  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (ENG) 612-5557-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Contractor Type Air Cleaner					
Low Oil Pressure Cut Off					
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
201-2158	1	Rotor Assembly, Wound			
220-2043	1	Stator, Wound			

SPECIAL PARTS LIST FOR **MODEL** 12.0DJC-3CR **SPEC** 19866AA  
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** -  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (ENG) 612-4792-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Contractor Type Air Cleaner Duct Air Outlet Low Oil Pressure Cut Off			

SPECIAL PARTS LIST FOR **MODEL** 12.0DJC-18R **SPEC** 19866AA  
FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** -  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (ENG)612-4792-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Contractor Type Air Cleaner Duct Air Outlet Low Oil Pressure Cut Off			

SPECIAL PARTS LIST FOR MODEL 12.0DJC-18R SPEC 19866AC  
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. -  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO. (ENG)612-5557-02**

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Contractor Type Air Cleaner			
		Duct Air Outlet			
		Low Oil Pressure Cut Off			
104-1118	1	Crankshaft			

SPECIAL PARTS LIST FOR **MODEL** 12.0DJC-18R **SPEC** 19937AA  
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** -  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
**WIRING DIAGRAM NO.** (ENG)612-4792-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed Unit					
Air Duct And Shutter					
Low Oil Pressure Cut Off					
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
201-2158	1	Rotor Assembly, Wound			
220-2043	1	Stator, Wound			
301-1195	1	Panel, Meter (Blank)			

SPECIAL PARTS LIST FOR MODEL 12.0DJC-3R SPEC 19954AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. -  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5136-01 (AC) 612-1786-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		Duct Air Outlet			
		Meter Panel			
		Mounted Fuel Tank			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off (Normally Closed)			
220-2308	1	Stator, Wound - Exciter			
201-2312	1	Rotor Assembly, Wound			
220-2670	1	Stator, Wound			
301-1554	1	Panel, Meter - Instrument			
305-0585	1	Regulator Assembly, Voltage - (Environmentally Protected) Without Voltage Adjustment			
301-3834	1	Panel, Voltage Regulator Mounting			
300-1654	1	Board Assembly, Voltage Regulator (Polyurethane Coated) -For Parts Break- down Use 300-1540 In Parts Catalog			

SPECIAL PARTS LIST FOR MODEL 12.0DJC-3R SPEC 19966AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. -  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-4976-01 (AC)612-1559-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		Duct Air Outlet			
		Mounted Fuel Tank			
		Meter Panel			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off (Normally Open)			
301-2288	1	Panel, Control - Upper			
320-0221	1	Relay, Emergency - Low Oil Pressure			
307-0655	1	Relay, Emergency Latch - High Temperature			

SPECIAL PARTS LIST FOR **MODEL** 12.0DJC-18R **SPEC** 19993AA  
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** -  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (ENG)612-4791-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Duct Air Outlet			
231-0171	1	Adapter, Generator (Right Hand)			
234-0492	1	Cover, Air Outlet			

SPECIAL PARTS LIST FOR **MODEL** 9.0D,IC-53CE **SPEC** 20022AB  
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** -  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (ENG) 612-4853-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Contractors Model (Less Receptacles)					
Overspeed Cut Off					
High Air Temperature Cut Off (Normally Closed)					
338-0917	1	Harness, Wiring - Overspeed			
307-0655	1	Relay, Emergency Latch - Overspeed			
517-0012	1	Button, Dot (5/8")			

SPECIAL PARTS LIST FOR MODEL 12.0DJC-18R SPEC 20106AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. -  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4853-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Skid And Battery Rack			
		Duct Air Outlet			
		Oil Base Heater			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off (Normally Closed)			
338-0917	1	Harness, Wiring - Overspeed			
307-0655	1	Relay, Emergency Latch - Overspeed			

SPECIAL PARTS LIST FOR MODEL 12.0DJC-4XR SPEC 20108AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. -  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-4998-02 (AC)612-5619-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		Duct Air Outlet			
		Meter Panel			
		Muffler Mounted On Housing			
		Mounted Fuel Tank			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off (Normally Open)			
338-0917	1	Harness, Wiring - Overspeed			
307-0655	3	Relay, Latching - High Temp., Overspeed, Low Oil Pressure			
332-0707	1	Strip, Marker			
301-3567	1	Panel, Control Box			
301-2308	1	Panel, Meter - Instrument			
304-0305	1	Resistor, Fixed (45,000 ohm, 10 Watt)			
302-0809	1	Meter, Frequency (120 Volt)			
320-0259	1	Relay, Emergency - Low Oil Pressure			

SPECIAL PARTS LIST FOR MODEL 12.0DJC-3CR SPEC 20116AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. -  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5677-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off (Normally Closed)			
231-0171	1	Adapter, Generator (Right Hand)			
234-0492	1	Cover, Air Outlet			

SPECIAL PARTS LIST FOR **MODEL** 12.0DJC-3R **SPEC** 20122AA  
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** -  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (ENG)612-4853-03 (AC)612-1559-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		Duct Air Outlet			
		Meter Panel			
		Muffler Mounted On Hosing			
		Oil Base Heater			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off (Normally Closed)			
301-2288	1	Panel, Control - Upper			
338-0917	1	Harness, Wiring - Overspeed			
307-0655	1	Relay, Emergency Latch - Overspeed			

SPECIAL PARTS LIST FOR **MODEL** 12.0DJC-4XR **SPEC** 20225AA  
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** -  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (ENG)612-4792-02 (AC)612-1859-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		Duct Air Outlet			
		Meter Panel			
		Muffler Mounted On Housing			
		Oil Base Heater			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off (Normally Closed)			
301-2373	1	Panel, Meter - Instrument			

SPECIAL PARTS LIST FOR **MODEL** 12.0DJC-4R **SPEC** 20225AC  
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** -  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
**WIRING DIAGRAM NO.** (ENG)612-5557-02 (AC)612-1486-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		Duct Air Outlet			
		Meter Panel			
		Muffler Mounted On Housing			
		Oil Base Heater			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off (Normally Closed)			
301-2088	1	Panel, Meter - Instrument			

SPECIAL PARTS LIST FOR **MODEL** 12.0DJC-3R **SPEC** 20254AA  
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** -  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
**WIRING DIAGRAM NO.** (ENG)612-4853-01 (AC)612-1559-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		Duct Air Outlet			
		Meter Panel			
		Muffler Mounted On Housing			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
301-2288	1	Panel, Control - Upper			
338-0917	1	Harness, Wiring - Overspeed			
307-0655	1	Relay, Emergency Latch - Overspeed			

SPECIAL PARTS LIST FOR MODEL 12.0DJC-4XR SPEC 20323AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. -  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-4998-02 (AC)612-5619-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		Duct Air Outlet			
		Meter Panel			
		Muffler Mounted On Housing			
		Mounted Fuel Tank			
		Oil Base Heater			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off (Normally Open)			
338-0917	1	Harness, Wiring - Overspeed			
307-0655	3	Relay, Latching - High Temp., Overspeed, Low Oil Pressure			
332-0707	1	Strip, Marker			
301-3567	1	Panel, Control Box			
301-2308	1	Panel, Meter - Instrument			
304-0505	1	Resistor, Fixed (45,000 ohm, 10 Watt)			
302-0809	1	Meter, Frequency (120 Volt)			
320-0259	1	Relay, Emergency - Low Oil Pressure			

SPECIAL PARTS LIST FOR **MODEL** 12.0DJC-5DR **SPEC** 20345AA  
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** -  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (ENG)612-4792-02 (AC)612-1556-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed Unit Air Duct And Shutter Meter Panel Mounted Fuel Tank Oil Base Heater Low Oil Pressure Cut Off High Air Temperature Cut Off (Normally Closed) Oil Bath Air Cleaner					
301-2204	1	Panel, Meter - Instrument			

SPECIAL PARTS LIST FOR MODEL 12.0DJC-18R SPEC 20351AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. -  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5136-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Duct Air Outlet			
		Contractor Type Air Cleaner			
		Low Oil Pressure Cut Off			
220-2308	1	Stator, Wound - Exciter			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
201-2313	1	Rotor Assembly, Wound			
220-2653	1	Stator, Wound			
305-0585	1	Regulator Assembly, Voltage - (Environmentally protected) Without Voltage Adjustment			
301-3834	1	Panel, Voltage Regulator Mounting			
300-1654	1	Board Assembly, Voltage Regulator (Polyurethane Coated) - For Parts Break- down use 300-1540 In Parts Catalog			

SPECIAL PARTS LIST FOR MODEL 12.0DJC-18R SPEC 20436AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. -  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4998-02 (AC) 612-4987-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off (Normally Open)			
220-2043	1	Stator, Wound			
201-2158	1	Rotor Assembly, Wound			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
322-0044	2	Light, Neon Signal			
308-0203	1	Switch, Output Phase Selector			
301-3239	1	Panel, Control			
301-2395	1	Bracket, Panel Stop			
301-2727	1	Handle, Panel			
301-3741	1	Panel, Instrument (Blank)			
301-3567	1	Panel, Control Box			
332-0707	1	Strip, Marker			
338-0917	1	Harness, Wiring - Overspeed			
307-0655	3	Relay, Latching - High Temp., Overspeed, Low Oil Pressure			
320-0259	1	Relay, Emergency - Low Oil Pressure			

SPECIAL PARTS LIST FOR **MODEL** 12.0DJC-18R **SPEC** 20548AA  
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** -  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
**WIRING DIAGRAM NO.** (ENG)612-4792-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Low Oil Pressure Cut Off High Air Temperature Cut Off (Normally Closed)			

SPECIAL PARTS LIST FOR **MODEL** 12.0DJC-18R **SPEC** 20603AA  
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** -  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
**WIRING DIAGRAM NO.** (ENG)612-4791-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Skid And Battery Rack Duct Air Outlet High Air Temperature Cut Off (Normally Closed)			

SPECIAL PARTS LIST FOR MODEL 12.0DJC-18R SPEC 20608AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. -  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-4792-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Skid And Battery Rack			
		Duct Air Outlet			
		Oil Base Heater			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off (Normally Closed)			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
201-2158	1	Rotor Assembly, Wound			
220-2043	1	Stator, Wound			

SPECIAL PARTS LIST FOR MODEL 12.0DJC-18R SPEC 20616AA  
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. -  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5042-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Skid And Battery Rack			
		Duct Air Outlet			
		Oil Base Heater			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off (Normally Open)			
338-0917	1	Harness, Wiring - Overspeed			
307-0655	3	Relay, Emergency Latch - High Temperature, Overspeed & Low Oil Pressure			
307-1143	1	Relay, Generating			
332-0943	2	Spacer			
307-1157	1	Spring, Relay Holddown			
309-0270	1	Thermostat, Low Engine Temperature			
332-0707	1	Strip, Marker (Blank)			
301-3567	1	Panel, Control Box (With Bracket)			
320-0259	1	Relay, Emergency - Low Oil Pressure			
323-1042	1	Socket, Relay			
332-0706	1	Block, Terminal - 8 Place			