

The following catalog has gaps in its page numbers, or doesn't have any numbers. We have chosen to leave the page numbering in the order that Acrobat assigns it.

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-18R SPEC 15365AA
FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4791-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housing					
220-2043	1	Stator, Wound			
201-2158	1	Rotor Assembly, Wound			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-18R SPEC 15400AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. _____ (ENG) 612-4792-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
416-0021	2	Cables, Battery			
220-2043	1	Stator, Wound			
201-2158	1	Rotor Assembly, Wound			

SPECIAL PARTS LIST FOR **MODEL** 12.0DJC-18R **SPEC** 15400AC
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** -
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5557-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Low Oil Pressure Cut Off					
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
220-2043	1	Stator, Wound			
201-2158	1	Rotor Assembly, Wound			

SPECIAL PARTS LIST FOR MODEL 12.0DJC-18R SPEC 15427AA
FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. -
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-4792-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		Duct Air Outlet			
		Oil Base Heater			
		Mounted Fuel Tank			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off (Normally Closed)			

SPECIAL PARTS LIST FOR **MODEL** 12.0 DJC-18R **SPEC** 15435AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4853-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Duct and Shutter			
		Overspeed Cut-Off			
		Low Oil Pressure Cut-Off			
		High Air Temperature Cut-Off			
		Oil Bath Air Cleaner			
416-0021	2	Cable, Battery			
338-0768	1	Wiring Harness, Start-Stop			
338-0917	1	Wiring Harness Exciter Stator to Control			
307-0655	1	Relay, Latching (Overspeed)			
517-0012	1	Plug, Button Control Box			

WIRING DIAGRAM NO. 612-1559-07 (AC) 612-4791-01 (ENG)

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Mounted Fuel Tank			
		Housed			
		Meter Panel			
123-1104	1	Cap and Indicator			
102-0559	1	Base, Oil-Extension			
102-0475	1	Gasket, Oil Base Extension			
800-0080	10	Cap Screw, Oil Base Mounting (5/8-14 x 3 1/4)			
120-0638	1	Cup Assembly, Oil Pump Intake			
140-0078	2	Bands, Muffler Mounting			
155-0949	1	Tube, Exhaust			
155-0360	1	Muffler, Exhaust			
338-0305	1	Wiring Harness Assembly-Start Stop			
301-2288	1	Panel, Instrument			
201-2312	1	Rotor Assembly, Generator			
201-2299	1	Rotor Wound, Exciter			
220-2678	1	Stator Wound, Generator			
220-2308	1	Stator Wound Excitor			

SPECIAL PARTS LIST FOR **MODEL** 12.0 DJC-5DR **SPEC** 15496AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC)612-1556-02 (ENG)612-4998-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed			
		Mounted Fuel Tank			
		Air Duct and Shutter			
		Meter Panel			
		Overspeed Cut-Off			
		Low Oil Pressure Cut-Off			
		High Air Temperature Cut-Off			
102-0549	1	Base, Oil			
309-0206	1	Switch, High Temperature			
320-0058	3	Circuit Breaker - 30 Amp			
301-2204	1	Panel, Control - Upper			
301-3567	1	Panel, Control Box			
338-0917	1	Wiring Harness, Stator Exciter to Control			
322-0004	3	Lamp (1) Overspeed (1) Low Oil Pressure (1) High Temperature			
322-0069	3	Holder, Lamp			
320-0259	1	Limiter, Cranking			
307-0655	2	Relay, Latching (1) High Temperature (1) Overspeed			
332-0706	2	Terminal Block			
332-0707	1	Marker Strip			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-4XR SPEC 15509AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4998-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Skid Base and Battery Rack			
		Duct Air Outlet			
		Low Oil Pressure Cut-Off			
		High Air Temperature Cut-Off			
		Overspeed Cut-Off			
192-0549	1	Base, Oil			
309-0206	1	Switch, Thermostat			
134-1375	1	Plate, Exhaust Outlet Cover			
301-3567	1	Panel, Control Box			
338-0917	1	Wiring Harness, Stator Exciter to Control			
322-0004	3	Lamp (1) Overspeed (1) Low Oil Pressure (1) High Temperature			
322-0069	3	Holder Lamp			
320-0259	1	Limiter, Cranking			
307-0655	2	Relay, Latching (1) High Temperature (1) Overspeed			
332-0706	2	Terminal Block			
332-0707	1	Marker Strip			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-18R SPEC 15509AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-4998-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Duct Air Outlet			
		Skid Base and Battery Rack			
		Overspeed Cut-Off			
		Low Oil Pressure Cut-Off			
		High Air Temperature Cut-Off			
102-0549	1	Base, Oil			
134-1375	1	Plate, Exhaust Outlet Cover			
309-0206	1	Switch, Thermostat High Temperature			
301-3567	1	Panel, Control Box			
338-0917	1	Wiring Harness, Stator Exciter to Control			
322-0004	3	Lamp (1) Overspeed (1) Low Oil Pressure (1) High Temperature			
322-0069	3	Holder, Lamp			
320-0259	1	Limiter, Cranking			
307-0655	2	Relay, Latching (1) High Temperature (1) Overspeed			
332-0706	2	Terminal Block			
332-0707	1	Marker Strip			

SPECIAL PARTS LIST FOR MODEL 12.0DJC-3CR SPEC 15509AC
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. -
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5574-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Skid And Battery Rack			
		Duct Air Outlet			
		Oil Base Heater			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off (Normally Open)			
338-0917	1	Harness, Wiring - Overspeed			
307-0655	3	Relay, Emergency Latch - High Temperature, Overspeed & Low Oil Pressure			
332-0707	1	Strip, Marker (Blank)			
301-3567	1	Panel, Control Box (With Bracket)			
320-0259	1	Relay, Emergency - Low Oil Pressure			

SPECIAL PARTS LIST FOR MODEL 9.0 DJC-53R SPEC 15557AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. 612-1559-07 (AC) 612-4791-01 (ENG)

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Mounted Fuel Tank					
Housed					
Meter Panel					
140-0078	2	Bands, Muffler Mounting			
155-0949	1	Tube, Exhaust			
155-0360	1	Muffler, Exhaust			
338-0305	1	Wiring Harness Assembly Stop Start			
301-2289	1	Panel, Instrument			
201-2312	1	Rotor Assembly, Generator			
201-2299	1	Rotor, Wound-Exciter			
220-2678	1	Stator, Wound-Generator			
220-2308	1	Stator, Wound-Exciter			

SPECIAL PARTS LIST FOR MODEL 9.0DJC-518E SPEC 15558AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. 612-4855-02 (ENG)

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Low Oil Pressure Cut-Off			
		High Temperature Cut-Off			
		Shutter			
140-0721	1	Air Cleaner Includes Element			
140-0765	1	Element, Air Cleaner			
140-0722	2	Clamp, Air Cleaner Mounting			
503-0274	4	Clamp, Hose			
503-0419	1	Elbow, Air Cleaner			
140-1271	1	Bracket, Air Cleaner Mounting			
140-0740	1	Tube, Air Induction			
140-0723	1	Pre-Cleaner, Air Cleaner, Plastic			
503-0330	1	Hose, Air Cleaner Connector			
416-0021	2	Cables, Battery			
308-0028	2	Switch (1) Heater (1) Stator Starter			
308-0069	1	Switch, Run-Stop			
338-0744	1	Wiring Harness, Rotor Exciter to Control			
301-2297	1	Panel, Control Box			
332-0052	1	Clip, Control Box			
201-2158	1	Rotor Assembly, Wound			
220-2051	1	Stator Assembly Wound			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-18R SPEC 15563AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. _____ (ENG) 612-4998-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off			
102-0549	1	Base, Oil			
309-0206	1	Switch, High Temperature			
416-0021	2	Cable, Battery			
234-0543	1	Cover, End Bell			
333-0157	1	Heater, Immersion - End Bell			
301-1886	1	Cover, Thermostat			
309-0128	1	Thermostat, Adjustable			
333-0151	1	Heater, Strip			
335-0110	1	Cable, Assembly			
301-3567	1	Panel, Control Box			
338-0917	1	Wiring Harness, Stator Exciter to Control			
322-0004	3	Lamp (1) Overspeed (1) Low Oil Pressure (1) High Temperature			
322-0069	3	Holder Lamp			
320-0259	1	Limiter Cranking			
307-0655	2	Relay, Latching (1) High Temperature (1) Overspeed			
332-0706	2	Terminal Block			
332-0707	1	Marker Strip			

SPECIAL PARTS LIST FOR **MODEL** 12.0 DJC-3CR **SPEC** 15625AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4853-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Temperature Cut Off			
		Housed			
102-0549	1	Base, Oil			
338-0917	1	Wiring Harness, Exciter Stator to Control			
307-0655	1	Relay, Latching (Overspeed)			
517-0021	1	Plug, Button Control Box			

SPECIAL PARTS LIST FOR **MODEL** 12.0 DJC-18R **SPEC** 15635AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4792-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed Mounted Fuel Tank Low Oil Pressure Cut-Off High Temperature Cut-Off					
220-2043	1	Stator, Wound			
201-2158	1	Rotor Assembly, Wound			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-3CR SPEC 15647AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. _____ (ENG) 612-4947-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Temperature Cut Off			
122-0193	1	Filter, Oil (Cartridge)			
102-0549	1	Base, Oil			
416-0021	2	Cables, Battery			
304-0506	1	Resistor, Tapped			
304-0592	1	Spacer, Resistor Mounting			
338-0917	1	Wiring Harness, Exciter Stator to Control			
307-0655	1	Relay, Latching (Overspeed)			
517-0012	1	Plug, Button Control Box			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-3CR SPEC 15656AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. _____ (ENG) 612-4792-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Low Oil Pressure Cut Off			
		High Temperature Cut Off			
509-0111	1	Seal, Oil Crankshaft - Front			
509-0112	1	Seal, Oil Crankshaft - Rear			
103-0454	1	Gearcase Assembly			
416-0021	2	Cabels, Battery			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-3R SPEC 15684AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 612-1559-04 (ENG) 612-4998-03

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housing			
		Overspeed Cut Off			
		High Temperature Cut Off			
		Low Oil Pressure Cut Off			
		Meter Panel			
102-0549	1	Base, Oil			
309-0206	1	Switch, High Temperature			
155-0360	1	Muffler, Exhaust			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Flexible Exhaust			
338-0305	1	Wiring Harness - Start Stop			
301-2288	1	Panel, Control - Upper			
338-0917	1	Wiring Harness, Stator Exciter to Control			
322-0004	3	Lamp (1) Overspeed (1) Low Oil Pressure (1) High Temperature			
322-0069	3	Holder, Lamp			
307-0655	2	Relay, Latching (1) High Temperature (1) Overspeed			
332-0702	2	Terminal Block			
332-0707	1	Marker Strip			
301-3567	1	Panel, Control Box			
305-0533	1	Voltage Regulator Assembly - Adjustable			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-3CR SPEC 15706AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. 612-4998-01 (ENG)

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Overspeed Cut-Off			
		Duct Air Outlet			
		Low Oil Pressure Cut-Off			
		High Temperature Cut-Off			
309-0206	1	Switch Thermostat			
416-0021	2	Cables, Battery			
134-1375	1	Plate, Exhaust Outlet Cover			
338-0917	1	Wiring Harness, Stator Exciter to Control			
322-0004	3	Lamp (1) OSKO (1) LOPKO (1) HATKO			
322-0069	3	Holder, Lamp			
320-0259	1	Limiter, Cranking			
307-0655	2	Relay, Latching (1) HT (1) OS			
332-0706	2	Terminal Block			
332-0707	1	Marker Strip			
301-3567	1	Panel, Control Box			

SPECIAL PARTS LIST FOR **MODEL** 12.0 DJC-18R **SPEC** 15706AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. _____ (ENG) 612-4998-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Duct Air Outlet			
		Overspeed Cut Off			
		High Temperature Cut Off			
		Low Oil Pressure Cut Off			
309-0206	1	Switch, High Temperature			
134-1375	1	Plate, Exhaust Outlet Cover			
416-0021	2	Cable, Battery			
301-3567	1	Panel, Control Box			
338-0917	1	Wiring Harness, Stator Exciter to Control			
322-0004	3	Lamp (1) Overspeed (1) Low Oil Pressure (1) High Temperature			
322-0069	3	Holder Lamp			
320-0259	1	Limiter Cranking			
307-0655	2	Relay, Latching (1) High Temperature (1) Overspeed			
332-0706	2	Terminal Block			
332-0707	1	Marker Strip			

SPECIAL PARTS LIST FOR MODEL 12.0DJC-3CR SPEC 15706AC
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. -
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5574-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Duct Air Outlet			
		Overspeed Cut Off			
		High Air Temperature Cut Off (Normally Open)			
		Low Oil Pressure Cut Off			
332-0707	1	Strip, Marker (Blank)			
301-3567	1	Panel, Control Box (With Bracket)			
320-0259	1	Relay, Emergency - Low Oil Pressure			
338-0917	1	Harness, Wiring - Overspeed			
307-0655	3	Relay, Latching - High Temp., Overspeed, Low Oil Pressure			

SPECIAL PARTS LIST FOR **MODEL** 12.0DJC-18R **SPEC** 15706AC
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** -
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5574-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Duct Air Outlet			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off (Normally Open)			
338-0917	1	Harness, Wiring - Overspeed			
307-0655	3	Relay, Emergency Latch - High Temperature, Overspeed & Low Oil Pressure			
332-0707	1	Strip, Marker (Blank)			
301-3567	1	Panel, Control Box (With Bracket)			
320-0259	1	Relay, Emergency - Low Oil Pressure			

SPECIAL PARTS LIST FOR **MODEL** 12.0DJC-18R50 **SPEC** 15706AC
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** -
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5574-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Note: Pennsylvania Approved Duct Air Outlet Overspeed Cut Off Low Oil Pressure Cut Off High Air Temperature Cut Off (Normally Open)					
338-0917	1	Harness, Wiring - Overspeed			
307-0655	3	Relay, Emergency Latch - High Temperature, Overspeed & Low Oil Pressure			
332-0707	1	Strip, Marker (Blank)			
301-3567	1	Panel, Control Box (With Bracket)			
320-0259	1	Relay, Emergency - Low Oil Pressure			

SPECIAL PARTS LIST FOR MODEL 12.0DJC-3CR SPEC 15720AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO.
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. 612-4792-01 (ENG)

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed					
Low Oil Pressure Cut-Off					
140-0078	2	Bands, Muffler Mounting			
155-0949	1	Tube, Exhaust			
155-0360	1	Muffler, Exhaust			
338-0305	1	Wiring Harness Assembly, Start-Stop			

SPECIAL PARTS LIST FOR MODEL 9.0DJC-518R SPEC 15730AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. -
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-4791-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		Muffler Mounted On Housing			
		Mounted Fuel Tank			
		Duct Air Outlet			
301-1195	1	Panel, Instrument (Blank)			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-3CR SPEC 15757AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. _____ (ENG) 612-4998-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Skid Base and Battery Rack			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Temperature Cut Off			
309-0206	1	Switch, Thermostat			
338-0917	1	Wiring Harness, Stator Exciter to Control			
322-0004	3	Lamp (Overspeed, Low Oil Pressure, High Temperature			
322-0069	3	Holder, Lamp			
320-0259	1	Limiter, Cranking			
307-0655	2	Relay, Latching (High Temperature, Overspeed			
332-0706	2	Terminal Block			
332-0706	1	Marker Strip			
301-3567	1	Panel, Control Box			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-3R SPEC 15786AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 612-1559-04 (ENG) 612-4853-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housing					
Low Oil Pressure Cut Off					
High Temperature Cut Off					
Overspeed Cut Off					
Meter Panel					
102-0549	1	Base, Oil			
155-0360	1	Muffler, Exhaust			
155-0949	1	Tube, Flexible Exhaust			
140-0078	2	Band, Muffler Mounting			
338-0305	1	Wiring Harness, Start Stop			
338-0917	1	Wiring Harness, Exciter Stator to Control			
307-0655	1	Relay, Latching (Overspeed)			
517-0012	1	Plug, Button Control Box			
301-2288	1	Panel, Control Upper			

SPECIAL PARTS LIST FOR MODEL 9.0 DJC-53CR SPEC 15788AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. 612-5042-01 (ENG)

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Duct Air Outlet			
		Low Oil Pressure Cut-Off			
		High Temperature Cut-Off			
		Overspeed Cut-Off			
416-0021	2	Cables, Battery			
309-0206	1	Switch, High Temperatures			
338-0917	1	Siring Harness			
322-0004	3	Lamp (1) Overspeed (1) Low Oil Pressure (1) High Temperature			
322-0069	3	Holder, Lamp			
320-0259	1	Limiter Assembly, Cranking			
307-0655	2	Relay, Latching (1) High Temperature (1) Overspeed			
332-0706	2	Terminal Block			
307-1143	1	Relay			
323-0760	1	Socket, Relay			
332-0943	2	Spacer, Relay Socket			
307-1157	1	Spring, Relay Holddown			
332-0707	1	Marker Strip			
309-0270	1	Thermostat			
301-3567	1	Panel, Control Box			
232-2589	1	Regulator Filter Kit, Includes 232-2460 Filter Assembly Regulator and Parts Marked*			
304-0292	2	* Insulator - Resistor			
304-0015	4	* Washer, Centering			
304-0120	2	* Resistor, Fixed			
508-0071	1	* Grommet, Rubber			
312-0198	2	* Bracket, Capacitor Mounting			
312-0197	1	* Capacitor - Metal Box			
232-2463	1	* Cover, Filter Mounting Box			
232-2462	1	* Mounting Box - Filter			

SPECIAL PARTS LIST FOR MODEL 12.0DJC-3CR SPEC 15788AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. -
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5042-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Duct Air Outlet			
		Voltage Regulator Filter			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off (Normally Open)			
		Overspeed Cut Off			
338-0917	1	Harness, Wiring - Overspeed			
307-0655	3	Relay, Emergency Latch - High Temperature, Overspeed & Low Oil Pressure			
307-1143	1	Relay, Generating			
332-0943	2	Spacer			
307-1157	1	Spring, Relay Holddown			
309-0270	1	Thermostat, Low Engine Temperature			
332-0707	1	Strip, Marker (Blank)			
301-3567	1	Panel, Control Box (With Bracket)			
320-0259	1	Relay, Emergency - Low Oil Pressure			
323-1042	1	Relay, Generating			
332-0706	2	Block, Terminal (8 Place)			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-18R SPEC 15793AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. _____ (ENG) 612-4791-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed					
Duct And Shutter					
191-0505	1	Cover Plate, Dirt Seal			
191-0506	1	Seal, Dirt Starter			
520-0662	2	Stud, (3/8-16 x 2 Lg) Starter Mounting			
509-G111	1	Seal, Oil - Crankshaft-Front			
509-0112	1	Seal, Oil - Crankshaft-Rear			
103-0454	1	Gearcase Assembly			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-3CR SPEC 15824AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. 612-5077-01 (ENG)

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Duct And Shutter			
		Low Oil Pressure Cut-Off			
		High Temperature Cut-Off			
		Overspeed Cut-Off			
309-0206	1	Switch, Thermostat			
322-0004	3	Lamp (1)Low Oil Pressure (1) High Temperature (1)Overspeed			
322-0069	3	Holder, Lamp			
338-0917	1	Wiring Harness, Exciter Stator to Control			
304-0506	1	Resistor, Tapped (6-0HM 150 Watt)			
304-0592	1	Spacer, Resistor Mounting			
320-0259	1	Limiter, Cranking			
307-0655	2	Relay, Latching (1) High Temperature (1) Overspeed			
332-0706	2	Terminal Block			
332-0707	1	Marker Strip			
301-3567	1	Panel, Control Box			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-18E SPEC 15826AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. _____ (ENG) 612-5079-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Contractors Model					
Duct Air Outlet					
Skid Base and Battery Rack					
Low Oil Prsssre Cut Off					
High Air Temperature Cut Off					
Meter Panel					
509-0111	1	Seal, Oil - Crankshaft Front			
509-0112	1	Seal, Oil - Crankshaft Rear			
103-0454	1	Gearcase Assembly			
102-0559	1	Base, Oil - Extension			
800-0080	10	Capscrew (7/16-14 x 3 1/4Lg) Oil Base Mounting			
123-1104	1	Cap and Indicator Assembly			
120-0638	1	Cup Assembly, Oil Pump Intake			
122-0193	1	Filter, Oil			
338-0394	1	Wiring Harness, Starter Motor to Control			
338-0725	1	Wiring Harness, Switch Plate to Control			
301-3861	1	Bracket, Mounting Meter Panel Box			
403-1192	1	Support, Generator Mounting to Skid			
402-0388	4	Mount, Vibration - Meter Panel Box			
301-2138	1	Panel, Instrument - Meter			
301-2087	1	Box, Instrument Meter Panel			
301-2297	1	Panel, Control Box			
220-2043	1	Stator, Wound			
201-2158	1	Rotor Assembly, Wound			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-3CR SPEC 15862AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. _____ (ENG) 612-4792-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Air Duct And Shutter			
		Low Oil Pressure Cut Off			
		High Temperature Cut Off			
509-0111	1	Seal, Oil Crankshaft - Front			
509-0112	1	Seal, Oil Crankshaft - Rear			
103-0454	1	Gearcase Assembly			
416-0021	2	Cables, Battery			

SPECIAL PARTS LIST FOR MODEL 12.0DJC-3CR SPEC 15862AC
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. -
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5557-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Air Duct And Shutter			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off (Normally Closed)			
		Low Temperature Seals			
509-0112	1	Seal, Oil-Lo Temperature			
104-1118	1	Crankshaft			

SPECIAL PARTS LIST FOR **MODEL** 12.0 DJC-4R **SPEC** 15907AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 612-1469-04 (ENG) 612-4792-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed					
Low Oil Pressure Cut Off					
High Air Temperature Cut Off					
Meter Panel					
102-0549	1	Base, Oil			
155-0360	1	Muffler, Exhaust			
155-0949	1	Tube, Flexible Exhaust			
140-0078	2	Band, Muffler Mounting			
338-0305	1	Wiring Harness, Start - Stop			
301-2204	1	Panel, Control - Meter			

SPECIAL PARTS LIST FOR MODEL 12.0DJC-4R SPEC 15907AC
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. -
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5557-02 (AC)612-1469-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		Duct Air Outlet			
		Meter Panel			
		Muffler Mounted On Housing			
		Oil Base Heater			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off (Normally Closed)			
301-2204	1	Panel, Meter - Instrument			

SPECIAL PARTS LIST FOR **MODEL** 12.0 DJC-18R **SPEC** 15912AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. _____ (ENG) 612-4792-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Mounted Fuel Tank Housed Duct And Shutter Low Oil Pressure Cut Off			
102-0549	1	Base, Oil			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-3CR SPEC 15924AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-5042-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Duct Air Outlet			
		Low Oil Pressure Cut-Off			
		High Air Temperature Cut-Off			
		Overspeed Cut-Off			
102-0549	1	Base, Oil			
309-0206	1	Switch, Thermostat			
416-0021	2	Cable, Battery			
134-1375	1	Plate, Exhaust Outlet Cover			
338-0917	1	Wiring Harness, Stator Exciter to Control			
322-0004	3	Lamp (1) Overspeed (1) Low Oil Pressure (1) High Temperature			
322-0069	3	Holder, Lamp			
320-0259	1	Limitter, Cranking			
307-0655	2	Relay, Latching (1) High Temperature (1) Overspeed			
307-1143	1	Relay (DPDT)			
323-0760	1	Socket, Relay			
332-0943	2	Spacer, Relay Socket			
307-1157	1	Spring, Relay Holddown			
332-0706	2	Terminal Block			
332-0707	1	Marker Strip			
309-0270	1	Thermostat Low Engine Temp			
301-3567	1	Panel, Control Box			

SPECIAL PARTS LIST FOR **MODEL** 12.0 DJC-18R **SPEC** 15924AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5042-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Duct Air Outlet			
		Overspeed Cut-Off			
		High Air Temperature Cut-Off			
		Low Oil Pressure Cut-Off			
102-0549	1	Base, Oil			
309-0206	1	Switch, High Temperature			
134-1375	1	Plate, Exhaust Outlet Cover			
338-0917	1	Wiring Harness, Stator Exciter to Control			
322-0004	3	Lamp (1) Overspeed (1) Low Oil Pressure (1) High Temperature			
322-0069	3	Holder, Lamp			
320-0259	1	Limitter, Cranking			
307-0655	2	Relay, Latching (1) High Temperature (1) Overspeed			
307-1143	1	Relay (DPDT)			
323-0760	1	Socket, Relay			
332-0943	2	Spacer, Relay Socket			
307-1157	1	Spring, Relay Holddown			
332-0706	2	Terminal, Block			
332-0707	1	Marker Strip			
309-0270	1	Thermostat Low Engine Temp			
301-3567	1	Panel, Control Box			

SPECIAL PARTS LIST FOR MODEL 12.0DJC-3CR SPEC 15924AC
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. -
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5575-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Duct Air Outlet			
		Oil Base Heater			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off (Normally Open)			
338-0917	1	Harness, Wiring - Overspeed			
307-0655	3	Relay, Emergency Latch - High Temperature, Overspeed & Low Oil Pressure			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Relay			
332-0943	2	Spacer			
307-1157	1	Spring, Relay Holddown			
309-0270	1	Thermostat, Low Engine Temperature			
332-0707	1	Strip, Marker (Blank)			
301-3567	1	Panel, Control Box (With Bracket)			
320-0259	1	Relay, Emergency - Low Oil Pressure			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-3R SPEC 15940AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 612-1559-04 (ENG) 612-4853-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housing					
Overspeed Cut Off					
High Temperature Cut Off					
Low Oil Pressure Cut Off					
Mounted Fuel Tank					
Meter Panel					
102-0549	1	Base, Oil			
309-0206	1	Switch, High Temperature			
155-0360	1	Muffler, Exhaust			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Flexible Exhaust			
338-0305	1	Wiring Harness, Start - Stop			
301-2281	1	Panel, Control - Upper			
338-0917	1	Wiring Harness - Exciter Stator to Control			
307-0655	1	Relay, Latching - Overspeed			
517-0012	1	Plug, Button Control Box			

SPECIAL PARTS LIST FOR MODEL 12.0DJC-4R SPEC 15940AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. -
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4853-02 (AC) 612-1469-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		Duct Air Outlet			
		Meter Panel			
		Muffler Mounted On Housing			
		Oil Base Heater			
		Mounted Fuel Tank			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off (Normally Closed)			
301-2204	1	Panel, Meter - Instrument			
338-0917	1	Harness, Wiring - Overspeed			
307-0655	1	Relay, Emergency Latch - Overspeed			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-3CR SPEC 15949AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. 612-4998-01 (ENG)

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Overspeed Cut-Off			
		Low Oil Pressure Cut-Off			
		High Temperature Cut-Off			
309-0206	1	Switch, High Temperature			
416-0021	2	Cables, Battery			
338-0917	1	Wiring Harness, Stator Exciter to Control			
322-0004	3	Lamp (1)Overspeed (1) Low Oil Pressure (1)High Temperature			
322-0069	3	Holder, Lamp			
320-0259	1	Limiter, Cranking			
307-0655	2	Relay, Latching (1) High Temperature (1) Overspeed			
332-0706	2	Terminal Block			
332-0707	1	Marker Strip			
301-3567	1	Panel, Control Box			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-3CR50 SPEC 15949AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. _____ (ENG) 612-4998-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Overspeed Cut Off			
		High Temperature Cut Off			
		Low Oil Pressure Cut Off			
416-0021	2	Cables, Battery			
309-0206	1	Switch, High Temperature			
322-0004	3	Lamp, (1) Overspeed Cut Off, (1) Low Oil Pressure Cut Off, (1) High Temperature Cut Off			
322-0069	3	Holder, Lamp			
320-0259	1	Limiter, Cranking			
307-0655	2	Relay, Latching (1) High Temperature Cut Off (1) Overspeed Cut Off			
332-0707	1	Marker Strip			
301-3567	1	Panel, Control Box			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-18R SPEC 15949AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. _____ (ENG) 612-4998-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Temperature Cut Off			
309-0206	1	Switch, High Temperature			
416-0021	2	Cable, Battery			
301-3567	1	Panel, Control Box			
338-0917	1	Wiring Harness, Stator Exciter to Control			
322-0004	3	Lamp (1) Overspeed (1) Low Oil Pressure (1) High Temperature			
322-0069	3	Holder Lamp			
320-0259	1	Limiter Cranking			
307-0655	2	Relay, Latching (1) High Temperature (1) Overspeed			
332-0706	2	Terminal Block			
332-0707	1	Marker Strip			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-18R50 SPEC 15949AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. _____ (ENG) 612-4998-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Temperature Cut Off			
416-0021	2	Cable, Battery			
309-0206	1	Switch, High Temperature			
301-3567	1	Panel, Control Box			
338-0917	1	Wiring Harness, Stator Exciter to Control			
322-0004	3	Lamp (1) Overspeed (1) Low Oil Pressure (1) High Temperature			
322-0069	3	Holder Lamp			
320-0259	1	Limiter Cranking			
307-0655	2	Relay, Latching (1) High Temperature (1) Overspeed			
332-0706	2	Terminal Block			
332-0707	1	Marker Strip			

SPECIAL PARTS LIST FOR MODEL 12.0DJC-18R SPEC 15949AC
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. -
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5574-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off (Normally Open)			
338-0917	1	Harness, Wiring - Overspeed			
307-0655	3	Relay, Emergency Latch - High Temperature, Overspeed & Low Oil Pressure			
332-0707	1	Strip, Marker (Blank)			
301-3567	1	Panel, Control Box (With Bracket)			
320-0259	1	Relay, Emergency - Low Oil Pressure			

SPECIAL PARTS LIST FOR **MODEL** 12.0 DJC-4R **SPEC** 16048AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 612-1469-04 (ENG) 612-5042-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Meter Panel			
		Mounted Fuel Tank			
		Housed			
		Low Oil Pressure Cut-Off			
		High Air Temperature Cut-Off			
		Overspeed Cut-Off			
102-0549	1	Base, Oil			
309-0206	1	Switch, Thermostat			
155-0360	1	Muffler, Exhaust			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Flexible - Exhaust			
301-2204	1	Panel, Control - Upper			
338-0305	1	Wiring Harness - Start-Stop			
305-0533	1	Voltage Regulator Assembly - Adjustable			
338-0917	1	Wiring Harness, Stator Exciter to Control			
322-0004	3	Lamp (1) Overspeed (1) Low Oil Pressure (1) High Temperature			
322-0069	3	Holder, Lamp			
320-0259	1	Limitter, Cranking			
307-0655	2	Relay, Latching (1) High Temperature (1) Overspeed			
307-1143	1	Relay (DPDT)			
323-0760	1	Socket, Relay			
332-0943	2	Spacer, Relay Socket			
307-1157	1	Spring, Relay Holddown			
332-0706	2	Terminal Block			
332-0707	1	Marker, Strip			
309-0270	1	Thermostat, Low Engine Temp			
301-3567	1	Panel, Control Box			

SPECIAL PARTS LIST FOR **MODEL** 12.0 DJC-18R **SPEC** 16063AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. _____ (ENG) 612-4792-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housing Low Oil Pressure Cut Off High Temperature Cut Off					
102-0549	1	Base, Oil			

SPECIAL PARTS LIST FOR MODEL 9 0DJC-518E SPEC 16138AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO.
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. 612-4855-02 (ENG)

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Contractor Model Skid Base and Battery Rack					
509-0111	1	Seal, Oil-Crankshaft Front			
103-0454	1	Gearcase Assembly			
509-0112	1	Seal, Oil Crankshaft-Rear			
338-0725	1	Wiring Harness, Switch Plate to Control			
338-0394	1	Wiring Harness, Starter Motor Control			
308-0069	1	Switch, Run-Stop			

SPECIAL PARTS LIST FOR MODEL 12.0DJC-4R SPEC 16144AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. -
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-4998-02 (AC)612-1469-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		Duct Air Outlet			
		Meter Panel			
		Oil Base Heater			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off (Normally Open)			
301-2204	1	Panel, Meter - Instrument			
338-0917	1	Harness, Wiring - Overspeed			
320-0259	1	Relay, Emergency - Low Oil Pressure			
307-0655	3	Relay, Latching - High Temp., Overspeed, Low Oil Pressure			
332-0707	1	Strip, Marker			
301-3567	1	Panel, Control Box			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-3CR SPEC 16153AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. _____ (ENG) 612-4791-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housing			
		Air Duct and Shutter			
		High Temperature Cut Off			
102-0549	1	Base, Oil			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-4R SPEC 16181AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 612-1469-04 (ENG) 612-4998-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Meter Panel			
		Duct And Shutter			
		Housed			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off			
		Overspeed Cut Off			
102-0549	1	Base, Oil			
309-0206	1	Switch, Thermostat			
301-2204	1	Panel, Control - Upper			
301-3567	1	Panel, Control Box			
338-0917	1	Wiring Harness, Stator Exciter to Control			
322-0004	3	Lamp (1) Overspeed (1) Low Oil Pressure (1) High Temperature			
322-0069	3	Holder, Lamp			
320-0259	1	Limiter Cranking			
307-0655	2	Relay, Latching (1) Over- speed (1) High Temperature			
332-0706	2	Terminal Block			
332-0707	1	Marker Strip			
301-1886	1	Cover, Thermostat			
309-0128	1	Thermostat, Adjusting			
333-0151	1	Heater, Strip			
335-0170	1	Cord Assembly			

SPECIAL PARTS LIST FOR MODEL 9.0DJC-518R SPEC 16183AA
 FOR STANDARD PARTS REFER TO CATALOG 67-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. 612-4792-02 (ENG)

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Duct Air Outlet			
		Low Oil Pressure Cut-Off			
		High Temperature Cut-Off			
134-1375	1	Plate, Exhaust Outlet Cover			
231-0171	1	Adapter, Generator			
416-0021	2	Cables, Battery			
234-0492	1	Cover, Air Outlet			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-3R SPEC 16201AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (AC) 612-1559-04 (ENG) 612-5042-03

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Mounted Fuel Tank			
		Oil Bath Air Cleaner			
		Housed			
		Meter Panel			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off			
		Overspeed Cut Off			
309-0206	1	Switch, Thermostat			
102-0549	1	Base, Oil			
503-0274	2	Clamp, Hose - Air Cleaner			
305-0533	1	Voltage Regulator Assembly - Adjustable			
338-0917	1	Wiring Harness, Stator Exciter to Control			
322-0004	3	Lamp (1) Overspeed (1) Low Oil Pressre (1) High Temperature			
322-0069	3	Holder Lamp			
320-0259	1	Limiter Cranking			
307-0655	2	Relay, Latching (1) High Temperature (1) Overspeed			
307-1143	1	Relay (DPDT)			
323-0760	1	Socket, Relay			
332-0943	2	Spacer, Relay Socket			
307-1157	1	Spring, Relay Holddown			
332-0706	2	Terminal Block			
332-0707	1	Marker Strip			
309-0270	1	Thermostat Low Engine Temp			
301-3567	1	Panel, Control Box			
301-2288	1	Panel, Control - Upper			

SPECIAL PARTS LIST FOR **MODEL** 12.0DJC-3R **SPEC** 16206AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** -
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-4792-01 (AC)612-1559-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		Air Duct And Shutter			
		Muffler Mounted On Housing			
		Mounted Fuel Tank			
		Meter Panel			
		Oil Base Heater			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off (Normally Closed)			
301-2288	1	Panel, Meter - Control (Upper)			

SPECIAL PARTS LIST FOR **MODEL** 12.0DJC-18R **SPEC** 16218AC
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** -
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5557-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Oil Base Heater					
Low Oil Pressure Cut Off					
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
220-2043	1	Stator, Wound			
201-2158	1	Rotor Assembly, Wound			

SPECIAL PARTS LIST FOR **MODEL** 12.0 DJC-18R **SPEC** 16235AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-4976-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Duct Air Outlet			
		Skid Base and Battery Rack			
		Low Oil Pressure Cut-Off			
		High Air Temperature Cut-Off			
134-1375	1	Plate, Exhaust Outlet Cover			
102-0549	1	Base, Oil			
309-0206	1	Switch, High Temperature			
322-0004	2	Lamps (1) Low Oil Pressure (1) High Temperature			
320-0221	1	Limiter, Cranking - Low Oil Pressure			
307-0655	1	Relay, Latching - High Temperature			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-4XR SPEC 16247AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (AC)612-1859-04 (ENG)612-4853-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed					
Mounted Fuel Tank					
Overspeed Cut-Off					
Low Oil Pressure Cut-Off					
High Air Temperature Cut-Off					
Meter Panel					
102-0549	1	Base, Oil			
155-0360	1	Muffler, Exhaust			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Flexible Exhaust			
338-0305	1	Wiring Harness, Start-Stop			
338-0917	1	Wiring Harness, Exciter			
301-2373	1	Panel, Control - Upper			
307-0655	1	Relay, Latching - Overspeed			
517-0012	1	Plug, Button Control Box			

SPECIAL PARTS LIST FOR **MODEL** 9.0DJC-518R **SPEC** 16259AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-5042-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Duct Air Outlet			
		Low Oil Pressure Cut-Off			
		High Temperature Cut-Off			
		Overspeed Cut-Off			
416-0021	2	Cables, Battery			
309-0206	1	Switch, High Temperature			
134-1375	1	Plate, Exhaust Outlet Cover			
231-0171	1	Adapter Generator			
234-0492	1	Cover, Air Outlet			
338-0917	1	Wiring Harness, Exciter Stator to Control			
322-0004	3	Lamp(1) Low Oil Pressure (1) Overspeed (1) High Temp.)			
322-0069	3	Holder, Lamp			
320-0259	1	Limiter, Cranking			
307-0655	2	Relay Latching(1) High Temperature (1) Overspeed			
307-1143	1	Relay (DPDT)			
323-0760	1	Socket, Relay			
332-0943	2	Spacer, Relay Socket			
307-1157	1	Spring, Relay Holddown			
332-0706	2	Terminal Block			
332-0707	1	Marker Strip			
309-0270	1	Thermostat			
301-3567	1	Panel, Control Box			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-5DR SPEC 16280AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 612-1556-02 (ENG) 612-4998-0

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housing			
		Air Duct And Shutter			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Temperature Cut Off			
		Meter Panel.			
155-0360	1	Muffler, Exhaust			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Flexible Exhaust			
309-0206	1	Switch, High Temperature			
320-0058	3	Circuit Breaker - 30 Amp			
301-2204	1	Panel, Control - Upper			
301-3567	1	Panel, Control Box			
338-0917	1	Wiring Harness, Stator Exciter to Control			
322-0004	3	Lamp (1) Overspeed (1) Low Oil Pressure (1) High Temperature			
322-0069	3	Holder Lamp			
320-0259	1	Limiter Cranking			
307-0655	2	Relay, Latching (1) High Temperature (1) Overspeed			
332-0706	2	Terminal Block			
332-0707	1	Marker Strip			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-3R SPEC 16292AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 612-1559-04 (ENG) 612-4792-0

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Meter Panel Housed Low Oil Pressure Cut Off			
102-0549	1	Base, Oil			
155-0360	1	Muffler, Exhaust			
155-0949	1	Tube, Flexible Exhaust			
140-0078	2	Band, Muffler Mounting			
338-0305	1	Wiring Harness, Start - Stop			
301-2288	1	Panel, Control - Upper			

SPECIAL PARTS LIST FOR MODEL 12.0DJC-5DR SPEC 16292AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. -
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-4792-02 (AC)612-1556-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		Duct Air Outlet			
		Muffler Mounted On Housing			
		Oil Base Heater			
		Meter Panel			
		Low Oil Pressure Cut Off			
301-2204	1	Panel, Meter - Instrument			

SPECIAL PARTS LIST FOR MODEL 12.0DJC-18R SPEC 16329AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. _____ (ENG) 612-4792-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Duct Air Outlet			
		Low Oil Pressure Cut Off			
		High Temperature Cut Off			
102-0549	1	Base, Oil			
134-1375	1	Plate, Exhaust Cover Outlet			
416-0021	2	Cable, Battery			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-4R SPEC 16331AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (AC) 612-1469-04 (ENG) 612-4998-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Mounted Fuel Tank Housed Low Oil Pressure Cut-Off High Air Temperature Cut-Off Overspeed Cut-Off Meter Panel			
102-0549	1	Base, Oil			
309-0206	1	Switch, Thermostat			
301-2204	1	Panel, Control - Upper			
301-3567	1	Panel, Control Box			
338-0917	1	Wiring Harness, Stator Exciter to Control			
322-0004	3	Lamp (1) Overspeed (1) Low Oil Pressure (1) High Temperature			
322-0069	3	Holder, Lamp			
320-0259	1	Limiter Cranking			
307-0655	2	Relay, Latching (1) Over- speed (1) High Temp			
332-0706	2	Terminal Block			
332-0707	1	Marker, Strip			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-5DR SPEC 16331AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (AC) 612-1556-02 (ENG) 612-4998-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed			
		Mounted Fuel Tank			
		Meter Panel			
		Overspeed Cut-Off			
		Low Oil Pressure Cut-Off			
		High Air Temperature Cut-Off			
102-0549	1	Base, Oil			
309-0206	1	Switch, High Temperature			
320-0058	3	Circuit Breaker - 30 Amp			
301-2204	1	Panel, Control - Upper			
301-3567	1	Panel, Control Box			
338-0917	1	Wiring Harness, Stator Exciter to Control			
322-0004	3	Lamp (1) Overspeed (1) Low Oil Pressure (1) High Temperature			
322-0069	3	Holder, Lamp			
320-0259	1	Limiter, Cranking			
307-0655	2	Relay, Latching (1) High Temperature (1) Overspeed			
332-0706	2	Terminal Block			
332-0707	1	Marker Strip			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-3CR SPEC 16338AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. 612-2592-01 (AC) 612-4853-01 (EM)

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Overspeed Cut-Off Housed			
		Low Oil Pressure Cut-Off			
		High Temperature Cut-Off			
155-0360	1	Muffler, Exhaust			
155-0949	1	Tube, Exhaust			
140-0078	2	Band, Muffler Mounting			
338-0305	1	Wiring Harness Assembly Start Stop			
338-0917	1	Wiring Harness, Exciter Stator to Control			
307-0655	1	Relay, Latching Relay			
517-0012	1	Plug, Button			
302-0465	1	Meter, Running Time			
301-2019	1	Panel, Instrument			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-3CR SPEC 16339AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. 612-5127-01 (ENG)

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Overspeed Cut-Off			
		Low Oil Pressure Cut-Off			
		High Temperature Cut-Off			
338-0917	1	Wiring Harness, Exciter Stator to Control			
307-0655	1	Relay Latching (Overspeed)			
302-0538	1	Meter - Running Time			
517-0012	1	Plug, Button			
301-2436	1	Control Box			

SPECIAL PARTS LIST FOR MODEL 12.0DJC-3R SPEC 16345AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. -
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-4998-01 (AC)612-1559-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		Duct Air Outlet			
		Meter Panel			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off (Normally Open)			
301-2288	1	Panel, Meter - Control			
338-0917	1	Harness, Wiring - Overspeed			
320-0259	1	Relay, Emergency - Low Oil Pressure			
307-0655	3	Relay, Latching - High Temp., Overspeed, Low Oil Pressure			
332-0707	1	Strip, Marker			
301-3567	1	Panel, Control			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-3CR SPEC 16358AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. _____ (ENG) 612-4998-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Temperature Cut Off			
309-0206	1	Switch, High Temperature			
416-0021	2	Cables, Battery			
232-2589	1	Regulator Filer Kit, Includes 232-2460 Filter Assembly Regulator And Parts Marked*			
304-0292	2	* Insulator - Resistor			
304-0015	4	* Washer, Centering			
304-0120	2	* Resistor, Fixed			
508-0071	1	* Grommet, Rubber			
312-0198	2	* Bracket, Capacitor Mounting			
3120-0197	1	* Capacitor - Metal Box			
232-2463	1	* Cover, Filter Mounting Box			
232-2462	1	* Mounting Box - Filter			
338-0917	1	Wiring Harness, Stator Exciter to Control			
322-0004	3	Lamp Overspeed, Low Oil Pressure, High Air Temperature			
322-0069	3	Holder, Lamp			
320-0259	1	Limiter, Cranking			
307-0655	2	Relay, Latching High Temperature, Overspeed			
332-0706	2	Terminal Block			
332-0707	1	Marker Strip			
301-3567	1	Panel, Control Box			

SPECIAL PARTS LIST FOR MODEL 9.0 DJC-53CE SPEC 16360AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. 612-4948-01 (ENG)

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Contractors Model					
High Temperature Cut-Off					
Air Duct					
Skid Base					
103-0454	1	Gearcase Assembly			
509-0111	1	Seal, Oil-Crankshaft-Front			
509-0112	1	Seal, Oil-Crankshaft-Rear			
503-0571	1	Hose, Air Cleaner Connector			
134-1375	1	Plate, Exhaust Outlet Cover			
308-0069	1	Switch, Run-Stop			
305-0541	1	Regulator Assembly, Voltage Non-Adjustable (For Component Parts Use 305-0532 Voltage Regulator Assembly)			
300-1405	1	Board Assembly, Complete (For Component Parts Use 300-1404 Board Assembly)			
301-3834	1	Panel, Voltage Regulator Mounting			
220-2308	1	Stator, Wound-Exciter			
220-2678	1	Stator, Wound-Generator			
201-2312	1	Rotor Assembly, Generator			
201-2299	1	Rotor, Wound-Exciter			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-18R SPEC 16369AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-4792-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Duct Air Outlet			
		Low Oil Pressure Cut-Off			
		High Temperature Cut-Off			
134-1375	1	Plate, Exhaust Outlet Cover			
416-0021	2	Cable, Battery			
220-2043	1	Stator, Wound			
201-2158	1	Rotor Assembly, Wound			

SPECIAL PARTS LIST FOR MODEL 12.0DJC-18R SPEC 16369AC
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. -
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5557-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Duct Air Outlet			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off - Normally Closed			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
220-2043	1	Stator, Wound - 3 Phase, 60 Hertz (AC)-12 Volt (DC)			
201-2158	1	Rotor Assembly, Wound (Includes Parts Marked *)			
205-0105	1	*Fan, Generator			
510-0112	1	*Bearing, Rotor			
232-2398	1	*Spacer, Bearing			
201-2151	1	*Rotor, Wound - Exciter			
515-0094	1	*Key, Exciter Rotor			
870-0131	2	*Nut, Hex W/ET (#10-32)			
526-0008	2	*Washer, Flat (#10)			
515-0103	1	*Key, Fan			
870-0284	1	*Nut, Exciter Rotor Locking			

SPECIAL PARTS LIST FOR **MODEL** 12.0 DJC-3R **SPEC** 16379AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 612-1559-04 (ENG) 612-4976-0

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housing			
		Air Duct and Shutter			
		Low Oil Pressure Cut Off			
		High Temperature Cut Off			
		Meter Panel			
102-0549	1	Base, Oil			
309-0206	1	Switch, High Temperature			
301-2288	1	Panel, Control Upper			
320-0221	1	Limitter, Cranking - Low Oil Pressure			
307-0655	1	Relay, Latching - High Temperature			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-5DR SPEC 16407AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 612-1556-02 (ENG) 612-4792-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Meter Panel			
		Housed			
		Low Oil Pressure Cut Off			
102-0549	1	Base, Oil			
220-2043	1	Stator, Wound			
201-2158	1	Rotor Assembly, Wound			
301-2204	1	Panel, Control - Upper			
320-0058	3	Circuit Breaker			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-18R SPEC 16435AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (ENG) 612-4998-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Air Duct with Shutter			
		Low Oil Pressure Cut-Off			
		High Air Temperature Cut-Off			
		Overspeed Cut-Off			
102-0549	1	Base, Oil			
309-0206	1	Switch, Thermostat - High Temperature			
416-0021	2	Cable, Battery			
301-3567	1	Panel, Control Box			
338-0917	1	Wiring Harness, Stator Exciter to Control			
322-0004	3	Lamp (1) Overspeed (1) Low Oil Pressure (1) High Temperature			
322-0069	3	Holder, Lamp			
320-0259	1	Limitter, Cranking			
307-0655	2	Relay, Latching (1) High Temperature (1) Overspeed			
332-0706	2	Terminal Block			
332-0707	1	Marker Strip			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-18R SPEC 16444AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (ENG) 612-4998-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Overspeed Cut-Off			
		Low Oil Pressure Cut-Off			
		High Air Temperature Cut-Off			
102-0549	1	Base, Oil			
309-0206	1	Switch, Thermostat - High Temperature			
301-3567	1	Panel, Control Box			
338-0917	1	Wiring Harness, Stator Exciter to Control			
322-0004	3	Lamp (1) Overspeed (1) Low Oil Pressure (1) High Temperature			
322-0069	3	Holder, Lamp			
320-0259	1	Limiter, Cranking			
307-0655	2	Relay, Latching (1) High Temperature (1) Overspeed			
332-0706	2	Terminal Block			
332-0707	1	Marker Strip			

SPECIAL PARTS LIST FOR MODEL 12,0DJC-3CR SPEC 16446AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. -
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5042-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Skid And Battery Rack			
		Duct Air Outlet			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off (Normally Open)			
		Overspeed Cut Off			
338-0917	1	Harness, Wiring - Overspeed			
307-0655	3	Relay, Emergency Latch - High Temperature, Overspeed & Low Oil Pressure			
307-1143	1	Relay, Generating			
332-0943	2	Spacer			
307-1157	1	Spring, Relay Holddown			
309-0270	1	Thermostat, Low Engine Temperature			
332-0707	1	Strip, Marker (Blank)			
301-3567	1	Panel, Control Box (With Bracket)			
320-0259	1	Relay, Emergency - Low Oil Pressure			
323-1042	1	Relay, Generating			
332-0706	2	Block, Terminal (8 Place)			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-18R SPEC 16446AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. _____ (ENG) 612-5042-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Skid Base and Battery Rack			
		Duct Air Outlet			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Temperature Cut Off			
309-0206	1	Switch, High Temperature			
134-1375	1	Plate, Exhaust Outlet Cover			
338-0917	1	Wiring Harness, Stator Exciter to Control			
322-0004	3	Lamp (1) Overspeed (1) Low Oil Pressure (1) High Temperature			
322-0069	3	Holder Lamp			
320-0259	1	Limiter Cranking			
307-0655	2	Relay, Latching (1) High Temperature (1) Overspeed			
307-1143	1	Relay (DPDT)			
323-0760	1	Socket, Relay			
332-0943	2	Spacer, Relay Socket			
307-1157	1	Spring, Relay Holddown			
332-0706	2	Terminal Block			
332-0707	1	Marker Strip			
309-0270	1	Thermostat Low Engine Temp			
301-3567	1	Panel, Control Box			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-18E SPEC 16456AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. _____ (ENG) 612-4855-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Contractors Model Duct And Shutter					
102-0549	1	Base, Oil			
509-0112	1	Oil, Seal - Crankshaft Rear			
509-0111	1	Oil, Seal - Crankshaft Front			
103-0454	1	Gearcase Assembly			
Parts not Supplied by Onan Receptacles.					

SPECIAL PARTS LIST FOR **MODEL** 9.0DJC-518E **SPEC** 16469AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. 612-5144-01 (ENG)

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Contractor Model					
509-0111	1	Seal, Oil-Crankshaft-Front			
103-0454	1	Gearcase Cover			
509-0112	1	Seal, Oil-Crankshaft-Rear			
338-0725	1	Wiring Harness-Switch Plate to Control			
338-0394	1	Wiring Harness, Starter Motor to Control			
415-0105	1	Tank, Fuel (25 Gal)			
415-0110	2	Band, Mounting-Fuel Tank			
415-0111	2	Bracket, Mounting-Fuel Tank			
403-1239	1	Base, Skid			
520-0377	2	Stud, Battery Hold-Down			
416-0675	1	Frame, Battery Hold-Down			
155-0493	1	Tubing, Exhaust Flexible			
505-0032	1	Coupling Exhaust Tube			
155-0456	1	Muffler, Exhaust			
308-0069	1	Switch, Run-Stop			
301-4032	1	Cover, Output Box			

SPECIAL PARTS LIST FOR MODEL 12.0DJC-3R SPEC 16478AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. -
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-4998-01 (AC)612-1559-04

ART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Used Unit			
		duct Air Outlet			
		diffuser Mounted On Housing			
		meter Panel			
		Mounted Fuel Tank			
		oil Base Heater			
		overspeed Cut Off			
		low Oil Pressure Cut Off			
		high Air Temperature Cut Off (Normally Open)			
01-2288	1	Panel, Meter - Control (Upper)			
38-0917	1	Harness, Wiring - Overspeed			
20-0259	1	Relay, Emergency - Low Oil Pressure			
07-0655	3	Relay, Latching - High Temp., Overspeed, Low Oil Pressure			
32-0707	1	Strip, Marker			
01-3567	1	Panel, Control Box			

WIRING DIAGRAM NO. (AC)612-1469-04 (ENG)612-4998-02

ART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Mounted Fuel Tank			
		Mounted			
		Meter Panel			
		Low Oil Pressure Cut-Off			
		High Air Temperature Cut-Off			
		Overspeed Cut-Off			
102-0549	1	Base, Oil			
309-0206	1	Switch, Thermostat			
155-0360	1	Muffler, Exhaust			
155-0949	1	Tube, Flexible Exhaust			
140-0078	2	Band, Muffler Mounting			
338-0305	1	Wiring Harness, Start-Stop			
301-2204	1	Panel, Control - Upper			
301-3567	1	Panel, Control Box			
338-0917	1	Wiring Harness, Stator Exciter to Control			
322-0004	3	Lamp (1) Overspeed (1) Low Oil Pressure (1) High Temperature			
322-0069	3	Holder, Lamp			
320-0259	1	Limiter, Cranking			
307-0655	2	Relay, Latching (1) High Temperature (1) Overspeed			
332-0706	2	Terminal Block			
332-0707	1	Marker, Strip			

SPECIAL PARTS LIST FOR **MODEL** 12.0DJC-5DR **SPEC** 16478AA
 FOR STANDARD PARTS REFER TO **CATALOG** 967-0222 **KEY NO.** -
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4998-02 (AC) 612-1556-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		Duct Air Outlet			
		Meter Panel			
		Muffler Mounted On Housing			
		Mounted Fuel Tank			
		Oil Base Heater			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off (Normally Open)			
301-2204	1	Panel, Meter - Instrument			
338-0917	1	Harness, Wiring - Overspeed			
320-0259	1	Relay, Emergency - Low Oil Pressure			
307-0655	3	Relay, Latching - High Temp., Overspeed, Low Oil Pressure			
332-0707	1	Strip, Marker			
301-3567	1	Panel, Control Box			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-5DR SPEC 16524AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (AC)612-1556-02 (ENG)612-4791-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Mounted Fuel Tank			
		Housed			
		Meter Panel			
		High Air Temperature Cut-Off			
102-0549	1	Base, Oil			
320-0058	3	Circuit Breaker			
301-2204	1	Panel, Control - Upper			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-4R SPEC 16565AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 612-1469-04 (ENG) 612-4998-0

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Mounted Fuel Tank			
		Housed			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Air Temperature Cut Off			
		Meter Panel			
309-0206	1	Switch, Thermostat			
155-0360	1	Muffler, Exhaust			
140-0078	2	Band, Muffler Mounting			
155-0949	1	Tube, Flexible Exhaust			
301-2204	1	Panel, Control - Meter			
301-3567	1	Panel, Control Box			
338-0917	1	Wiring Harness, Stator Exciter to Control			
322-0004	3	Lamp (1) Overspeed (1) Low Oil Pressure (1) High Temperature			
322-0069	3	Holder, Lamp			
320-0259	1	Limiter Cranking			
307-0655	2	Relay, Latching (1) Overspeed (1) High Temperature			
332-0706	2	Terminal Block			
332-0707	1	Marker Strip			

SPECIAL PARTS LIST FOR MODEL 12.0 DJC-18R SPEC 16571AA
 FOR STANDARD PARTS REFER TO CATALOG 967-0222 KEY NO. _____
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. _____ (ENG) 612-4998-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Skid Base and Battery Rack			
		Duct Air Outlet			
		Overspeed Cut Off			
		High Temperature Cut Off			
		Low Oil Pressure Cut Off			
309-0206	1	Switch, High Temperature			
134-1375	1	Plate, Exhaust Outlet Cover			
332-0216	1	Plug, Solderless - Ground			
301-3567	1	Panel, Control Box			
338-0917	1	Wiring Harness, Stator Exciter to Control			
322-0004	3	Lamp (1) Overspeed (1) Low Oil Pressure (1) High Temperature			
322-0069	3	Holder Lamp			
320-0259	1	Limiter Cranking			
307-0655	2	Relay, Latching (1) High Temperature (1) Overspeed			
332-0706	2	Terminal Block			
332-0707	1	Marker Strip			