

The following catalog
has gaps in its page
numbers, or doesn't
have any numbers.
We have chosen to
leave the page
numbering in the
order that Acrobat
assigns it.

SPECIAL PARTS LIST FOR MODEL 2.0PE-1P SPEC 19252F
FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column C
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Montgomery Wards					
220-2955	1	Stator, Wound			
201-2021	1	Rotor, Wound			
323-1103	1	Box Assembly, Receptacle (Includes Parts Marked *)			
301-3916	1	*Box, Receptacle			
320-0540	2	*Breaker, Circuit (15 Ampere)			
323-0383	2	*Receptacle, Output (Duplex)			
323-0869	2	*Strap, Ground - Receptacle			
179-1552	1	Arrester, Spark - Exhaust			

SPECIAL PARTS LIST FOR **MODEL** 2.2PE-1P **SPEC** 19252F
 FOR STANDARD PARTS REFER TO **CATALOG** 919-0305 **KEY NO.** Column C
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC)601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Montgomery Wards*					
220-2955	1	Stator, Wound			
201-2021	1	Rotor, Wound			
323-1103	1	Box Assembly, Receptacle (Includes Parts Marked *)			
301-3916	1	*Box, Receptacle			
320-0540	2	*Breaker, Circuit (15 Ampere)			
323-0383	2	*Receptacle, Output (Duplex)			
323-0869	2	*Strap, Ground - Receptacle			
179-1552	1	Arrester, Spark - Exhaust			

SPECIAL PARTS LIST FOR MODEL 3.OPF-3P SPEC 19253F
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column D
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC)601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Montgomery Wards					
220-2474	1	Stator, Wound			
201-2022	1	Rotor, Wound			
231-0195	1	Adapter, Generator			
520-0806	1	Stud, Rotor Through (5/16" X 4-13/16")			
403-1040	1	Frame, Carrying			
323-1102	1	Box Assembly, Receptacle (Includes Parts Marked *)			
301-3916	1	*Box, Receptacle			
320-0540	3	*Breaker, Circuit (15 Ampere)			
323-0383	1	*Receptacle, Output - Duplex (120 Volt, Parallel Blades)			
323-0213	1	*Receptacle, Output - Duplex (240 Volt, Tandem Blades)			
323-0869	1	*Strap, Ground - Receptacle			
179-1552	1	Arrester, Spark - Exhaust			

SPECIAL PARTS LIST FOR MODEL 4.5PK-3P SPEC 19254F
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO Column G
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC)601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Montgomery Wards					
220-2475	1	Stator, Wound			
201-2023	1	Rotor, Wound			
520-0808	1	Stud, Rotor Through (5/16 X 6- 5/16")			
100-1517	1	Engine, 10 Horsepower (Briggs & Stratton Model 251412 Spec 0214-01, For Component Parts Refer To Manufacturer)			
403-1041	1	Frame, Carrying			
323-1102	1	Box Assembly, Receptacle (Includes Parts Marked *)			
301-3916	1	*Box, Receptacle			
320-0540	3	*Breaker, Circuit (15 Ampere)			
323-0383	1	*Receptacle, Output - Duplex (120 Volt, Parallel Blades)			
323-0213	1	*Receptacle, Output - Duplex (240 Volt, Tandem Blades)			
323-0869	1	*Strap, Ground - Receptacle			
115-1564	1	Muffler, Exhaust			
155-1537	1	Arrester, Spark - Exhaust			
155-1538	1	Deflector, Muffler			
155-1539	4	Screw, Muffler (Special)			
505-0088	1	Nipple, Pipe - Exhaust (1" X 4-1/2")			
331-0053	2	Locknut - Exhaust (1")			

SPECIAL PARTS LIST FOR MODEL 5.0PK-3P SPEC 19254F
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO Column G
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Montgomery Wards					
220-2475	1	Stator, Wound			
201-2023	1	Rotor, Wound			
520-0808	1	Stud, Rotor Through (5/16 X 6- 5/16")			
100-1517	1	Engine, 10 Horsepower (Briggs & Stratton Model 251412 Spec 0214-01, For Component Parts Refer To Manufacturer)			
403-1041	1	Frame, Carrying			
323-1102	1	Box Assembly, Receptacle (Includes Parts Marked *)			
301-3916	1	*Box, Receptacle			
320-0540	3	*Breaker, Circuit (15 Ampere)			
323-0383	1	*Receptacle, Output - Duplex (120 Volt, Parallel Blades)			
323-0213	1	*Receptacle, Output - Duplex (240 Volt, Tandem Blades)			
323-0869	1	*Strap, Ground - Receptacle			
155-1564	1	Muffler, Exhaust			
155-1537	1	Arrester, Spark - Exhaust			
155-1538	1	Deflector, Muffler			
155-1539	4	Screw, Muffler (Special)			
505-0088	1	Nipple, Pipe - Exhaust (1" X 4-1/2")			
331-0053	2	Locknut - Exhaust (1")			

SPECIAL PARTS LIST FOR **MODEL** 6.0PM-3P **SPEC** 19271F
FOR STANDARD PARTS REFER TO CATALOG 919-0305 **KEY NO.** Column
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Montgomery Wards					
220-2476	1	Stator, Wound			
201-2024	1	Rotor, Wound			
211-0266	1	Bell Assembly, Generator End			
403-1041	1	Frame, Carrying			
323-1101	1	Box Assembly, Receptacle (Includes Parts Marked *)			
301-3824	1	*Box, Receptacle			
320-0540	2	*Breaker, Circuit (15 Ampere)			
320-0543	2	*Breaker, Circuit (30 Ampere)			
323-0869	1	*Strap, Ground - Receptacle			
323-0383	1	*Receptacle, Output - Duplex (15 Amp, 125 Volt)			
323-0943	1	*Receptacle, Output - Twistlock (30 Amp, 125/250 Volt 4 Wire)			
155-1564	1	Muffler, Exhaust			
155-1537	1	Arrester, Spark - Exhaust			
155-1538	1	Deflector, Muffler			
155-1539	4	Screw, Muffler (Special)			
505-0087	1	Nipple, Pipe - Exhaust (1" X 3")			
331-0053	2	Locknut - Exhaust (1")			

SPECIAL PARTS LIST FOR **MODEL** 3.0PL-1P **SPEC** 19536F
 FOR STANDARD PARTS REFER TO **CATALOG** 919-0305 **KEY NO.** Column D
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Montgomery Wards					
220-2474	1	Stator, Wound			
201-2022	1	Rotor, Wound			
100-1603	1	Engine, 4 Horsepower (Briggs & Stratton Model 170412 Spec 1734-02, For Component Parts Refer To Manufacturer)			
402-0425	4	Dampener, Vibration			
231-0195	1	Adapter, Generator			
403-1463	1	Handle, Carrying			
403-1486	1	Spacer, Handle			
520-0806	1	Stud, Rotor Through (5/16" X 4-13/16")			
403-1477	2	Grip, Handle			
323-1103	1	Box Assembly, Receptacle (Includes Parts Marked *)			
301-3916	1	*Box, Receptacle			
320-0540	2	*Breaker, Circuit (15 Ampere)			
323-0383	2	*Receptacle, Output - Duplex			
323-0869	2	*Strap, Ground - Receptacle			
155-1528	1	Arrester, Spark - Exhaust			
211-0266	1	Bell Assembly, Generator End			

SPECIAL PARTS LIST FOR MODEL 3.7PK-53CP SPEC 19725C
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column G
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 601-0209

ART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Idlematic Control			150-1667	1	Kit, Idlematic - Complete (Includes Parts Marked #)
220-2573	1	Stator, Wound	308-0412	1	#Switch, Toggle
201-2023	1	Rotor, Wound	307-1596	1	#Solenoid, Idlematic
520-0808	1	Stud, Rotor Through (5/16 X 6-5/16")	332-0941	2	#Tie, Cable
100-1517	1	Engine, 10 Horsepower (Briggs & Stratton Model 251412 Spec 0214-01, For Component Parts Refer To Manufacturer)	307-1548	1	#Bracket, Solenoid Mounting
403-1259	1	Frame, Carrying	307-1547	1	#Link, Solenoid To Carburetor
301-4407	1	Frame, Control	331-0127	1	#Connector, Box (90°) - Idlematic Solenoid
301-4405	1	Panel, Control	331-0136	1	#Conduit, Flex (24")
301-4406	1	Cover, Control	300-1435	1	#Board Assembly, Printed Circuit - Complete (Includes Parts Marked +)
508-0051	1	Grommet, (2" Hole)	355-0062	1	+Capacitor (.1 Mfd, 100 Volt)
232-2636	1	Bracket & Terminal Assembly, Control	315-0414	1	+Transformer
155-1564	1	Muffler, Exhaust	356-0061	1	+Capacitor, Electrolytic (330 Mfd, 3 Volt)
155-1537	1	Arrester, Spark - Exhaust	357-0004	3	+Diode, Rectifier
155-1538	1	Deflector, Muffler	359-0036	1	+Diode, Zener
155-1539	4	Screw, Muffler (Special)	364-0018	1	+Rectifier, Gate Controlled
505-0004	1	Nipple, Pipe - Exhaust (1" X 1-1/2")	364-0005	1	+Rectifier, Gate Controlled
331-0053	5	Locknut - Exhaust (1")	350-0548	1	+Resistor (10K Ohm, 1/2 Watt)
505-0333	1	Elbow, Street - Exhaust (1" X 45°)	350-0557	1	+Resistor (56K Ohm, 1/2 Watt)
505-0107	1	Nipple, Pipe - Exhaust (1" X 2")	350-0560	1	+Resistor (100K Ohm, 1/2 Watt)
505-0124	1	Elbow, Pipe - Exhaust (1" X 45°)	350-0800	1	+Resistor (1 Ohm, 1/2 Watt)
323-1073	1	Panel Assembly, Receptacle (Includes Parts Marked *)			
301-4439	1	*Panel, Receptacle			
323-1072	1	*Receptacle, Output - Twistlock (20 Amp, 250 Volt, 3 Wire)			
323-1071	1	*Receptacle, Output - Twistlock (30 Amp, 125 Volt, 3 Wire)			
323-0383	1	*Receptacle, Output - Duplex (15 Amp, 125 Volt)			
308-0422	1	*Switch, Toggle - Receptacle Panel			
320-0541	2	*Breaker, Circuit (20 Ampere)			
320-0540	2	*Breaker, Circuit (15 Ampere)			
320-0543	1	*Breaker, Circuit (30 Ampere)			
323-0869	1	*Strap, Ground - Receptacle			
517-0133	4	*Plug - Receptacle Panel (1/2" Hole)			

SPECIAL PARTS LIST FOR **MODEL** 3.5PF-3P **SPEC** 19761C
 FOR STANDARD PARTS REFER TO **CATALOG** 919-0305 **KEY NO.** Column D
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Stow Manufacturing					
220-2474	1	Stator, Wound			
201-2022	1	Rotor, Wound			
231-0195	1	Adapter, Generator			
520-0806	1	Stud, Rotor Through (5/16" X 4-13/16")			
301-4407	1	Frame, Control			
301-4405	1	Panel, Control			
301-4406	1	Cover, Control			
508-0051	1	Grommet, (2" Hole)			
323-1073	1	Panel Assembly, Receptacle (Includes Parts Marked *)			
301-4439	1	*Panel, Receptacle			
323-1072	1	*Receptacle, Output - Twistlock (20 Amp, 250 Volt, 3 Wire)			
323-1071	1	*Receptacle, Output - Twistlock (30 Amp, 125 Volt, 3 Wire)			
323-0383	1	*Receptacle, Output - Duplex (15 Amp, 125 Volt)			
308-0422	1	*Switch, Toggle - Receptacle Panel			
320-0541	2	*Breaker, Circuit (20 Ampere)			
320-0540	2	*Breaker, Circuit (15 Ampere)			
320-0543	1	*Breaker, Circuit (30 Ampere)			
323-0869	1	*Strap, Ground - Receptacle			
517-0133	4	Plug - Receptacle Panel (1/2" Hole)			
179-1552	1	Arrester, Spark - Exhaust			

SPECIAL PARTS LIST FOR MODEL 5.5PM-3P SPEC 19878F
FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column F
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2476	1	Stator, Wound			
201-2024	1	Rotor, Wound			
211-0266	1	Bell Assembly, Generator End			
403-1041	1	Frame, Carrying			
323-0944	1	Box Assembly, Receptacle			
155-1564	1	Muffler, Exhaust			
155-1537	1	Arrester, Spark - Exhaust			
155-1538	1	Deflector, Muffler			
155-1539	4	Screw, Muffler (Special)			
505-0087	1	Nipple, Pipe - Exhaust (1" X 3")			
331-0053	2	Locknut - Exhaust (1")			

SPECIAL PARTS LIST FOR MODEL 3.0PF-3P SPEC 20042C
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column D
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC)601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Milwaukee Tool					
220-2474	1	Stator, Wound			
201-2022	1	Rotor, Wound			
231-0195	1	Adapter, Generator			
502-0806	1	Stud, Rotor Through (5/16" X 4-13/16")			
403-1040	1	Frame, Carrying			
301-4365	1	Box, Receptacle			
234-0558	1	Panel, Louver - End Bell			
508-0195	1	Bushing, Receptacle Box			
323-1066	1	Panel Assembly, Receptacle (Includes Parts Marked *)			
301-4356	1	*Panel, Receptacle			
323-1072	1	*Receptacle, Output - Twistlock (20 Amp, 250 Volt, 3 Wire)			
323-1071	1	*Receptacle, Output - Twistlock (30 Amp, 125 Volt, 3 Wire)			
323-0383	1	*Receptacle, Output - Duplex (15 Amp, 125 Volt)			
308-0411	1	*Switch, Toggle - Receptacle Panel			
320-0541	2	*Breaker, Circuit (20 Ampere)			
320-0540	1	*Breaker, Circuit (15 Ampere)			
320-0543	1	*Breaker, Circuit (30 Ampere)			
332-1815	1	*Strip, Terminal			
323-0869	1	*Strap, Ground - Receptacle			

SPECIAL PARTS LIST FOR MODEL 4.0PK-3P SPEC 20043C
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column G
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Milwaukee Tool					
220-2475	1	Stator, Wound			
201-2023	1	Rotor, Wound			
520-0808	1	Stud, Rotor Through (5/16 X 6- 5/16")			
100-1617	1	Engine, 10 Horsepower (Briggs & Stratton Model 220432 Spec 0131-01, For Component Parts Refer To Manufacturer)			
403-1041	1	Frame, Carrying			
301-4365	1	Box, Receptacle			
234-0558	1	Panel, Louver - End Bell			
508-0195	1	Bushing, Receptacle Box			
323-1066	1	Panel Assembly, Receptacle (Includes Parts Marked *)			
301-4356	1	*Panel, Receptacle			
323-1072	1	*Receptacle, Output - Twistlock (20 Amp, 250 Volt, 3 Wire)			
323-1071	1	*Receptacle, Output - Twistlock (30 Amp, 125 Volt, 3 Wire)			
323-0383	1	*Receptacle, Output - Duplex (15 Amp, 125 Volt)			
308-0411	1	*Switch, Toggle - Receptacle Panel			
320-0541	2	*Breaker, Circuit (20 Ampere)			
320-0540	1	*Breaker, Circuit (15 Ampere)			
320-0543	1	*Breaker, Circuit (30 Ampere)			
332-1815	1	*Strip, Terminal			
323-0869	1	*Strap, Ground - Receptacle			
517-0133	4	*Plug-Receptacle Panel (1/2")			
331-0053	2	Locknut - Exhaust (1")			
505-0088	1	Nipple, Pipe - Exhaust (1 X 4-1/2")			
155-1564	1	Muffler, Exhaust			

SPECIAL PARTS LIST FOR MODEL 4.OPN-3P SPEC 20043C
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column G
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC)601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Milwaukee Tool					
220-2475	1	Stator, Wound			
201-2023	1	Rotor, Wound			
100-1681	1	Engine, 11 Horsepower (Briggs & Stratton Model 251412 For Component Parts Refer To Manufacturer)			
520-0808	1	Stud, Rotor Through (5/16" X 6- 5/16")			
211-0266	1	Bell Assembly, Generator End			
403-1041	1	Frame, Carrying			
301-4365	1	Box, Receptacle			
234-0558	1	Panel, Louver - End Bell			
508-0195	1	Bushing, Receptacle Box			
323-1066	1	Panel Assembly, Receptacle (Includes Parts Marked *)			
301-4356	1	*Panel, Receptacle			
323-1072	1	*Receptacle, Output - Twistlock (20 Amp, 250 Volt, 3 Wire)			
323-1071	1	*Receptacle, Output - Twistlock (30 Amp, 125 Volt, 3 Wire)			
323-0383	1	*Receptacle, Output - Duplex (15 Amp, 125 Volt)			
308-0411	1	*Switch, Toggle - Receptacle Panel			
320-0541	2	*Breaker, Circuit (20 Ampere)			
320-0540	1	*Breaker, Circuit (15 Ampere)			
320-0543	1	*Breaker, Circuit (30 Ampere)			
332-1815	1	*Strip, Terminal			
323-0869	1	*Strap, Ground - Receptacle			
517-0133	4	*Plug, Receptacle Panel (1/2")			
331-0053	2	Locknut - Exhaust (1")			
505-0088	1	Nipple, Pipe - Exhaust (1 X 4-1/2")			
155-1564	1	Muffler, Exhaust			

SPECIAL PARTS LIST FOR **MODEL** 5.5PM-3P **SPEC** 20043C
 FOR STANDARD PARTS REFER TO **CATALOG** 919-0305 **KEY NO.** Column F
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Milwaukee Tool					
220-2476	1	Stator, Wound			
201-2024	1	Rotor, Wound			
403-1041	1	Frame, Carrying			
211-0266	1	Bell Assembly, Generator End			
301-4365	1	Box, Receptacle			
234-0558	1	Panel, Louver - End Bell			
508-0195	1	Bushing, Receptacle Box			
323-1066	1	Panel Assembly, Receptacle (Includes Parts Marked *)			
301-4356	1	*Panel, Receptacle			
323-1072	1	*Receptacle, Output - Twistlock (20 Amp, 250 Volt, 3 Wire)			
323-1071	1	*Receptacle, Output - Twistlock (30 Amp, 125 Volt, 3 Wire)			
323-0383	1	*Receptacle, Output - Duplex (15 Amp, 125 Volt)			
308-0411	1	*Switch, Toggle - Receptacle Panel			
320-0541	2	*Breaker, Circuit (20 Ampere)			
320-0540	1	*Breaker, Circuit (15 Ampere)			
320-0543	1	*Breaker, Circuit (30 Ampere)			
332-1815	1	*Strip, Terminal			
323-0869	1	*Strap, Ground - Receptacle			
517-0133	4	*Plug, Receptacle Panel (1/2")			
331-0053	2	Locknut - Exhaust (1")			
505-0087	1	Nipple, Pipe - Exhaust (1" X 3")			
155-1564	1	Muffler, Exhaust			

SPECIAL PARTS LIST FOR MODEL 6.0PM-3P SPEC 20085C
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column F
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2476	1	Stator, Wound			
201-2024	1	Rotor, Wound			
211-0266	1	Bell Assembly, Generator End			
403-1259	1	Frame, Carrying			
301-4407	1	Frame, Control			
301-4405	1	Panel, Control			
301-4406	1	Cover, Control			
301-4601	1	Panel, Receptacle - Blank			
508-0051	1	Grommet, (2" Hole)			
232-2636	1	Bracket & Terminal Assembly, Control			
323-1073	1	Panel Assembly, Receptacle (Includes Parts Marked *)			
301-4439	1	*Panel, Receptacle			
323-1072	1	*Receptacle, Output - Twistlock (20 Amp, 250 Volt, 3 Wire)			
323-1071	1	*Receptacle, Output - Twistlock (30 Amp, 125 Volt, 3 Wire)			
323-0383	1	*Receptacle, Output - Duplex (15 Amp, 125 Volt)			
308-0422	1	*Switch, Toggle - Receptacle Panel			
320-0541	2	*Breaker, Circuit (20 Ampere)			
320-0540	2	*Breaker, Circuit (15 Ampere)			
320-0543	1	*Breaker, Circuit (30 Ampere)			
323-0869	1	*Strap, Ground - Receptacle			
517-0133	4	*Plug - Receptacle Panel (1/2" Hole)			
331-0053	4	Locknut - Exhaust (1")			
505-0004	1	Nipple, Close - Exhaust (1" X 1-1/2")			
505-0086	1	Nipple, Exhaust (1" X 2-1/2")			
505-0041	1	Elbow, Pipe - Exhaust (1" X 90°)			
155-1564	1	Muffler, Exhaust			
155-1537	1	Arrester, Spark - Exhaust			
155-1538	1	Deflector, Muffler			
155-1539	4	Screw, Muffler (Special)			

SPECIAL PARTS LIST FOR MODEL 1.7PC-1P SPEC 20262F
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column B
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (AC)601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Montgomery Wards					
220-2955	1	Stator, Wound			
201-2021	1	Rotor, Wound			
323-1103	1	Box Assembly, Receptacle (Includes Parts Marked *)			
301-3916	1	*Box, Receptacle			
320-0540	2	*Breaker, Circuit			
323-0383	2	*Receptacle, Output			
323-0869	2	*Strap, Ground			
179-1552	1	Arrester, Spark - Exhaust			
100-1644	1	Engine, 4 Horsepower (Briggs & Stratton Model 100212 Spec 0583-01, For Component Parts Refer To Manufacturer)			

SPECIAL PARTS LIST FOR MODEL 2.2PE-1P SPEC 20263F
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column C
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (AC)601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Montgomery Wards					
220-2955	1	Stator, Wound			
201-2021	1	Rotor, Wound			
323-1103	1	Box Assembly, Receptacle (Includes Parts Marked *)			
301-3916	1	*Box, Receptacle			
320-0540	2	*Breaker, Circuit (15 Ampere)			
323-0383	2	*Receptacle, Output (Duplex)			
323-0869	2	*Strap, Ground - Receptacle			
179-1552	1	Arrester, Spark - Exhaust			
100-1615	1	Engine, 5 Horsepower (Briggs & Stratton Model 130212 Spec 0921-01, For Component Parts Refer To Manufacturer)			

SPECIAL PARTS LIST FOR **MODEL** 3.0PL-3P **SPEC** 20264F
FCR STANDARD PARTS REFER TO CATALOG 919-0305 **KEY NO.** Column D
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Montgomery Wards					
220-2474	1	Stator, Wound			
201-2022	1	Rotor, Wound			
100-1603	1	Engine, 4 Horsepower (Briggs & Stratton Model 170412 Spec 1734-02, For Component Parts Refer To Manufacturer)			
402-0425	4	Dampener, Vibration			
231-0195	1	Adapter, Generator			
403-1463	1	Handle, Carrying			
403-1486	1	Spacer, Handle			
520-0806	1	Stud, Rotor Through (5/16" X 4-13/16")			
403-1477	2	Grip, Handle			
155-1528	1	Arrester, Spark - Exhaust			
323-1102	1	Box Assembly, Receptacle (Includes Parts Marked *)			
301-3916	1	*Box, Receptacle			
320-0540	3	*Breaker, Circuit (15 Ampere)			
323-0383	1	*Receptacle, Output - Duplex (120 Volt, Parallel Blades)			
323-0213	1	*Receptacle, Output - Duplex (240 Volt, Tandem Blades)			
323-0869	1	*Strap, Ground - Receptacle			
211-0266	1	Bell Assembly, Generator End			

SPECIAL PARTS LIST FOR MODEL 5.0PK-3P SPEC 20270F
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column C
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Montgomery Wards					
220-2475	1	Stator, Wound			
201-2023	1	Rotor, Wound			
520-0808	1	Stud, Rotor Through (5/16 X 6- 5/16")			
100-1617	1	Engine, 10 Horsepower (Briggs & Stratton Model 220432 Spec 0131-01, For Component Parts Refer To Manufacturer)			
403-1041	1	Frame, Carrying			
323-1102	1	Box Assembly, Receptacle (Includes Parts Marked *)			
301-3916	1	*Box, Receptacle			
320-0540	3	*Breaker, Circuit (15 Ampere)			
323-0383	1	*Receptacle, Output - Duplex (120 Volt, Parallel Blades)			
323-0213	1	*Receptacle, Output - Duplex (240 Volt, Tandem Blades)			
323-0869	1	*Strap, Ground - Receptacle			
155-1564	1	Muffler, Exhaust			
155-1537	1	Arrester, Spark - Exhaust			
155-1538	1	Deflector, Muffler			
155-1539	4	Screw, Muffler (Special)			
505-0088	1	Nipple, Pipe - Exhaust (1" X 4-1/2")			
331-0053	2	Locknut - Exhaust (1")			

SPECIAL PARTS LIST FOR MODEL 5.0PK-3E SPEC 20271F
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column C
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC)601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Montgomery Wards					
220-2475	1	Stator, Wound			
201-2023	1	Rotor, Wound			
520-0808	1	Stud, Rotor Through (5/16 X 6- 5/16")			
100-1648	1	Engine, 10 Horsepower (Briggs & Stratton Model 220435)			
403-1503	1	Frame, Carrying			
323-1102	1	Box Assembly, Receptacle (Includes Parts Marked *)			
301-3916	1	*Box, Receptacle			
320-0540	3	*Breaker, Circuit (15 Ampere)			
323-0383	1	*Receptacle, Output - Duplex (120 Volt, Parallel Blades)			
323-0213	1	*Receptacle, Output - Duplex (240 Volt, Tandem Blades)			
323-0869	1	*Strap, Ground - Receptacle			
155-1564	1	Muffler, Exhaust			
155-1537	1	Arrester, Spark - Exhaust			
155-1538	1	Deflector, Muffler			
155-1539	4	Screw, Muffler (Special)			
505-0088	1	Nipple, Pipe - Exhaust (1" X 4-1/2")			
331-0053	2	Locknut - Exhaust (1")			
416-0703	1	Tray, Battery			
508-0060	1	Grommet, Rubber - Battery Tray (1" Hole)			
301-4826	1	Cover, Switch			
313-0032	1	Switch, Push - Starter			
304-0342	1	Resistor, Fixed (7.5 Ohms, 10 Watt) - Charging Circuit			
357-0030	1	Rectifier, Diode - Charging Circuit			
192-0399	1	Rope, Starter			
416-0696	1	Hold-Down, Battery			

		(20 Amp, 250 Volt, 3 Wire)
323-1071	1	*Receptacle, Output - Twistlock
		(30 Amp, 125 Volt, 3 Wire)
323-0383	1	*Receptacle, Output - Duplex
		(15 Amp, 125 Volt)
323-0869	1	Strap, Ground - Receptacle
155-1564	1	Muffler, Exhaust
155-1537	1	Arrester, Spark - Exhaust
155-1538	1	Deflector, Muffler
155-1539	4	Screw, Muffler (Special)
505-0087	1	Nipple, Pipe - Exhaust
		(1" X 3")
331-0053	2	Locknut - Exhaust (1")
323-0862	1	Plug, Twistlock - Receptacle
323-0863	1	Plug, Twistlock - Receptacle

SPECIAL PARTS LIST FOR MODEL 5.0PN-3E SPEC 20624F
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (AC)601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Montgomery Wards					
220-2475	1	Stator, Wound			
201-2023	1	Rotor, Wound			
100-1682	1	Engine, 11 Horsepower (Briggs & Stratton Model 252415 For Component Parts Refer To Manufacturer)			
211-0266	1	Bell Assembly, Generator End			
520-0808	1	Stud, Rotor Through (5/16 X 6- 5/16")			
403-1503	1	Frame, Carrying			
323-1102	1	Box Assembly, Receptacle (Includes Parts Marked *)			
301-3916	1	*Box, Receptacle			
320-0540	3	*Breaker, Circuit (15 Ampere)			
323-0383	1	*Receptacle, Output - Duplex (120 Volt, Parallel Blades)			
323-0213	1	*Receptacle, Output - Duplex (240 Volt, Tandem Blades)			
323-0869	1	*Strap, Ground - Receptacle			
155-1564	1	Muffler, Exhaust			
155-1537	1	Arrester, Spark - Exhaust			
155-1538	1	Deflector, Muffler			
155-1539	4	Screw, Muffler (Special)			
505-0088	1	Nipple, Pipe - Exhaust (1" X 4-1/2")			
331-0053	2	Locknut - Exhaust (1")			
416-0703	1	Tray, Battery			
508-0060	1	Grommet, Rubber - Battery Tray (1" Hole)			
301-4826	1	Cover, Switch			
313-0032	1	Switch, Push - Starter			
304-0342	1	Resistor, Fixed (7.5 Ohms, 10 Watt) Charging Circuit			
357-0030	1	Rectifier, Diode - Charging Circuit			
192-0399	1	Rope, Starter			
418-0696	1	Hold-Down, Battery			

SPECIAL PARTS LIST FOR MODEL 3.7PK-53BP SPEC 20673C
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)
 WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
*Side Mounted Receptacle Box - Left					
220-2565	1	Stator, Wound			
201-2023	1	Rotor, Wound			
520-0808	1	Stud, Rotor Through (5/16 X 6-5/16")			
100-1617	1	Engine, 10 Horsepower (Briggs & Stratton Model 220432 Spec 0131-01, For Component Parts Refer To Manufacturer)			
403-1259	1	Frame, Carrying			
331-0053	5	Locknut - Exhaust (1")			
505-0333	1	Elbow, Street - Exhaust (1 X 45°)			
505-0107	1	Nipple, Pipe - Exhaust (1 X 2")			
155-1564	1	Muffler, Exhaust			
505-0004	1	Nipple, Pipe - Exhaust (1 X 1-1/2")			
505-0124	1	Elbow, Pipe - Exhaust (1 X 45°)			
* - For Component Parts Refer To Column D					