

The following catalog has gaps in its page numbers, or doesn't have any numbers. We have chosen to leave the page numbering in the order that Acrobat assigns it.

SPECIAL PARTS LIST FOR MODEL 15.0RJC-5DR SPEC 21050AB

FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2

(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5487-01(AC)612-5502-17

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		Water Jacket Heater			
		Oil Base Heater			
		Overspeed Cut Off			
220-2044	1	Stator Assembly - Wound			
201-2159	1	Rotor Assembly - Wound			
520-0799	4	Stud, Generator Through			
520-0791	1	Stud, Rotor Through			
303-0201	1	Rheostat Assembly - Adjustable			
301-2204	1	Panel, Control - Upper			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-3R SPEC 21057AB  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5497-01(AC)612-5486-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Gas - Gasoline Carburetor			
		Water Jacket Heater			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off - Dual Senders			
		High Water Temperature Cut Off - Dual Senders			
		Overcrank Cut Off			
332-0941	1	Tie, Cable - Solenoid Coil Assembly			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2288	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, & Overspeed Shutdown			
322-0004	4	Lamp, Panel, Plant, Low Oil Pressure, High Water Temperature, & Overspeed			
322-0069	4	Holder, Lamp			
307-0819	3	Relay, Low Oil Pressure, High Water Temperature, & Low Engine Temperature			
307-0848	1	Relay, Oil Pressure - To 15 Seconds			
323-0052	3	Socket, 8 Contact - Octal Type			
307-1157	1	Spring, Relay Hold-Down			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Relay			
332-0943	2	Spacer, Relay Socket			
307-0778	3	Spring, Hold-Down			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker - For 20 Place Block			
307-0914	1	Relay, Starter Pilot			
301-3241	1	Bracket, Relay Mounting			
301-2393	1	Bracket, Relay Mounting			

SPECIAL PARTS LIST FOR MODEL 12.5RJC-3R SPEC 11531AB

FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 1

(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5509-01(AC) 612-5486-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Water Temperature Cut Off			
		Overcrank Cut Off			
322-0004	4	Lamp, Plant, Low Oil Pressure High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, Overspeed			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker - For 20 Place Block			
301-2125	1	Panel, Control - Lower			
301-2288	1	Panel, Control - Upper			

SPECIAL PARTS LIST FOR MODEL 12.5RJC-3R31 SPEC 12699AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-4874-01(AC)612-4815-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Note: Pennsylvania Approved Natural Gas Carburetor Overspeed Cut Off Low Oil Pressure Cut Off - Dual Senders High Water Temperature Cut Off - Dual Senders Overcrank Cut Off High Compression Pistons					
502-0058	1	Tee, Restricted-Front Cylinder Head			
301-2288	1	Panel, Control - Upper			
307-0655	3	Relay, Emergency Latching			
320-0259	1	Relay, Cranking Limiter			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil Pressure High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
307-0848	1	Relay, Oil Pressure - To 15 Seconds			
332-0943	4	Spacer, Relay Socket (3/8" OD X 3/16" ID)			
308-0005	1	Switch, Selector - Toggle			
301-3252	1	Bracket, Relay Mounting			
307-0778	2	Spring, Hold Down			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker - For 20 Place Block			
323-0052	2	Socket, 8 Contact - Octal Type			
307-0819	2	Relay, Low Oil Pressure, High Water Temperature			
149-0558	1	Strainer, Regulator			
307-0829	1	Kit, Coil Replacement			
416-0325	1	Hydrometer, 3 Color Scale - Battery Tester			

SPECIAL PARTS LIST FOR MODEL 12.5RJC-3CR SPEC 7AB  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5487-01 (AC) 612-5485-03

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
301-2019	1	Panel, Control - Upper			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-18R SPEC 7AB  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5487-01(AC)612-5485-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed Unit					
220-2043	1	Stator, Wound			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2019	1	Panel, Control - Upper			

WIRING DIAGRAM NO. (ENG)612-5497-02(AC)612-5499-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Note: Pennsylvania Approved					
Natural Gas Carburetor					
Low Oil Pressure Cut Off					
High Engine Temperature Cut Off					
High Compression Pistons					
Overspeed Cut Off					
301-1788	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, & Overspeed Shutdown			
322-0004	3	Lamp, Panel, Low Oil Pressure, High Water Temperature, & Overspeed			
322-0069	3	Holder, Lamp			
307-0819	3	Relay, Low Oil Pressure, High Water Temperature, & Low Engine Temperature			
307-0848	1	Relay, Oil Pressure - Time Delay 15 Second			
323-0321	3	Socket, 8 Contact - Octal Type			
307-1157	1	Spring, Relay Holddown			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Relay			
332-0943	2	Spacer, Relay Socket			
307-0778	3	Spring, Holddown			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker (20 Place)			
332-0611	1	Block, Terminal (3 Place)			
301-3241	1	Bracket, Relay Mounting			
301-2393	1	Bracket, Relay Mounting			
332-0612	1	Strip, Marker (3 Place)			
308-0005	1	Switch, Selector			
149-0558	1	Strainer, Regulator			
307-0829	1	Kit, Coil Replacement			
416-0325	1	Hydrometer, 3 Color Scale - Battery Tester			

SPECIAL PARTS LIST FOR MODEL 12.5RJC-3R SPEC 14AB  
FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 1  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5487-01(AC)612-5486-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
301-2288	1	Panel, Control - Upper			

SPECIAL PARTS LIST FOR **MODEL** 12.5RJC-4R **SPEC** 14AB  
 FOR STANDARD PARTS REFER TO **CATALOG** 974-0220 **KEY NO.** 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
**WIRING DIAGRAM NO.** (ENG)612-5487-01(AC)612-5500-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
301-2204	1	Panel, Control - Upper			

SPECIAL PARTS LIST FOR **MODEL** 12.5RJC-18R **SPEC** 1018AB  
 FOR STANDARD PARTS REFER TO **CATALOG** 974-0220 **KEY NO.** 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
**WIRING DIAGRAM NO.** (ENG)612-5487-01(AC)612-5485-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit Gas-Gasoline Carburetor			
301-2019	1	Panel, Control - Upper			

SPECIAL PARTS LIST FOR MODEL 12.5RJC-4R SPEC 1643AB  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 3  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5487-01(AC)612-5500-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		City Water Cooled			
		Water Cooled Manifold			
		Natural Gas Carburetor			
193-0246	1	Sender, Water Temperature			
301-2204	1	Panel, Control - Upper			

SPECIAL PARTS LIST FOR MODEL 12.5RJC-4R SPEC 2191AB  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 3  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5487-01(AC)612-5500-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		City Water Cooled Water Cooled Manifold Heat Exchanger Natural Gas Carburetor			
505-0266	1	Plug, Pipe - Recessed Head - Exhaust Manifold (3/8")			
504-0006	1	Cock, Drain - Pipe - Exhaust Manifold (1/8")			
517-0059	1	Plug, Expansion - Brass (1-7/16" OD X .083) Exhaust Manifold			
503-0478	1	Hose, Cylinder (9" Long)			
505-0376	1	Elbow, 45° (3/8") Expansion Chamber			
301-2204	1	Panel, Control - Upper			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4XR SPEC 5415AB  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5487-01(AC) 612-5501-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
High Compression Pistons					
Natural Gas Carburetor					
220-2043	1	Stator, Wound			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2308	1	Panel, Control - Upper			
405-1157	1	Flange, Air Duct Adapter			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4R SPEC 6755AB  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5487-01(AC)612-5500-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Engine Coolant Heater			
		Overspeed Cut Off			
		Oil Base Heater			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			
405-1157	1	Flange, Air Duct Adapter			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-3R SPEC 7623AB  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG) 612-5487-01 (AC) 612-5486-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
LPG Vapor Carburetor					
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2288	1	Panel, Control - Upper			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4R SPEC 9172AB  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW

WIRING DIAGRAM NO. (ENG) 612-5487-01 (AC) 612-5500-07

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		Muffler Mounted On Housing			
		Mounted Fuel Tank			
		Engine Coolant Heater			
		Oil Base Heater			
220-2043	1	Stator Assembly - Wound			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			
155-0360	1	Muffler, Critical Type			
155-0927	1	Tube, Exhaust			
140-0078	2	Bands, Muffler - Mounted On Housing			
405-1889	1	Shield, Rain			
505-0043	2	Elbow, 90° (1-1/2")			
501-0005	1	Line, Fuel - Flex (18-1/2" Lg)			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4R SPEC 9316AB  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5487-01(AC)612-5500-07

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed Unit					
Muffler Mounted On Housing					
Engine Coolant Heater					
Oil Base Heater					
220-2043	1	Stator Assembly - Wound			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			
155-0360	1	Muffler, Critical Type			
155-0927	1	Tube, Exhaust			
140-0078	2	Bands, Muffler - Mounted On Housing			
405-1889	1	Shield, Rain			
505-0043	2	Elbow, 90° (1-1/2")			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4XR SPEC 9316AB  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5487-01(AC)612-5501-05

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		Muffler Mounted On Housing			
		Engine Coolant Heater			
		Oil Base Heater			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2308	1	Panel, Control - Upper			
155-0360	1	Muffler, Critical Type			
155-0927	1	Tube, Exhaust			
140-0078	2	Bands, Muffler - Mounted On Housing			
405-1889	1	Shield, Rain			
505-0043	2	Elbow, 90° (1-1/2")			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-3CR SPEC 9361AB  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5487-01(AC)612-5485-03

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		LPG Vapor Carburetor			
		Engine Coolant Heater			
		Oil Base Heater			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2019	1	Panel, Control - Upper			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4XR SPEC 9453AB  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5487-01(AC)612-5501-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Overspeed Cut Off			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2308	1	Panel, Control - Upper			

SPECIAL PARTS LIST FOR MODEL 12.5RJC-3R SPEC 9471AB  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5487-01(AC)612-5486-06

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		LPG Vapor Carburetor			
		Muffler Mounted On Housing			
		Engine Coolant Heater			
		Oil Base Heater			
301-2288	1	Panel, Control - Upper			
155-0360	1	Muffler, Critical Type			
155-0927	1	Tube, Exhaust			
140-0078	2	Bands, Muffler - Mounted On Housing			
505-0043	2	Elbow (1-1/2"-90°)			
405-1889	1	Shield, Rain			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-18R SPEC 10507AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4372-01 (AC) 612-4814-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
LPG Liquid Carburetor					
154-1224	1	Manifold, Intake			
148-0367	1	Switch, Vacuum - Gas Solenoid			
502-0053	1	Elbow, Street (45°) - Vacuum Switch			
220-2043	1	Stator Assembly, Wound			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2019	1	Panel, Control - Upper			

SPECIAL PARTS LIST FOR MODEL 12.5RJC-5DR SPEC 12621AB  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5487-01(AC)612-5502-11

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas - Gasoline Carburetor					
502-0065	1	Elbow, Male - 45 <sup>0</sup> , Inverted - Carburetor			
518-0288	1	Sealant, Thread (Use With 502-0065)			
301-2204	1	Panel, Control - Upper			
405-1157	1	Flange, Air Duct Adapter			

SPECIAL PARTS LIST FOR MODEL 12.5RJC-18R31 SPEC 14975AB  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
**WIRING DIAGRAM NO.** (ENG)612-5497-02(AC)612-5498-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Note: Pennsylvania Approved Natural Gas Carburetor Overspeed Cut Off Low Oil Pressure Cut Off - Dual Senders High Water Temperature Cut Off - Dual Senders Overcrank Cut Off					
301-1788	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, & Overspeed Shutdown			
322-0004	3	Lamp, Panel, Low Oil Pressure, High Water Temperature, & Overspeed			
322-0069	3	Holder, Lamp			
307-0819	3	Relay, Low Oil Pressure, High Water Temperature, & Low Engine Temperature			
307-0848	1	Relay, Oil Pressure - Time Delay 15 Second			
323-0321	3	Socket, 8 Contact - Octal Type			
307-1157	1	Spring, Relay Holddown			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Relay			
332-0943	2	Spacer, Relay Socket			
307-0778	3	Spring, Holddown			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker (20 Place)			
307-0914	1	Relay, Starter Pilot			
301-3241	1	Bracket, Relay Mounting			
301-2393	1	Bracket, Relay Mounting			
332-0612	1	Strip, Marker (3 Place)			
308-0005	1	Switch, Selector			
149-0558	1	Strainer, Regulator			
307-0829	1	Kit, Coil Replacement			
416-0325	1	Hydrometer, 3 Color Scale - Battery Tester			

SPECIAL PARTS LIST FOR **MODEL** 15.0RJC-4R **SPEC** 15214AB  
 FOR STANDARD PARTS REFER TO **CATALOG** 974-0220 **KEY NO.** 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
**WIRING DIAGRAM NO.** (ENG)612-5487-01(AC)612-5500-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Gas-Gasoline Carburetor			
		Engine Coolant Heater			
		Overspeed Cut Off			
		Oil Base Heater			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			
405-1157	1	Flange, Air Duct Adapter			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4XR SPEC 15539AB  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG)612-5487-01(AC)612-5501-05

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		LPG Liquid Carburetor			
		Muffler Mounted On Housing			
		Engine Coolant Heater			
		Oil Base Heater			
		Overspeed Cut Off			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2308	1	Panel, Control - Upper			
155-0360	1	Muffler, Critical Type			
155-0927	1	Tube, Exhaust			
140-0078	2	Bands, Muffler - Mounted On Housing			
505-0043	2	Elbow (1-1/2"-90°)			
405-1889	1	Shield, Rain			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-3R SPEC 15653AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-2717-01(AC)612-4815-17

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed Unit					
LPG Vapor Carburetor					
Engine Coolant Heater					
Oil Base Heater					
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2288	1	Panel, Control - Upper			
303-0201	1	Rheostat Assembly - Voltage Adjustable			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4R SPEC 15779AB  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG)612-5509-01(AC)612-5500-12

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Natural Gas Carburetor			
		High Compression Pistons			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Water Temperature Cut Off			
		Overcrank Cut Off			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, & Overspeed Shutdown			
322-0004	4	Lamp, Panel, Plant, Low Oil Pressure, High Water Temperature, & Overspeed			
322-0069	4	Holder, Lamp			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker (20 Place)			
405-1157	1	Flange, Air Duct Adapter			

SPECIAL PARTS LIST FOR MODEL 12.5RJC-4R131 SPEC 15785AB  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5497-02(AC)612-5500-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Note: Pennsylvania Approved LPG Vapor Carburetor Overspeed Cut Off Low Oil Pressure Cut Off - Dual Senders High Water Temperature Cut Off - Dual Senders Overcrank Cut Off					
301-2204	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
322-0004	3	Lamp, Low Oil Pressure, High Water Temperature, Overspeed			
322-0069	3	Holder, Lamp			
307-0848	1	Relay, Oil Pressure - Time Delay 15 Seconds			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, Overspeed Shutdown			
307-1143	1	Relay, Generating			
323-0760	1	Socket			
332-0943	2	Spacer			
307-0819	3	Relay, Low Engine Temperature Low Oil Pressure, High Water Temperature-Pre Alarm			
307-0778	3	Spring, Holddown			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker (20 Place)			
332-0611	2	Block, Terminal (3 Place)			
332-0612	1	Strip, Marker (3 Place)			
308-0005	1	Switch, Selector			
301-3241	1	Bracket, Relay Mounting			
301-2393	1	Bracket, Relay Mounting			
323-0321	3	Socket			
307-1157	1	Spring, Holddown			
405-1157	1	Flange, Air Duct Adapter			
149-0558	1	Strainer, Regulator			
307-0829	1	Kit, Coil Replacement - Fuel Valve			
416-0325	1	Hydrometer, 3 Color Scale - Battery Tester			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4R SPEC 15911AB  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG)612-5487-01(AC)612-5500-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
LPG Vapor Carburetor					
Overspeed Cut Off					
220-2043	1	Stator Assembly - Wound			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			
405-1157	1	Flange, Air Duct Adapter			

SPECIAL PARTS LIST FOR MODEL 12.5RJC-3R31 SPEC 17060AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-4912-01(AC)612-4815-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Note: Pennsylvania Approved					
Natural Gas Carburetor					
Overspeed Cut Off					
Low Oil Pressure Cut Off - Dual Senders					
High Water Temperature Cut Off - Dual Senders					
Overcrank Cut Off					
301-2288	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
307-0848	1	Relay, Oil Pressure - Time Delay 15 Seconds			
322-0004	4	Lamp, Plant, Low Oil Pressure High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, Overspeed			
307-0819	3	Relay, Low Oil Pressure, High Water Temperature, & Low Engine Temperature			
323-0321	3	Socket, 8 Contact - Octal Type			
308-0005	1	Switch, Selector			
301-3252	1	Bracket, Relay Mounting			
332-0943	4	Spacer, Relay Socket (3/8" OD)			
307-0778	3	Spring, Hold-Down			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker (20 Place)			
332-0612	1	Strip, Marker (3 Place)			
323-0760	1	Socket, Relay			
307-1143	1	Relay, Generating			
149-0558	1	Strainer, Regulator			
307-0829	1	Kit, Coil Replacement			
416-0325	1	Hydrometer, 3 Color Scale - Battery Tester			
505-0032	1	Coupling, Exhaust Tube			

WIRING DIAGRAM NO. (ENG)612-5497-02(AC)612-5486-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Note: Pennsylvania Approved					
Natural Gas Carburetor					
Overspeed Cut Off					
Low Oil Pressure Cut Off - Dual Senders					
High Water Temperature Cut Off - Dual Senders					
Overcrank Cut Off					
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2288	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
322-0004	3	Lamp, Low Oil Pressure, High Water Temperature, Overspeed			
322-0069	3	Holder, Lamp			
307-0848	1	Relay, Oil Pressure - Time Delay 15 Seconds			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, Overspeed Shutdown			
307-1143	1	Relay, Generating			
323-0760	1	Socket			
332-0943	2	Spacer			
307-0819	3	Relay, Low Engine Temperature, Low Oil Pressure, High Water Temperature-Pre Alarm			
307-0778	3	Spring, Holddown			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker (20 Place)			
332-0611	2	Block, Terminal (3 Place)			
332-0612	1	Strip, Marker (3 Place)			
308-0005	1	Switch, Selector			
301-3241	1	Bracket, Relay Mounting			
301-2393	1	Bracket, Relay Mounting			
323-0321	3	Socket			
307-1157	1	Spring, Holddown			
149-0558	1	Strainer, Regulator			
307-0829	1	Kit, Coil Replacement - Fuel Valve			
416-0325	1	Hydrometer, 3 Color Scale - Battery Tester			

WIRING DIAGRAM NO. (ENG)612-5540-01(AC)612-5500-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		Muffler Mounted On Housing			
		Natural Gas Carburetor			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Water Temperature Cut Off			
		Overcrank Cut Off			
		High Compression Pistons			
		Oil Base Heater			
		Engine Coolant Heater			
123-1283	1	Filter, Breather Tube			
301-2204	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, & Overspeed Shutdown			
322-0004	3	Lamp, Panel, Low Oil Pressure, High Water Temperature, & Overspeed			
322-0069	3	Holder, Lamp			
307-0819	1	Relay, Low Engine Temperature			
323-0321	1	Socket, 8 Contact - Octal Type			
307-1157	1	Spring, Relay Holddown			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Relay			
332-0943	2	Spacer, Relay Socket			
307-0778	1	Spring, Holddown			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker (20 Place)			
301-3241	1	Bracket, Relay Mounting			
155-0360	1	Muffler, Critical Type			
155-0927	1	Tube, Exhaust			
140-0078	2	Bands, Muffler - Mounted On Housing			
405-1889	1	Shield, Rain			
505-0043	2	Elbow, 90° (1-1/2")			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-3R SPEC 17065AB  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5540-01(AC)612-5486-07

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		Natural Gas Carburetor			
		High Compression Pistons			
		Oil Base Heater			
		Muffler Mounted On Housing			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Water Temperature Cut Off			
		Overcrank Cut Off			
		Engine Coolant Heater			
123-1283	1	Filter, Breather Tube			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2288	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
322-0004	3	Lamp, Low Oil Pressure, High Water Temperature, Overspeed			
322-0069	3	Holder, Lamp			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, Overspeed Shutdown			
307-1143	1	Relay, Generating			
323-0760	1	Socket			
332-0943	2	Spacer			
307-0819	1	Relay, Low Engine Temperature			
307-0778	1	Spring, Holddown			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker (20 Place)			
301-3241	1	Bracket, Relay Mounting			
323-0321	1	Socket			
307-1157	1	Spring, Holddown			
155-0360	1	Muffler, Critical Type			
155-0927	1	Tube, Exhaust			
140-0078	2	Bands, Muffler - Mounted On Housing			
505-0043	2	Elbow (1-1/2"-90°)			
405-1889	1	Shield, Rain			

SPECIAL PARTS LIST FOR **MODEL** 15.0RJC-3R **SPEC** 17079AB  
 FOR STANDARD PARTS REFER TO **CATALOG** 974-0220 **KEY NO.** 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (ENG)612-5509-01(AC)612-5486-07

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		Oil Base Heater			
		Engine Coolant Heater			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Water Temperature Cut Off			
		Overcrank Cut Off			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2288	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, & Overspeed Shutdown			
322-0004	3	Lamp, Panel, Low Oil Pressure, High Water Temperature, & Overspeed			
322-0069	3	Holder, Lamp			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker (20 Place)			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-3R SPEC 17634AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-2718-01(AC)612-4815-07

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		Natural Gas Carburetor			
		Muffler Mounted On Housing			
		Engine Coolant Heater			
		High Compression Pistons			
		Oil Base Heater			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Water Temperature Cut Off			
		Overcrank Cut Off			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2288	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
307-0655	3	Relay, Low Oil Pressure, High Air Temperature, & Overspeed Shutdown			
322-0004	4	Lamp, Panel, Plant, Low Oil Pressure, High Water Temperature, & Overspeed			
322-0069	4	Holder, Lamp			
332-0795	1	Block, Terminal - Engine (16 Place)			
332-0862	1	Strip, Marker (16 Place)			
155-0360	1	Muffler, Critical Type			
155-0927	1	Tube, Exhaust			
140-0078	2	Bands, Muffler - Mounted On Housing			
405-1889	1	Shield, Rain			
505-0043	2	Elbow, 90° (1-1/2")			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-3CR SPEC 17945AB  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5487-01 (AC)612-5485-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
LPG Vapor And Gasoline Carburetor					
Engine Coolant Heater					
Oil Base Heater					
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2019	1	Panel, Control - Upper			
405-1157	1	Flange, Air Duct Adapter			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4R SPEC 18112AB  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG)612-5497-01(AC)612-5500-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		LPG Vapor Carburetor			
		Engine Coolant Heater			
		Oil Base Heater			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off - Dual Senders			
		High Water Temperature Cut Off - Dual Senders			
		Overcrank Cut Off			
220-2043	1	Stator, Wound			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, & Overspeed Shutdown			
322-0004	4	Lamp, Panel, Plant, Low Oil Pressure, High Water Temperature, & Overspeed			
322-0069	4	Holder, Lamp			
307-0819	3	Relay, Low Oil Pressure, High Water Temperature, & Low Engine Temperature			
307-0848	1	Relay, Oil Pressure - Time Delay 15 Seconds			
323-0321	3	Socket, 8 Contact - Octal Type			
307-1157	1	Spring, Relay Hold-Down			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Relay			
332-0943	2	Spacer, Relay Socket			
307-0778	3	Spring, Hold-Down			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker (For 20 Place Block)			
307-0914	1	Relay, Starter Pilot			
301-3241	1	Bracket, Relay Mounting			
301-2393	1	Bracket, Relay Mounting			
405-1157	1	Flange, Air Duct Adapter			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4R SPEC 18272AB  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 4  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG)612-5487-01(AC)612-5500-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		City Water Cooled			
		Water Cooled Manifold			
		Heat Exchanger			
		Natural Gas Carburetor			
		High Compression Pistons			
		Overspeed Cut Off			
154-1224	1	Manifold, Intake			
148-0367	1	Switch, Vacuum - Gas Solenoid			
502-0053	1	Elbow, Street (45°) - Vacuum Switch			
505-0266	1	Plug, Pipe - Recessed Head - Exhaust Manifold (3/8")			
504-0006	1	Cock, Drain - Pipe - Exhaust Manifold (1/8")			
517-0059	1	Plug, Expansion (Brass) - Exhaust Manifold (1-7/16" OD X .083)			
503-0478	1	Hose, Cylinder (9" Long)			
220-2043	1	Stator Assembly, Wound			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-18R SPEC 18303AB  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5487-01(AC)612-5485-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Engine Coolant Heater			
		Oil Base Heater			
201-2159	1	Rotor Assembly, Wound			
220-2044	1	Stator, Wound			
520-0799	4	Stud, Generator Through			
520-0791	1	Stud, Rotor Through			
301-2019	1	Panel, Control - Upper			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4R SPEC 18946AB  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5497-01(AC) 612-5510-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Natural Gas Carburetor			
		High Compression Pistons			
		Engine Coolant Heater			
		Oil Base Heater			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off - Dual Senders			
		High Water Temperature Cut Off - Dual Senders			
		Overcrank Cut Off			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			
302-0810	1	Meter, Frequency - 208 Volt			
301-2125	1	Panel, Control - Lower			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, & Overspeed Shutdown			
322-0004	4	Lamp, Panel, Plant, Low Oil Pressure, High Water Temperature, & Overspeed			
322-0069	4	Holder, Lamp			
307-0819	3	Relay, Low Oil Pressure, High Water Temperature, & Low Engine Temperature			
307-0848	1	Relay, Oil Pressure - Time Delay 15 Seconds			
323-0321	3	Socket, 8 Contact - Octal Type			
307-1157	1	Spring, Relay Holddown			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Relay			
332-0943	2	Spacer, Relay Socket			
307-0778	3	Spring, Holddown			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker (20 Place)			
307-0914	1	Relay, Starter Pilot			
301-3241	1	Bracket, Relay Mounting			
301-2393	1	Bracket, Relay Mounting			
405-1157	1	Flange, Air Duct Adapter			

SPECIAL PARTS LIST FOR MODEL 15.0RJG-18R131 SPEC 19429AB  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG)612-5497-02(AC)612-5498-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Note: Pennsylvania Approved					
LPG Vapor Carburetor					
Overspeed Cut Off					
Low Oil Pressure Cut Off - Dual Senders					
High Water Temperature Cut Off - Dual Senders					
Overcrank Cut Off					
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-1788	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
322-0004	3	Lamp, Low Oil Pressure, High Water Temperature, Overspeed			
322-0069	3	Holder, Lamp			
307-0848	1	Relay, Oil Pressure - Time Delay 15 Seconds			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, Overspeed Shutdown			
307-1143	1	Relay, Generating			
323-0760	1	Socket			
332-0943	2	Spacer			
307-0819	3	Relay, Low Engine Temperature, Low Oil Pressure, High Water Temperature-Pre Alarm			
307-0778	3	Spring, Holddown			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker (20 Place)			
332-0611	2	Block, Terminal (3 Place)			
332-0612	1	Strip, Marker (3 Place)			
308-0005	1	Switch, Selector			
301-3241	1	Bracket, Relay Mounting			
301-2393	1	Bracket, Relay Mounting			
323-0321	3	Socket			
307-1157	1	Spring, Holddown			
149-0558	1	Strainer, Regulator			
307-0829	1	Kit, Coil Replacement - Fuel Valve			
416-0325	1	Hydrometer, 3 Color Scale - Battery Tester			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-18R SPEC 21037AB  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG)612-5497-01(AC)612-5485-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		Engine Coolant Heater			
		Oil Base Heater			
		Generator Heater			
		Control Box Heater			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off - Dual Senders			
		High Water Temperature Cut Off - Dual Senders			
		Overcrank Cut Off			
220-2043	1	Stator, Wound			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2019	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, & Overspeed Shutdown			
322-0004	4	Lamp, Panel, Plant, Low Oil Pressure, High Water Temperature, & Overspeed			
322-0069	4	Holder, Lamp			
307-0819	3	Relay, Low Oil Pressure, High Water Temperature, & Low Engine Temperature			
307-0848	1	Relay, Oil Pressure - Time Delay 15 Seconds			
323-0321	3	Socket, 8 Contact - Octal Type			
307-1157	1	Spring, Relay Holddown			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Relay			
332-0943	2	Spacer, Relay Socket			
307-0778	3	Spring, Holddown			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker (20 Place)			
307-0914	1	Relay, Starter Pilot			
301-3241	1	Bracket, Relay Mounting			
301-2393	1	Bracket, Relay Mounting			
625-0477		Control Box Heater Consists Of Following: (Parts Marked With ++)			
333-0151	1	++Heater, 300 Watt, 240 Volt (75 Watt At 120 Volt)			
309-0128	1	++Thermostat - Open At 105 <sup>0</sup> ±5 <sup>0</sup>			
301-1886	1	++Cover, Thermostat			
335-0110	1	++Cord Assembly			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-18R SPEC 21079AB  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5487-01(AC)612-5485-06

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Natural Gas Carburetor					
High Compression Pistons					
Oil Base Heater					
Engine Coolant Heater					
220-2043	1	Stator Assembly, Wound			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2019	1	Panel, Control - Upper			
303-0201	1	Rheostat Assembly-Adjustable			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4XR SPEC 21203AB  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 4  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5726-01(AC)612-5501-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		City Water Cooled			
		Water Cooled Manifold			
		Heat Exchanger			
		Gas-Gasoline Carburetor			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Water Temperature Cut Off			
		Overcrank Cut Off			
193-0246	1	Sender, Water Temperature			
504-0003	1	Cock, Drain - Heat Exchanger			
526-0158	4	Washer, Heat Exchanger To Heat Exchanger Bracket (.261 ID X 1 OD X 1/8" Thk)			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2308	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
322-0004	3	Lamp, Low Oil Pressure, High Water Temperature, Overspeed			
322-0069	3	Holder, Lamp			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, Overspeed Shutdown			
307-0819	1	Relay, Low Engine Temperature			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker (20 Place)			
301-3241	1	Bracket, Relay Mounting			
323-0321	1	Socket			
332-2025	1	Block, Terminal (7 Place)			
332-2027	1	Strip, Marker (Use Blank Side)			

WIRING DIAGRAM NO. (ENG)612-5497-02(AC)612-5500-07

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Note: Pennsylvania Approved					
Housed Unit					
Natural Gas Carburetor					
Engine Coolant Heater					
Oil Base Heater					
Overspeed Cut Off					
Low Oil Pressure Cut Off - Dual Senders					
High Water Temperature Cut Off - Dual Senders					
Overcrank Cut Off					
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, & Overspeed Shutdown			
322-0004	4	Lamp, Panel, Plant, Low Oil Pressure, High Water Temperature, & Overspeed			
322-0069	4	Holder, Lamp			
307-0819	3	Relay, Low Oil Pressure, High Water Temperature, & Low Engine Temperature			
307-0848	1	Relay, Oil Pressure - Time Delay 15 Seconds			
323-0321	3	Socket, 8 Contact - Octal Type			
308-0005	1	Switch, Selector			
307-1157	1	Spring, Relay Holddown			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Relay			
332-0943	2	Spacer, Relay Socket			
307-0778	3	Spring, Holddown			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker (20 Place)			
307-0914	1	Relay, Starter Pilot			
301-3241	1	Bracket, Relay Mounting			
301-2393	1	Bracket, Relay Mounting			
149-0558	1	Strainer, Regulator			
307-0829	1	Kit, Coil Replacement (Fuel Valve)			
416-0325	1	Hydrometer, 3 Color Scale - Battery Tester			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4R SPEC 21263AB  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5540-01(AC)612-5500-12

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
LPG Vapor Carburetor					
Overspeed Cut Off					
Low Oil Pressure Cut Off					
High Water Temperature Cut Off					
Overcrank Cut Off					
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
322-0004	3	Lamp, Low Oil Pressure, High Water Temperature, Overspeed			
322-0069	3	Holder, Lamp			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, Overspeed Shutdown			
307-1143	1	Relay, Generating			
323-0760	1	Socket			
332-0943	2	Spacer			
307-0819	1	Relay, Low Engine Temperature,			
307-0778	1	Spring, Holddown			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker (20 Place)			
301-3241	1	Bracket, Relay Mounting			
323-0321	1	Socket			
307-1157	1	Spring, Holddown			
405-1157	1	Flange, Air Duct Adapter			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4R SPEC 21273AB  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW  
**WIRING DIAGRAM NO.** (ENG)612-5509-01(AC)612-5500-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
LPG Vapor Carburetor					
Overspeed Cut Off					
Low Oil Pressure Cut Off					
High Water Temperature Cut Off					
Overcrank Cut Off					
154-1224	1	Manifold, Intake			
148-0367	1	Switch, Vacuum - Gas Solenoid			
502-0053	1	Elbow, Street - Vacuum Switch (45°)			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil Pressure High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, Overspeed			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker (20 Place)			
405-1157	1	Flange, Air Duct Adapter			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4XR SPEC 21311AB  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW  
 WIRING DIAGRAM NO. (ENG)612-5643-01(AC)612-5501-08

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Natural Gas Carburetor			
		High Compression Pistons			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Water Temperature Cut Off			
		Overcrank Cut Off			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2308	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Low Oil Pressure, High Water Temperature, Overspeed, Plant			
322-0069	4	Holder, Lamp			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, Overspeed			
323-0321	1	Socket, 8 Contact - Octal Type			
332-0943	2	Spacers			
307-0819	1	Relay, Low Engine Temperature			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Relay			
307-1157	1	Spring, Holddown			
300-0673	1	Control, Alarm Relay			
301-3241	1	Bracket, Relay Mounting			
307-0778	1	Spring, Holddown			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker (20 Place)			
405-1157	1	Flange, Air Duct Adapter			

SPECIAL PARTS LIST FOR MODEL 12.5RJC-5DR SPEC 21314AB  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG) 612-5509-01(AC) 612-5502-11

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		LPG Vapor Carburetor			
		Engine Coolant Heater			
		Oil Base Heater			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Water Temperature Cut Off			
		Overcrank Cut Off			
301-2204	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil Pressure High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, Overspeed			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker (20 Place)			
405-1157	1	Flange, Air Duct Adapter			

SPECIAL PARTS LIST FOR MODEL 12.5RJC-3CR SPEC 21345AB  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5487-01(AC)612-5485-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Gas-Gasoline Carburetor			
		Engine Coolant Heater			
		Oil Base Heater			
502-0065	1	Elbow, Male - Inverted 45° - Carburetor Fuel Inlet			
518-0288	1	Sealant, Thread (Use With Fitting 502-0065)			
301-2019	1	Panel, Control - Upper			
405-1157	1	Flange, Air Duct Adapter			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4XR SPEC 21347AB  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG) 612-5509-01(AC) 612-5501-08

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Gas-Gasoline Carburetor			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Water Temperature Cut Off			
		Overcrank Cut Off			
502-0065	1	Elbow, Male - Inverted 45° - Carburetor Fuel Inlet			
518-0288	1	Sealant, Thread (Use With Fitting 502-0065)			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2308	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil Pressure, High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, Overspeed			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker (20 Place)			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-5DR SPEC 21355AB  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG) 612-5593-01(AC) 612-5502-12

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Engine Coolant Heater			
		Oil Base Heater			
		Day Tank			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off - Dual Senders			
		High Water Temperature Cut Off - Dual Senders			
		Overcrank Cut Off			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			
303-0201	1	Rheostat Assembly - Adjustable			
307-0655	3	Latch, Relay - Emergency Stop & Alarm, Low Oil Pressure, High Water Temperature, & Overspeed			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil Pressure High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
332-0943	2	Spacer, Relay Socket			
307-0778	3	Spring, Holddown			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker (20 Place)			
307-0819	3	Relay, Low Engine Temperature Low Oil Pressure & High Water Temperature			
323-0321	5	Socket, 8 Contact - Octal Type			
301-3241	1	Bracket, Relay Mounting			
301-2393	2	Bracket, Relay Mounting			
307-1157	1	Spring, Relay Holddown			
307-0848	1	Relay, Oil Pressure - Time Delay 15 Seconds			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Relay			
307-0696	1	Relay, Cycle Cranker - Time Delay 10 Seconds			
307-0734	1	Relay, Cycle Cranker - Time Delay 5 Seconds			
332-0612	2	Strip, Marker (3 Place)			
405-1157	1	Flange, Air Duct Adapter			

SPECIAL PARTS LIST FOR MODEL 12.5RJC-4R SPEC 21366AB  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5540-01(AC)612-5500-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		Engine Coolant Heater			
		Oil Base Heater			
		Muffler Mounted On Housing			
		LPG Gas Carburetor			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Water Temperature Cut Off			
		Overcrank Cut Off			
301-2204	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
322-0004	3	Lamp, Low Oil Pressure, High Water Temperature, Overspeed			
322-0069	3	Holder, Lamp			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, Overspeed Shutdown			
307-1143	1	Relay, Generating			
323-0760	1	Socket			
332-0943	2	Spacer			
307-0819	1	Relay, Low Engine Temperature			
307-0778	1	Spring, Holddown			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker (20 Place)			
301-3241	1	Bracket, Relay Mounting			
323-0321	1	Socket			
307-1157	1	Spring, Holddown			
155-0360	1	Muffler, Critical Type			
155-0927	1	Tube, Exhaust			
140-0078	2	Bands, Muffler - Mounted On Housing			
505-0043	2	Elbow (1-1/2"-90°)			
405-1889	1	Shield, Rain			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-18R SPEC 21377AB  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5509-01 (AC) 612-5486-07

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		LPG Vapor & Gasoline Carburetor			
		Engine Coolant Heater			
		Oil Base Heater			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Water Temperature Cut Off			
		Overcrank Cut Off			
502-0065	1	Elbow, Male - Inverted 45° - Carburetor Fuel Inlet			
518-0288	1	Sealant, Thread (Use With Fitting 502-0065)			
520-0799	4	Stud, Generator Through			
520-0791	1	Stud, Rotor Through			
201-2159	1	Rotor Assembly, Wound			
220-2044	1	Stator, Wound			
301-2288	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil Pressure High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, Overspeed			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker (20 Place)			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4XR SPEC 21504AB  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5509-01(AC)612-5501-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Oil Base Heater			
		Day Tank			
		Engine Coolant Heater			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Water Temperature Cut Off			
		Overcrank Cut Off			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2308	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
322-0004	3	Lamp, Low Oil Pressure, High Water Temperature, Overspeed			
322-0069	3	Holder, Lamp			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, Overspeed Shutdown			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker (20 Place)			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-18R SPEC 21538AB  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5600-01(AC)612-5485-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Engine Coolant Heater			
		Oil Base Heater			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off - Dual Senders			
		High Water Temperature Cut Off - Dual Senders			
		Overcrank Cut Off			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2019	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
322-0004	3	Lamp, Low Oil Pressure, High Water Temperature, Overspeed			
322-0069	3	Holder, Lamp			
307-0848	1	Relay, Oil Pressure - Time Delay 15 Seconds			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, Overspeed Shutdown			
307-1143	1	Relay, Generating			
323-0760	1	Socket			
332-0943	2	Spacer			
307-0819	3	Relay, Low Engine Temperature, Low Oil Pressure, High Water Temperature-Pre Alarm			
307-0778	4	Spring, Holddown			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker (20 Place)			
301-3241	1	Bracket, Relay Mounting			
301-2393	1	Bracket, Relay Mounting			
323-0321	4	Socket			
307-1157	1	Spring, Holddown			
307-1151	1	Relay, Time Delay Stop - 1 To 300 Second			
332-2027	1	Strip, Marker (Use Blank Side)			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4XR SPEC 21547AB  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5509-01(AC)612-5501-11

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		Natural Gas Carburetor			
		High Compression Pistons			
		Muffler Mounted On Housing			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Water Temperature Cut Off			
		Overcrank Cut Off			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2308	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker (20 Place)			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, Overspeed Shutdown			
322-0069	3	Holder, Lamp			
322-0004	3	Lamp, Low Oil Pressure, High Water Temperature, Overspeed			
155-0360	1	Muffler, Critical Type			
155-0927	1	Tube, Exhaust			
140-0078	2	Bands, Muffler - Mounted On Housing			
505-0043	2	Elbow (1-1/2"-90°)			
405-1889	1	Shield, Rain			

SPECIAL PARTS LIST FOR MODEL 12.5RJC-5DR SPEC 21562AB  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5509-01(AC)612-5502-11

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		LPG Vapor Carburetor			
		Oil Base Heater			
		Engine Coolant Heater			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Water Temperature Cut Off			
		Overcrank Cut Off			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker (20 Place)			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, Overspeed Shutdown			
322-0069	3	Holder, Lamp			
322-0004	3	Lamp, Low Oil Pressure, High Water Temperature, Overspeed			
405-1157	1	Flange, Air Duct Adapter			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-3R SPEC 21570AB  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 4  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5497-01(AC)612-5486-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		LPG Vapor Carburetor			
		Oil Base Heater			
		Engine Coolant Heater			
		City Water Cooled			
		Water Cooled Manifold			
		Heat Exchanger			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off - Dual Senders			
		High Water Temperature Cut Off - Dual Senders			
		Overcrank Cut Off			
505-0075	1	Nipple, Pipe - Adapter Assembly (3/8 X 2-1/2")			
505-0266	1	Plug, Pipe - Recessed Head Exhaust Manifold (3/8")			
504-0006	1	Drain, Cock - Exhaust Manifold (1/8" Pipe)			
517-0059	1	Plug, Expansion - Exhaust Manifold (Brass - 1-7/16" OD)			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2288	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
322-0004	3	Lamp, Low Oil Pressure, High Water Temperature, Overspeed			
322-0069	3	Holder, Lamp			
307-0848	1	Relay, Oil Pressure - Time Delay 15 Seconds			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, Overspeed Shutdown			
307-1143	1	Relay, Generating			
323-0760	1	Socket			
332-0943	2	Spacer			
307-0819	3	Relay, Low Engine Temperature, Low Oil Pressure, High Water Temperature-Pre Alarm			
307-0778	3	Spring, Holddown			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker (20 Place)			
301-3241	1	Bracket, Relay Mounting			
301-2393	1	Bracket, Relay Mounting			
323-0321	3	Socket			
307-1157	1	Spring, Holddown			
332-0611	2	Block, Terminal (3 Place)			
332-0612	1	Strip, Marker (3 Place)			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4XR SPEC 21586AB  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5663-01(AC)612-5501-08

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Natural Gas Carburetor			
		High Compression Pistons			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Water Temperature Cut Off			
		Overcrank Cut Off			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2308	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
322-0004	3	Lamp, Low Oil Pressure, High Water Temperature, Overspeed			
322-0069	3	Holder, Lamp			
307-0848	1	Relay, Oil Pressure - Time Delay 15 Seconds			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, Overspeed Shutdown			
307-0819	1	Relay, Low Engine Temperature			
307-0778	1	Spring, Holddown			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker (20 Place)			
301-3241	1	Bracket, Relay Mounting			
301-2393	1	Bracket, Relay Mounting			
323-0321	1	Socket			
307-1157	1	Spring, Holddown			
332-0611	2	Block, Terminal (3 Place)			
332-0612	2	Strip, Marker (3 Place)			
307-0696	1	Relay, Cycle Cranker - Time Delay 10 Seconds			
307-0734	1	Relay, Cycle Cranker - Time Delay 5 Seconds			

SPECIAL PARTS LIST FOR MODEL 12.5RJC-5DR SPEC 21652AB  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5635-01(AC)612-5502-06

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		Engine Coolant Heater			
		Oil Base Heater			
		LPG Liquid Carburetor			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Water Temperature Cut Off			
		Overcrank Cut Off			
220-2043	1	Stator, Wound			
201-2158	1	Rotor Assembly, Wound			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, & Overspeed Shutdown			
322-0004	3	Lamp, Panel, Low Oil Pressure, High Water Temperature, & Overspeed			
322-0069	3	Holder, Lamp			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker (20 Place)			
320-0655	1	Relay, Overcrank			
307-1186	1	Relay, Time Delay - Total Crank, 1 To 300 Seconds			
307-0696	1	Relay, Cycle Cranker - Time Delay 10 Seconds			
307-0734	1	Relay, Cycle Cranker - Time Delay 5 Seconds			
332-0611	1	Block, Terminal (3 Place)			
332-0612	1	Strip, Marker (3 Place)			