

The following catalog has gaps in its page numbers, or doesn't have any numbers. We have chosen to leave the page numbering in the order that Acrobat assigns it.

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4XR SPEC 15131AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
**WIRING DIAGRAM NO. (ENG)612-4433-01(AC)612-4817-02**

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
LPG Liquid Carburetor					
Water Jacket Heater					
Oil Base Heater					
Overspeed Cut Off					
Low Oil Pressure Cut Off					
High Water Temperature Cut Off					
Overcrank Cut Off					
154-1224	1	Manifold, Intake			
166-0307	1	Distributor, Includes Gear			
148-0367	1	Switch, Vacuum - Regulator			
502-0053	1	Elbow, Vacuum Switch			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2308	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, & Overspeed Shutdown			
322-0004	4	Lamp, Panel, Plant, Low Oil Pressure, High Water Temperature, & Overspeed			
322-0069	4	Holder, Lamp			
332-0795	1	Block, Terminal - Engine			
332-0862	1	Strip, Marker			

SPECIAL PARTS LIST FOR **MODEL** 15.0RJC-3CR **SPEC** 15138AA  
 FOR STANDARD PARTS REFER TO **CATALOG** 974-0220 **KEY NO.** 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
**WIRING DIAGRAM NO.** (ENG) 612-2717-01 (AC) 612-4814-03

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed Model LPG Vapor Carburetor Water Jacket Heater Oil Base Heater					
301-2019	1	Panel, Control - Upper			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-5DR SPEC 15162AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 4  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG) 612-2865-01(AC) 612-4818-12

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		City Water Cooled Water Cooled Manifold Heat Exchanger Skid & Battery Rack Water Jacket Heater Overspeed Cut Off Oil Base Heater			
502-0257	1	Tee, Brass - Exhaust Manifold (3/8" Pipe)			
517-0059	1	Plug, Expansion (1-7/16" OD)			
503-0478	1	Hose, Water Inlet - 9" Lg.			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			
303-0201	1	Rheostat Assembly - Adjustable			
307-0696	1	Relay, Cycle Cranker - Time Delay 10 Seconds			
307-0734	1	Relay, Cycle Cranker - Time Delay 5 Seconds			
323-0052	2	Socket, 8 Contact - Octal Type			
353-0015	1	Resistor, 3.5 Ohm, 10 Watt			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-18R SPEC 15173AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
**WIRING DIAGRAM NO.** (ENG)612-2718-01(AC)612-4882-11

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		Muffler Mounted On Housing			
		Day Tank			
		Water Jacket Heater			
		Oil Base Heater			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Water Temperature Cut Off			
		Overcrank Cut Off			
504-0007	1	Cock, Shut Off - Fuel Pump			
502-0020	1	Elbow, Street - Fuel Pump			
520-0799	4	Stud, Generator Through			
520-0791	1	Stud, Rotor Through			
220-2044	1	Stator Assembly, Wound			
201-2159	1	Rotor Assembly, Wound			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil Pressure High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, Overspeed			
332-0862	1	Strip, Marker			
332-0795	1	Block, Terminal - Engine			
301-3732	1	Panel, Control - Upper			
322-0044	2	Light Signal - Neon			
302-0491	3	Ammeter - AC (0-50 Amp - 12.5 KW)			
303-0201	1	Rheostat Assembly - Adjustable			
308-0203	1	Switch, Output Phase Selector			
338-0755	1	Harness, Wiring			
155-0360	1	Muffler, Critical Type			
155-0927	1	Tube, Exhaust			
140-0078	2	Bands, Muffler - Mounted On Housing			
405-1889	1	Shield, Rain			
505-0043	2	Elbow, 90° (1½")			

SPECIAL PARTS LIST FOR MODEL 12.5RJC-18R SPEC 15174AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG)612-2717-01 (AC)612-4814-06

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Natural Gas Carburetor			
301-2019	1	Panel, Control - Upper			
303-0201	1	Rheostat Assembly - Adjustable			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-5DR SPEC 15179AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG)612-2717-01(AC)612-4818-07

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed Unit					
Muffler Mounted On Housing					
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			
155-0360	1	Muffler, Critical Type			
155-0927	1	Tube, Exhaust			
140-0078	2	Bands, Muffler - Mounted On Housing			
405-1889	1	Shield, Rain			
505-0043	2	Elbow, 90° (1½")			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4R SPEC 15184AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG)612-4989-01(AC)612-4816-07

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed Unit			505-0043	2	Elbow, 90° (1½")
Gas - Gasoline Carburetor			501-0005	1	Line, Fuel - Flex (18½"
Muffler Mounted On Housing					
Mounted Fuel Tank					
Water Jacket Heater					
Oil Base Heater					
Overspeed Cut Off					
Low Oil Pressure Cut Off - Dual Senders					
High Water Temperature Cut Off - Dual Senders					
Overcrank Cut Off					
332-0941	1	Cable, Tie - Solenoid			
220-2044	1	Stator Assembly - Wound			
201-2159	1	Rotor Assembly - Wound			
520-0799	4	Stud, Generator Through			
520-0791	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			
307-0655	3	Relay, Lop, Hwt, Overspeed Shutdown			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil Pressure, High Water Temperature, Overspeed			
332-0069	4	Holder, Lamp			
301-3241	1	Bracket, Relay Mounting			
301-2393	1	Bracket, Relay Mounting			
323-0052	3	Socket, 8 Contact - Octal Type			
307-0819	3	Relay, Low Engine Temperature, Lop, High Water Temperature Pre Alarm			
307-1157	1	Spring, Relay Hold Down			
307-0848	1	Relay, Oil Pressure - To 15 Seconds			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Relay			
332-0943	2	Spacer, Relay Socket (3/8" OD)			
307-0778	3	Spring, Hold Down			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker - For 20 Place Block			
332-0612	1	Strip, Marker			
155-0360	1	Muffler, Critical Type			
155-0927	1	Tube, Exhaust			
140-0078	2	Bands, Muffler - Mounted On Housing			
405-1889	1	Shield, Rain			

SPECIAL PARTS LIST FOR MODEL 12.5RJC-4R SPEC 15214AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-2717-01(AC)612-4816-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Gas - Gasoline Carburetor			
		Overspeed Cut Off			
		Water Jacket Heater			
		Oil Base Heater			
504-0007	1	Cock, Shut Off - Fuel Pump			
502-0020	1	Elbow, Street Pipe - Fuel Pump			
332-0941	1	Tie, Cable - Solenoid Coil Assembly			
301-2204	1	Panel, Control - Upper			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4R SPEC 15241AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG) 612-4989-01(AC) 612-4816-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Gas - Gasoline Carburetor			
		Day Tank			
		Water Jacket Heater			
		Oil Base Heater			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off - Dual Senders			
		High Water Temperature Cut Off - Dual Senders			
		Overcrank Cut Off			
332-0941	1	Cable, Tie - Solenoid			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			
307-0655	3	Relay, Lop, Hwt, Overspeed Shutdown			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil Pressure, High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
301-3241	1	Bracket, Relay Mounting			
301-2393	1	Bracket, Relay Mounting			
323-0052	3	Socket, 8 Contact - Octal Type			
307-0819	3	Relay, Low Engine Temperature, Lop, High Water Temperature Pre Alarm			
307-1157	1	Spring, Relay Hold Down			
307-0848	1	Relay, Oil Pressure - To 15 Seconds			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Relay			
332-0943	2	Spacer, Relay Socket (3/8" OD)			
307-0778	3	Spring, Hold Down			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker - For 20 Place Block			
332-0612	1	Strip, Marker			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4XR SPEC 15248AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG)612-2940-01(AC)612-4817-05

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		Natural Gas Carburetor			
		High Compression Pistons			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Water Temperature Cut Off			
		Overcrank Cut Off			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2308	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, & Overspeed Shutdown			
322-0004	4	Lamp, Panel, Plant, Low Oil Pressure, High Water Temperature, & Overspeed			
322-0069	4	Holder, Lamp			
307-0734	1	Relay, Cycle Cranker - 5 Second			
307-0696	1	Relay, 10 Second			
323-0052	2	Socket, 8 Contact - Octal Type			
353-0015	1	Resistor, 3.5 Ohm - 10 Watt			
332-0795	1	Block, Terminal - Engine			
332-0862	1	Strip, Marker			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4R SPEC 15250AA

FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 4

(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-2717-01(AC) 612-4816-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		City Water Cooled Water Cooled Manifold Heat Exchanger Natural Gas Carburetor High Compression Pistons			
502-0257	1	Tee, Brass - Exhaust Manifold (3/8" Pipe)			
517-0059	1	Plug, Expansion - Exhaust Manifold (1-7/16" OD)			
503-0478	1	Hose, Water Inlet - 9" Lg.			
130-0800	1	Expansion Chamber Assembly - Includes Parts Marked *			
130-0574	1	*Chamber, Expansion			
130-0590	1	*Neck & Adapter Assembly			
130-0589	1	*Cap, Pressure			
130-0519	1	*Gasket, Neck & Adapter			
502-0103	1	*Connector, Inverted Male			
502-0080	2	*Plug, Expansion Tank Fill Vent			
130-0892	1	*Stiffener, Filler Neck			
502-0155	1	*Plug (3/8")			
502-0037	1	*Elbow, Expansion Tank			
505-0130	1	*Plug, Expansion Tank			
503-0679	1	*Hose, Breather - Neck Assembly			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			

SPECIAL PARTS LIST FOR MODEL 15. ORJC-18R SPEC 15251AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-2718-01(AC)612-4882-11

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		Muffler Mounted On Housing			
		Mounted Fuel Tank			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Water Temperature Cut Off			
		Overcrank Cut Off			
520-0799	4	Stud, Generator Through			
520-0791	1	Stud, Rotor Through			
220-2044	1	Stator Assembly, Wound			
201-2159	1	Rotor Assembly, Wound			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil Pressure High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, Overspeed			
332-0862	1	Strip, Marker			
332-0795	1	Block, Terminal - Engine			
301-3732	1	Panel, Control - Upper			
322-0044	2	Light Signal - Neon			
302-0491	3	Ammeter - AC (0-50 Amp - 12.5 KW)			
303-0201	1	Rheostat Assembly - Adjustable			
308-0203	1	Switch, Output Phase Selector			
338-0755	1	Harness, Wiring			
155-0360	1	Muffler, Critical Type			
155-0927	1	Tube, Exhaust			
140-0078	2	Bands, Muffler - Mounted On Housing			
405-1889	1	Shield, Rain			
505-0043	2	Elbow, 90° (1½")			
501-0005	1	Line, Fuel - Flex (18½" Lg.)			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-18R SPEC 15260AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG)612-2717-01(AC)612-4814-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed Unit					
Gas - Gasoline Carburetor					
332-0941	1	Tie, Cable - Solenoid Coil Assembly			
520-0799	4	Stud, Generator Through			
520-0791	1	Stud, Rotor Through			
220-2044	1	Stator Assembly, Wound			
201-2159	1	Rotor Assembly, Wound			
301-2019	1	Panel, Control - Upper			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4R SPEC 15263AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 4  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
**WIRING DIAGRAM NO.** (ENG)612-2718-01(AC)612-4816-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		City Water Cooled			
		Water Cooled Manifold			
		Natural Gas Carburetor			
		High Compression Pistons			
		Overspeed Cut Off			
		Low Oil Pressure			
		High Water Temperature Cut Off			
		Overcrank Cut Off			
517-0059	1	Plug, Expansion - Exhaust Manifold (1-7/16" OD)			
503-0478	1	Hose, Water Inlet - 9" Lg.			
505-0376	1	Elbow, 45° (3/8")			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			
307-0655	3	Latch, Relay - Emergency Stop & Alarm, Low Oil Pressure, High Water Temperature, & Overspeed			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil Pressure High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
332-0795	1	Block, Terminal - Engine			
332-0862	1	Strip, Marker			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-18R SPEC 15279AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-2718-01(AC)612-4814-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		Natural Gas Carburetor			
		High Compression Pistons			
		Low Oil Pressure Cut Off			
		High Water Temperature Cut Off			
		Overspeed Cut Off			
		Overcrank Cut Off			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2019	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, & Overspeed Shutdown			
322-0004	4	Lamp, Panel, Plant, Low Oil Pressure, High Water Temperature, & Overspeed			
322-0069	4	Holder, Lamp			
332-0862	1	Strip, Marker			
332-0795	1	Block, Terminal - Engine			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-9XR SPEC 15322AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG) 612-4989-01 (AC) 612-4892-08

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Natural Gas Carburetor			
		High Compression Pistons			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off - Dual Senders			
		High Water Temperature Cut Off - Dual Senders			
		Overcrank Cut Off			
301-3736	1	Panel, Control - Upper			
303-0201	1	Rheostat Assembly - Adjustable			
320-0551	1	Breaker, Circuit - 25 Amp, 3 Pole, 600 Vac			
301-2125	1	Panel, Control - Lower			
307-0848	1	Relay, Oil Pressure - To 15 Seconds			
322-0004	4	Lamp, Plant, Low Oil Pressure, High Water Temperature, & Overspeed			
322-0069	4	Holder, Lamp			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, Overspeed			
307-0819	3	Relay, Low Oil Pressure, High Water Temperature, & Low Engine Temperature			
323-0052	3	Socket, 8 Contact - Octal Type			
332-0943	2	Spacer, Relay Socket (3/8" OD)			
307-0778	3	Spring, Hold-Down			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker - For 20 Place Block			
301-3241	1	Bracket, Relay Mounting			
301-2393	1	Bracket, Relay Mounting			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Relay			
332-0612	1	Strip, Marker (3 Place)			
307-1157	1	Spring, Hold-Down			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4XR SPEC 15371AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-2865-01 (AC) 612-4817-05

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed Unit					
Muffler Mounted On Housing					
Water Jacket Heater					
Oil Base Heater					
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2308	1	Panel, Control - Upper			
307-0734	1	Relay, Cycle Cranker - 5 Second			
307-0696	1	Relay, 10 Second			
323-0052	2	Socket, 8 Contact - Octal Type			
353-0015	1	Resistor, 3.5 Ohm - 10 Watt			
155-0360	1	Muffler, Critical Type			
155-0927	1	Tube, Exhaust			
140-0078	2	Bands, Muffler - Mounted On Housing			
405-1889	1	Shield, Rain			
505-0043	2	Elbow, 90° (1½")			

SPECIAL PARTS LIST FOR MODEL 12.5RJC-3R SPEC 15373AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-2940-01 (AC)612-4815-11

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Natural Gas Carburetor			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Water Temperature Cut Off			
		Overcrank Cut Off			
303-0201	1	Rheostat (With Voltage Adjustment)			
301-2288	1	Panel, Control - Upper			
307-0655	3	Relay, Emergency Latching			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil Pressure, High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
332-0795	1	Block, Terminal - 16 Place			
332-0862	1	Strip, Marker (For 16 Place Block)			
307-0734	1	Relay, Cycle Cranker - 5 Second			
307-0696	1	Relay, 10 Second			
323-0052	2	Socket, 8 Contact - Octal Type			
353-0015	1	Resistor, 3.5 Ohm, 10 Watt			

SPECIAL PARTS LIST FOR MODEL 12.5RJC-3R SPEC 15395AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-2718-01(AC)612-4815-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Day Tank			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Water Temperature Cut Off			
		Overcrank Cut Off			
502-0020	1	Elbow, Street Pipe - Fuel Pump			
504-0007	1	Cock, Shut Off - Fuel Pump			
307-0655	3	Relay, Emergency Latching			
320-0259	1	Relay, Cranking Limiter			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil Pressure High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
332-0795	1	Block, Terminal - 16 Place			
332-0862	1	Strip, Marker (For 16 Place Block)			
301-2288	1	Panel, Control - Upper			

SPECIAL PARTS LIST FOR MODEL 12.5RJC-5LR SPEC 15395AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG)612-2718-01(AC)612-4818-0

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Day Tank			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Water Temperature Cut Off			
		Overcrank Cut Off			
504-0007	1	Cock, Shut Off - Fuel Pump			
502-0020	1	Elbow, Street - Fuel Pump			
320-0259	1	Relay, Cranking Limiter			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil Pressure, High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, Overspeed			
332-0795	1	Block, Terminal - 16 Place			
332-0862	1	Strip, Marker (For 16 Place Block)			
301-2204	1	Panel, Control - Upper			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4R SPEC 15404AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-2717-01(AC)612-4816-07

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed Model					
Mounted Fuel Tank					
Muffler Mounted On Housing					
Water Jacket Heater					
Oil Base Heater					
Overspeed Cut Off					
332-1924	1	Cable, Tie - Spark Plug Leads			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			
501-0005	1	Line, Fuel - Flex, 18½" Lg.			
155-0360	1	Muffler, Critical Type			
155-0927	1	Tube, Exhaust			
140-0078	2	Bands, Muffler - Mounted On Housing			
405-1889	1	Shield, Rain			
505-0043	2	Elbow, 90° (1½")			

SPECIAL PARTS LIST FOR MODEL 12.5RJC-3R SPEC 15414AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4989-01 (AC) 612-4815-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Gas - Gasoline Carburetor Day Tank Overspeed Cut Off Low Oil Pressure Cut Off - Dual Senders High Water Temperature Cut Off -Dual Senders Overcrank Cut Off	332-0612	1	Strip, Marker
504-0007	1	Cock, Shut Off - Fuel Pump			
502-0020	1	Elbow, Street Pipe - Fuel Pump			
332-0941	1	Tie, Cable - Solenoid Coil Assembly			
502-0058	1	Tee, Restricted Front - Cylinder Head			
301-2288	1	Panel, Control - Upper			
307-0655	3	Relay, Emergency Latching			
320-0259	1	Relay, Cranking Limiter			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil Pressure, High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
301-3241	1	Bracket, Relay Mounting			
301-2393	1	Bracket, Relay Mounting			
323-0052	3	Socket, 8 Contact - Octal Type			
307-1157	1	Spring, Relay Hold Down			
307-0819	3	Relay, Low Oil Pressure, High Water Temperature, Low Engine Temperature			
307-0848	1	Relay, Oil Pressure - To 15 Seconds			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Relay			
332-0943	2	Spacer, Relay Socket (3/8" OD)			
307-0778	3	Spring, Hold Down			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker - For 20 Place Block			
	3/1/79				

SPECIAL PARTS LIST FOR MODEL 12.5RJC-4R SPEC 15414AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-4989-01(AC)612-4816-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas - Gasoline Carburetor					
Day Tank					
Overspeed Cut Off					
Low Oil Pressure Cut Off - Dual Senders					
High Water Temperature Cut Off - Dual Senders					
Overcrank Cut Off					
504-0007	1	Cock, Shut Off - Fuel Pump			
502-0020	1	Eibow, Street Pipe - Fuel Pump			
332-0941	1	Tie, Cable - Solenoid Coil Assembly			
502-0058	1	Tee, Restricted - Front, Cylinder Head			
323-0052	3	Socket, 8 Contact - Octal Type			
301-2204	1	Panel, Control - Upper			
307-0655	3	Relay, Emergency Latching			
320-0259	1	Relay, Cranking Limiter			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil Pressure High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
322-0072	2	Holder, Lamp			
307-0848	1	Relay, Oil Pressure - To 15 Seconds			
307-1143	1	Relay, Generating			
323-0760	1	Socket			
323-0943	2	Spacer			
307-0819	2	Relay, Low Engine Temperature, Hwt Pre-Alarm			
307-0778	3	Spring, Hold Down			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker - For 20 Place Block)			
332-0612	1	Strip, Marker (For 3 Place Block)			
301-3241	1	Bracket, Relay			
301-2393	1	Bracket, Relay Mounting			
307-1157	1	Spring, Hold Down			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4XR131 SPEC 15430AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
**WIRING DIAGRAM NO.** (ENG) 612-4857-01(AC) 612-4817-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		LPG Vapor Carburetor			
		Water Jacket Heater			
		Oil Base Heater			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Water Temperature Cut Off			
		Overcrank Cut Off			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2308	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil Pressure High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, Overspeed			
307-0819	1	Relay, Low Engine Temperature			
323-0052	1	Socket, 8 Contact - Octal Type			
332-0943	2	Spacer, Relay Socket (3/8" OD)			
307-0778	1	Spring, Hold-Down			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker - For 20 Place Block			
323-0760	1	Socket, Relay			
307-1143	1	Relay, Generating			
301-3241	1	Bracket, Relay Mounting			
307-1157	1	Spring, Hold-Down			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-5DR SPEC 15445AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG)612-2717-01(AC)612-4818-17

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		Muffler Mounted On Housing			
		Mounted Fuel Tank			
520-0799	4	Stud, Generator Through			
520-0791	1	Stud, Rotor Through			
220-2044	1	Stator Assembly, Wound			
201-2159	1	Rotor Assembly, Wound			
301-2204	1	Panel, Control - Upper			
303-0201	1	Rheostat Assembly - Adjustable			
155-0360	1	Muffler, Critical Type			
155-0927	1	Tube, Exhaust			
140-0078	2	Bands, Muffler - Mounted On Housing			
405-1889	1	Shield, Rain			
505-0043	2	Elbow, 90° (1½")			
501-0005	1	Line, Fuel - Flex (18½" Lg.)			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-18R SPEC 15475AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG)612-2718-01(AC)612-4814-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Water Jacket Heater			
		Oil Base Heater			
		Day Tank			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Water Temperature Cut Off			
		Overcrank Cut Off			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2019	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil Pressure, High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, Overspeed			
332-0862	1	Strip, Marker			
332-0795	1	Block, Terminal - Engine			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4R31 SPEC 15505AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 4  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG) 612-4874-01 (AC) 612-4816-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Note: Pennsylvania Approved Natural Gas Carburetor City Water Cooled Water Cooled Manifold Overspeed Cut Off Low Oil Pressure Cut Off - Dual Senders High Water Temperature Cut Off - Dual Senders Overcrank Cut Off					
309-0179	1	Thermostat - Open 190° F, Close 215° F			
517-0059	1	Plug, Expansion - Exhaust Manifold (1-7/16" OD)			
503-0478	1	Hose, Water Inlet - 9" Lg.			
505-0376	1	Elbow, 45° (3/8")			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, & Overspeed Shutdown			
322-0004	4	Lamp, Panel, Plant, Low Oil Pressure, High Water Temperature, & Overspeed			
332-0069	4	Holder, Lamp (Used On Plant, Low Oil Pressure, High Water Temperature, & Overspeed Shutdown)			
307-0819	2	Relay, Low Oil Pressure, High Water Temperature			
307-0848	1	Relay, Oil Pressure - To 15 Seconds			
323-0052	2	Socket, 8 Contact - Octal Type			
332-0943	4	Spacer, Relay Socket (3/8" OD)			
307-0778	2	Spring, Hold Down			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker - For 20 Place Block			
308-0005	1	Switch, Selector			
301-3252	1	Bracket, Relay Mounting			
149-0558	1	Strainer, Natural Gas			
307-0829	1	Kit, Coil - Fuel Valve			
416-0325	1	Hydrometer, Battery - 3 Color Scale			
504-0019	1	Valve, Globe - Lockshield			
307-0833	1	Valve, Solenoid			

SPECIAL PARTS LIST FOR MODEL 12.5RJC-4XR SPEC 15522AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG)612-2940-01(AC)612-4817-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed Model					
Natural Gas Carburetor					
Overspeed Cut Off					
Low Oil Pressure Cut Off					
High Water Temperature Cut Off					
Overcrank Cut Off					
322-0004	4	Lamp, Plant, Low Oil Pressure, High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
323-0052	2	Socket, 8 Contact - Octal Type			
307-0655	3	Relay, Emergency Latching			
320-0259	1	Relay, Cranking Limiter			
301-2125	1	Panel, Control - Lower			
332-0795	1	Block, Terminal - 16 Place			
332-0862	1	Strip, Marker (For 16 Place Block)			
307-0734	1	Relay, Cycle Cranker - 5 Second			
353-0015	1	Resistor, 3.5 Ohm - 10 Watt			
307-0696	1	Relay, 10 Second			
301-2308	1	Panel, Control - Upper			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-3R SPEC 15539AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-2717-01(AC)612-4815-0

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed Model					
Muffler Mounted On Housing					
LPG Liquid Carburetor					
Water Jacket Heater					
Oil Base Heater					
Overspeed Cut Off					
301-2288	1	Panel, Control - Upper			
155-0360	1	Muffler, Critical Type			
155-0927	1	Tube, Exhaust			
140-0078	2	Bands, Muffler - Mounted On Housing			
405-1889	1	Shield, Rain			
505-0043	2	Elbow, 90° (1½")			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4R SPEC 15541AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 4  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
**WIRING DIAGRAM NO. (ENG) 612-2940-01(AC) 612-4816-02**

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		City Water Cooled Water Cooled Manifold Heat Exchanger Natural Gas Carburetor High Compression Pistons Overspeed Cut Off Low Oil Pressure Cut Off High Water Temperature Cut Off Overcrank Cut Off			
502-0257	1	Tee, Brass - Exhaust Manifold (3/8" Pipe)			
517-0059	1	Plug, Expansion - Exhaust Manifold (1-7/16" OD)			
503-0478	1	Hose, Water Inlet - 9" Lg.			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			
307-0655	3	Latch, Relay - Emergency Stop & Alarm, Low Oil Pressure, High Water Temperature, & Overspeed			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil Pressure, High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
332-0795	1	Block, Terminal - Engine			
332-0862	1	Strip, Marker			
323-0052	2	Socket, 8 Contact - Octal Type			
307-0734	1	Cycle Cranker, 5 Second Relay			
307-0696	1	Relay, 10 Second			
353-0015	1	Resistor, 3.5 Ohm, 10 Watt			

SPECIAL PARTS LIST FOR MODEL 12.5RJC-18R SPEC 15575AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 3  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW  
 WIRING DIAGRAM NO. (ENG) 612-4209-01 (AC) 612-4814-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		City Water Cooled Water Cooled Manifold Heat Exchanger Natural Gas Carburetor Overspeed Cut Off Low Oil Pressure Cut Off High Water Temperature Cut Off Overcrank Cut Off			
517-0059	1	Plug, Expansion (1-7/16" OD)			
130-0813	1	Line, Water			
502-0257	1	Tee, Brass - Exhaust Manifold (3/8" Pipe)			
503-0478	1	Hose, Water Inlet, 9" Lg.			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Low Oil Pressure, High Water Temperature, Overspeed, Plant			
322-0069	4	Holder, Lamp			
320-0259	1	Relay, Cranking Limiter			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, Overspeed			
332-0795	1	Block, Terminal - 16 Place			
332-0862	1	Strip, Marker - For 16 Place Block			
307-1077	1	Relay, Time Delay Start - 3 Second			
323-0052	1	Socket, 8 Contact - Octal Type			
332-0943	2	Spacers			
301-2019	1	Panel, Control - Upper			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-3R SPEC 15653AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
**WIRING DIAGRAM NO. (ENG)612-2717-01(AC)612-4815-12**

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed Model LPG Vapor Carburetor Water Jacket Heater Oil Base Heater					
301-2288	1	Panel, Control - Upper			
303-0201	1	Rheostat Assembly - Voltage Adjustable			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4XR SPEC 15712AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG)612-2718-01(AC)612-4817-11

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		Natural Gas Carburetor			
		High Compression Pistons			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Water Temperature Cut Off			
		Overcrank Cut Off			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2308	1	Panel, Control - Upper			
303-0201	1	Rheostat Assembly - Adjustable			
301-2125	1	Panel, Control - Lower			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, & Overspeed Shutdown			
322-0004	4	Lamp, Panel, Plant, Low Oil Pressure, High Water Temperature, & Overspeed			
322-0069	4	Holder, Lamp			
332-0795	1	Block, Terminal - Engine			
332-0862	1	Strip, Marker			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4XR SPEC 15727AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG)612-4989-01(AC)612-4817-05

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		Mounted Fuel Tank			
		Water Jacket Heater			
		Oil Base Heater			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off - Dual Senders			
		High Water Temperature Cut Off - Dual Senders			
		Overcrank Cut Off			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2308	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
307-0848	1	Relay, Oil Pressure - To 15 Seconds			
322-0004	4	Lamp, Plant, Low Oil Pressure, High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, Overspeed			
307-0819	3	Relay, Low Oil Pressure, High Water Temperature, & Low Engine Temperature			
323-0052	3	Socket, 8 Contact - Octal Type			
332-0943	2	Spacer, Relay Socket (3/8" OD)			
307-0778	3	Spring, Hold-Down			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker - For 20 Place Block			
301-3241	1	Bracket, Relay Mounting			
301-2393	1	Bracket, Relay Mounting			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Relay			
332-0612	1	Strip, Marker (3 Place)			
307-1157	1	Spring, Hold-Down			
501-0005	1	Line, Flex - 18½" Lg.			

SPECIAL PARTS LIST FOR MODEL 12.5RJC-4R31 SPEC 15736AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 3  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG)612-4874-01(AC)612-4816-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Note: Pennsylvania Approved					
City Water Cooled					
Water Cooled Manifold					
Water Jacket Heater					
Overspeed Cut Off					
Natural Gas Carburetor					
Low Oil Pressure Cut Off - Dual Senders					
High Water Temperature Cut Off - Dual Senders					
Overcrank Cut Off					
High Compression Pistons					
Oil Base Heater					
309-0179	1	Thermostat			
502-0058	1	Tee, Restricted Front - Cylinder Head			
517-0059	1	Plug, Expansion (1-7/16" OD)			
503-0478	1	Hose, Water Inlet, 9" Lg.			
301-2204	1	Panel, Control - Upper			
320-0259	1	Relay, Cranking Limiter			
301-2125	1	Panel, Control - Lower			
307-0848	1	Relay, Oil Pressure - To 15 Seconds			
322-0004	4	Lamp, Plant, Low Oil Pressure High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, Overspeed			
332-0943	4	Spacer, Relay Socket			
307-0778	2	Spring, Hold-Down			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker - For 20 Place Block			
307-0819	2	Relay, Low Oil Pressure & High Water Temperature			
323-0052	2	Socket, 8 Contact - Octal Type			
308-0005	1	Switch, Selector			
301-3252	1	Bracket, Relay Mounting			
149-0558	1	Strainer, Regulator			
307-0829	1	Kit, Coil Replacement			
416-0325	1	Hydrometer, 3 Color Scale - Battery Tester			
307-0833	1	Valve, Solenoid - Electric			
504-0019	1	Valve, Lock Shield - Manual			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-18R SPEC 15740AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG)612-2718-01(AC)612-4814-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Gas - Gasoline Carburetor			
		Water Jacket Heater			
		Oil Base Heater			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Water Temperature Cut Off			
		Overcrank Cut Off			
332-0941	1	Tie, Cable - Solenoid Coil Assembly			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2019	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil Pressure High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
307-0655	3	Relay, Emergency Latching			
332-0862	1	Strip, Marker - For 16 Place Block			
332-0795	1	Block, Terminal (16 Place)			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4R SPEC 15748AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 4  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG)612-4134-01(AC)612-4816-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		City Water Cooled			
		Water Cooled Manifold			
		Natural Gas Carburetor			
		High Compression Pistons			
		Skid Base Assembly			
517-0059	1	Plug, Expansion - Exhaust Manifold (1-7/16" OD)			
503-0478	1	Hose, Water Inlet - 9" Lg.			
505-0376	1	Elbow, 45° (3/8")			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			
307-1077	1	Relay, Time Delay - 3 Second			
323-0052	1	Socket, 8 Contact - Octal Type			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4XR SPEC 15748AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 4  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG)612-4134-01(AC)612-4817-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		City Water Cooled			
		Water Cooled Manifold			
		Natural Gas Carburetor			
		High Compression Pistons			
		Skid & Battery Rack			
517-0059	1	Plug, Expansion (1-7/16" OD)			
503-0478	1	Hose, Water Inlet - 9" Lg.			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2308	1	Panel, Control - Upper			
307-1077	1	Relay, Time Delay - 3 Second			
323-0052	1	Socket, 8 Contact - Octal Type			
416-0522	1	Plate, Battery Mounting			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4XR SPEC 15754AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 4  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG)612-2865-01(AC)612-4817-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		City Water Cooled Water Cooled Manifold Heat Exchanger LPG Vapor Carburetor			
502-0257	1	Tee, Brass - Exhaust Manifold (3/8" Pipe)			
517-0059	1	Plug, Expansion - Exhaust Manifold (1-7/16" OD)			
503-0478	1	Hose, Water Inlet - 9" Lg.			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2308	1	Panel, Control - Upper			
307-0734	1	Relay, Cycle Cranker - 5 Second			
307-0696	1	Relay, 10 Second			
323-0052	2	Socket, 8 Contact - Octal Type			
353-0015	1	Resistor, 3.5 Ohm - 10 Watt			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-3CR SPEC 15763AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 4  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG) 612-2718-01(AC) 612-4814-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		City Water Cooled Water Cooled Manifold Heat Exchanger Natural Gas Carburetor High Compression Pistons Overspeed Cut Off Low Oil Pressure Cut Off High Water Temperature Cut Off Overcrank Cut Off			
130-0813	1	Line, Water			
502-0257	1	Tee, Brass - Exhaust Manifold (3/8" Pipe)			
517-0059	1	Plug, Expansion (1-7/16" OD)			
503-0478	1	Hose, Water Inlet, 9" Lg.			
301-2019	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Low Oil Pressure, High Water Temperature, Overspeed, Plant			
322-0069	4	Holder, Lamp			
320-0259	1	Relay, Cranking Limiter			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, Overspeed			
332-0795	1	Block, Engine Terminal			
332-0862	1	Strip, Marker			

SPECIAL PARTS LIST FOR MODEL 12.5RJC-4R SPEC 15778AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG)612-2718-01(AC)612-4816-16

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Model			
		Natural Gas Carburetor			
		Muffler Mounted On Housing			
		Water Jacket Heater			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Water Temperature Cut Off			
		Overcrank Cut Off			
		Oil Base Heater			
322-0069	4	Holder, Lamp			
322-0004	4	Lamp, Plant, Low Oil Pressure, High Water Temperature, Overspeed			
301-2204	1	Panel, Control - Upper			
320-0259	1	Relay, Cranking Limiter			
332-0795	1	Block, Terminal (16 Place)			
332-0862	1	Strip, Marker - For 16 Place Block			
303-0201	1	Rheostat Assembly - Adjustable			
307-0655	3	Relay, Emergency Latching			
301-2125	1	Panel, Control - Lower			
155-0360	1	Muffler, Critical Type			
155-0927	1	Tube, Exhaust			
140-0078	2	Bands, Muffler - Mounted On Housing			
405-1889	1	Shield, Rain			
505-0043	2	Elbow, 90° (1½")			

WIRING DIAGRAM NO. (ENG)612-2718-01(AC)612-4816-12

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Natural Gas Carburetor					
High Compression Pistons					
Overspeed Cut Off					
Low Oil Pressure Cut Off					
High Water Temperature Cut Off					
Overcrank Cut Off					
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			
303-0201	1	Rheostat Assembly - Adjustable			
307-0655	3	Latch, Relay - Emergency Stop & Alarm, Low Oil Pressure, High Water Temperature, & Overspeed			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil Pressure, High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
332-0795	1	Block, Terminal - Engine			
332-0862	1	Strip, Marker			

SPECIAL PARTS LIST FOR MODEL 15.ORJC-4XR SPEC 15779AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG)612-2718-01(AC)612-4817-08

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Natural Gas Carburetor			
		High Compression Pistons			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Water Temperature Cut Off			
		Overcrank Cut Off			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2308	1	Panel, Control - Upper			
303-0201	1	Rheostat Assembly - Adjustable			
301-2125	1	Panel, Control - Lower			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, & Overspeed Shutdown			
322-0004	4	Lamp, Panel, Plant, Low Oil Pressure, High Water Temperature, & Overspeed			
322-0069	4	Holder, Lamp			
332-0795	1	Block, Terminal - Engine			
332-0862	1	Strip, Marker			

SPECIAL PARTS LIST FOR MODEL 12.5RJC-3R SPEC 15781AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG)612-4857-01(AC)612-4815-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Gas - Gasoline Carburetor			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Water Temperature Cut Off			
		Overcrank Cut Off			
504-0007	1	Cock, Shutoff - Fuel Pump			
502-0020	1	Elbow, Street Pipe - Fuel Pump			
332-0941	1	Tie, Cable - Solenoid Coil Assembly			
301-2288	1	Panel, Control - Upper			
307-0655	3	Relay, Emergency Latching			
320-0259	1	Relay, Cranking Limiter			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil Pressure, High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
301-3241	1	Bracket, Relay Mounting			
323-0052	3	Socket, 8 Contact - Octal Type			
307-1157	1	Spring, Relay Hold Down			
307-0819	3	Relay, Low Oil Pressure, High Water Temperature, Low Engine Temperature			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Relay			
332-0943	2	Spacer, Relay Socket (3/8" OD)			
307-0778	3	Spring, Hold Down			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker - For 20 Place Block			

SPECIAL PARTS LIST FOR MODEL 12.5RJC-4R131 SPEC 15785AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
**WIRING DIAGRAM NO.** (ENG)612-4912-01(AC)612-4816-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Note: Pennsylvania Approved LPG Vapor Carburetor Overspeed Cut off Low Oil Pressure Cut Off - Dual Senders High Water Temperature Cut Off - Dual Senders Overcrank Cut Off			149-0558	1	Strainer, Regulator
			307-0829	1	Kit, Coil Replacement
			416-0325	1	Hydrometer, 3 Color Sca Battery Tester
502-0058	1	Tee, Oil Filter Adapter			
301-2204	1	Panel, Control - Upper			
320-0259	1	Relay, Cranking Limiter			
301-2125	1	Panel, Control - Lower			
307-0848	1	Relay, Oil Pressure - To 15 Seconds			
322-0004	4	Lamp, Plant, Low Oil Pressure, High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, Overspeed			
332-0943	4	Spacer, Relay Socket			
307-0778	2	Spring, Hold Down			
332-1005	1	Block, Terminal - 20 Place			
332-1006	1	Strip, Marker (For 20 Place Block)			
307-0819	1	Relay, Low Engine Temperature			
307-0819	2	Relay, Low Oil Pressure & High Water Temperature			
323-0052	3	Socket, 8 Contact - Octal Type			
308-0005	1	Switch, Selector			
301-3252	1	Bracket, Relay Mounting			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Relay			
332-0612	1	Strip, Marker (Use With 3 Place Terminal Block)			

SPECIAL PARTS LIST FOR MODEL 15.ORJC-4R131 SPEC 15785AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW  
**WIRING DIAGRAM NO.** (ENG)612-4912-01(AC)612-4816-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Note: Pennsylvania Approved LPG Vapor Carburetor Overspeed Cut Off Low Oil Pressure Cut Off - Dual Senders High Water Temperature Cut Off - Dual Senders Overcrank Cut Off					
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			
320-0259	1	Relay, Cranking Limiter			
301-2125	1	Panel, Control - Lower			
307-0848	1	Relay, Oil Pressure - To 15 Seconds			
322-0004	4	Lamp, Plant, Low Oil Pressure High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, & Overspeed			
332-0943	4	Spacer, Relay Socket			
307-0778	2	Spring, Hold Down			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker - For 20 Place Block			
307-0819	1	Relay, Low Engine Temperature			
307-0819	2	Relay, Low Oil Pressure & High Water Temperature			
323-0052	3	Socket, 8 Contact - Octal Type			
308-0005	1	Switch, Selector			
301-3252	1	Bracket, Relay Mounting			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Relay			
332-0612	1	Strip, Marker (Use With 3 Place Terminal Block)			
149-0558	1	Strainer, Regulator			
307-0829	1	Kit, Coil Replacement			
416-0325	1	Hydrometer, 3 Color Scale - Battery Tester			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4XR131 SPEC 15785AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-4912-01(AC)612-4817-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Note: Pennsylvania Approved LPG Vapor Carburetor Overspeed Cut Off Low Oil Pressure Cut Off - Dual Senders High Water Temperature Cut Off - Dual Senders Overcrank Cut Off					
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2308	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
307-0848	1	Relay, Oil Pressure - To 15 Seconds			
322-0004	4	Lamp, Plant, Low Oil Pressure High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, Overspeed			
307-0819	3	Relay, Low Oil Pressure, & Low Engine Temperature, High Water Temperature			
323-0052	3	Socket, 8 Contact - Octal Type			
308-0005	1	Switch, Selector			
301-3252	1	Bracket, Relay Mounting			
332-0943	4	Spacer, Relay Socket (3/8" OD)			
307-0778	3	Spring, Hold-Down			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker - For 20 Place Block			
332-0612	1	Strip, Marker			
323-0760	1	Socket, Relay			
307-1143	1	Relay, Generating			
149-0558	1	Strainer, Regulator			
307-0829	1	Kit, Coil Replacement			
416-0325	1	Hydrometer, 3 Color Scale - Battery Tester			

SPECIAL PARTS LIST FOR MODEL 15.0RJ-4XR131 SPEC 15785AB  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG) 612-5497-02 (AC) 612-5501-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Note: Pennsylvania Approved LPG Vapor Carburetor Overspeed Cut Off Low Oil Pressure Cut Off - Dual Senders High Water Temperature Cut Off - Dual Senders Overcrank Cut Off					
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2308	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, & Overspeed Shutdown			
322-0004	4	Lamp, Panel, Plant, Low Oil Pressure, High Water Temperature, & Overspeed			
322-0069	4	Holder, Lamp			
307-0819	3	Relay, Low Oil Pressure, High Water Temperature, & Low Engine Temperature			
307-0848	1	Relay, Oil Pressure - To 15 Seconds			
323-0052	3	Socket, 8 Contact - Octal Type			
308-0005	1	Switch, Selector			
307-1157	1	Spring, Relay Hold-Down			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Relay			
332-0943	2	Spacer, Relay Socket			
307-0778	3	Spring, Hold-Down			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker - For 20 Place Block			
307-0914	1	Relay, Starter Pilot			
301-3241	1	Bracket, Relay Mounting			
301-2393	1	Bracket, Relay Mounting			
149-0558	1	Strainer, Regulator			
307-0829	1	Kit, Coil Replacement			
416-0325	1	Hydrometer, 3 Color Scale - Battery Tester			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-18R SPEC 15814AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-2718-01(AC)612-4814-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		Muffler Mounted On Housing			
		Low Oil Pressure Cut Off			
		High Water Temperature Cut Off			
		Overspeed Cut Off			
		Overcrank Cut Off			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2019	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil Pressure High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, Overspeed			
332-0862	1	Strip, Marker			
332-0795	1	Block, Terminal - Engine			
155-0360	1	Muffler, Critical Type			
155-0927	1	Tube, Exhaust			
140-0078	2	Bands, Muffler - Mounted On Housing			
405-1889	1	Shield, Rain			
505-0043	2	Elbow, 90° (1½")			

SPECIAL PARTS LIST FOR MODEL 12.5RJC-18R SPEC 15843AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-2717-01(AC)612-4814-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed Model					
Muffler Mounted On Housing					
Water Jacket Heater					
Oil Base Heater					
301-2019	1	Panel, Control - Upper			
155-0360	1	Muffler, Critical Type			
155-0927	1	Tube, Exhaust			
140-0078	2	Bands, Muffler - Mounted On Housing			
405-1889	1	Shield, Rain			
505-0043	2	Elbow, 90° (1½")			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4R SPEC 15860AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-2718-01(AC)612-4816-12

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Natural Gas Carburetor			
		High Compression Pistons			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Water Temperature Cut Off			
		Overcrank Cut Off			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			
303-0201	1	Rheostat Assembly - Adjustable			
307-0655	3	Latch, Relay - Emergency Stop & Alarm, Low Oil Pressure, High Water Temperature & Overspeed			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil Pressure, High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
332-0795	1	Block, Terminal - Engine			
332-0862	1	Strip, Marker			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4XR SPEC 15860AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG) 612-2718-01 (AC) 612-4817-08

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Natural Gas Carburetor			
		High Compression Pistons			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Water Temperature Cut Off			
		Overcrank Cut Off			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2308	1	Panel, Control - Upper			
303-0201	1	Rheostat Assembly - Adjustable			
301-2125	1	Panel, Control - Lower			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, & Overspeed Shutdown			
322-0004	4	Lamp, Panel, Plant, Low Oil Pressure, High Water Temperature, & Overspeed			
322-0069	4	Holder, Lamp			
332-0795	1	Block, Terminal - Engine			
332-0862	1	Strip, Marker			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4R SPEC 15865AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG)612-2717-01(AC)612-4816-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Natural Gas Carburetor			
		High Compression Pistons			
		Overspeed Cut Off			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-3R SPEC 15908AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG)612-2717-01(AC)612-4815-17

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed Model					
Muffler Mounted On Housing					
301-2288	1	Panel, Control - Upper			
303-0201	1	Rheostat Assembly - Voltage Adjustable			
155-0360	1	Muffler, Critical Type			
155-0927	1	Tube, Exhaust			
140-0078	2	Bands, Muffler - Mounted On Housing			
405-1889	1	Shield, Rain			
505-0043	2	Elbow, 90° (1½")			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-3R SPEC 15911AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG)612-2717-01(AC)612-4815-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
LPG Vapor Carburetor Overspeed Cut Off					
301-2288	1	Panel, Control - Upper			

SPECIAL PARTS LIST FOR MODEL 12.5RJC-4XR SPEC 15911AB  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5487-01 (AC) 612-5501-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
LPG Vapor Carburetor					
Overspeed Cut Off					
301-2308	1	Panel, Control - Upper			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4XR SPEC 15911AB

FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2

(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5487-01(AC)612-5501-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		LPG Vapor Carburetor			
		Overspeed Cut Off			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2308	1	Panel, Control - Upper			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-3R SPEC 15921AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-2717-01(AC)612-4815-17

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Model			
		Muffler Mounted On Housing			
		LPG Liquid Carburetor			
		Water Jacket Heater			
		Oil Base Heater			
		Overspeed Cut Off			
303-0201	1	Rheostat Assembly - Voltage Adjustable			
301-2288	1	Panel, Control - Upper			
155-0360	1	Muffler, Critical Type			
155-0927	1	Tube, Exhaust			
140-0078	2	Bands, Muffler - Mounted On Housing			
405-1889	1	Shield, Rain			
505-0043	2	Elbow, 90° (1½")			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4XR SPEC 15926AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-2940-01(AC)612-4817-08

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Natural Gas Carburetor			
		High Compression Pistons			
		Low Oil Pressure Cut Off			
		High Water Temperature Cut Off			
		Overspeed Cut Off			
		Overcrank Cut Off			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2308	1	Panel, Control - Upper			
303-0201	1	Rheostat Assembly - Adjustable			
301-2125	1	Panel, Control - Lower			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, & Overspeed Shutdown			
322-0004	4	Lamp, Panel, Plant, Low Oil Pressure, High Water Temperature, & Overspeed			
322-0069	4	Holder, Lamp			
307-0734	1	Relay, Cycle Cranker - 5 Second			
307-0696	1	Relay, 10 Second			
323-0052	2	Socket, 8 Contact - Octal Type			
353-0015	1	Resistor, 3.5 Ohm - 10 Watt			
332-0795	1	Block, Terminal - Engine			
332-0862	1	Strip, Marker			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-3R SPEC 15927AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
**WIRING DIAGRAM NO.** (ENG)612-5085-01(AC)612-4815-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Natural Gas Carburetor			
		High Compression Pistons			
301-2288	1	Panel, Control - Upper			
301-2393	1	Bracket, Relay Mounting			
307-0696	1	Relay, Cycle Cranker - 10 Second			
307-0734	1	Relay, Cycle Cranker - 5 Second			
307-1077	1	Relay, Time Delay Starting To 3 Seconds On Energization			
323-0052	3	Socket, 8 Contact - Octal Type			
332-0943	2	Spacers			
353-0015	1	Resistor, 3.5 Ohm - 10 Watt			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-3R31 SPEC 15937AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5086-01(AC) 612-4815-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Note: Pennsylvania Approved Natural Gas Carburetor Overspeed Cut Off Low Oil Pressure Cut Off - Dual Senders High Water Temperature Cut Off - Dual Senders Overcrank Cut Off High Compression Pistons					
301-2288	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil Pressure, High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
307-0778	3	Spring, Hold Down			
307-0848	1	Relay, Oil Pressure, To 15 Seconds			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, Overspeed			
332-0943	4	Spacer, Relay Sockets (3/8" OD X 3/16" ID)			
307-0819	3	Relay, Low Oil Pressure, High Water Temperature Alarm & Low Engine Temperature			
323-0052	4	Socket, 8 Contact - Octal Type			
301-3252	1	Bracket, Relay Mounting			
320-0259	1	Relay, Cranking Limiter			
332-1005	1	Block, Terminal - 20 Place			
332-1006	1	Strip, Marker (For 20 Place Block)			
332-0612	1	Strip, Marker (Use With 3 Place Block)			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Relay			
307-1077	1	Relay, Time Delay - Starting - 3 Second			
301-3241	1	Bracket, Relay			
308-0005	1	Switch, Selector			
149-0558	1	Strainer, Natural Gas			
307-0829	1	Kit, Coil - Fuel Valve			
416-0325	1	Hydrometer, Battery - 3 Color Scale			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4R SPEC 15941AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW  
**WIRING DIAGRAM NO.** (ENG)612-3024-01(AC)612-4816-07

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		Natural Gas Carburetor			
		High Compression Pistons			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			
332-0762	1	Strip, Marker			
332-0612	1	Switch, Remote - Close To Run - Open To Stop			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-3R SPEC 15963AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-2717-01 (AC) 612-4958-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Natural Gas Carburetor			
		High Compression Pistons			
301-2288	1	Panel, Control - Upper			
302-0809	1	Meter, Frequency - 120 Volt			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4XR SPEC 15983AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG)612-2865-01(AC)612-4817-05

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		Natural Gas Carburetor			
		High Compression Pistons			
		Muffler Mounted On Housing			
		Water Jacket Heater			
		Oil Base Heater			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2308	1	Panel, Control - Upper			
307-0696	1	Relay, Cycle Cranker - Time Delay 10 Seconds			
307-0734	1	Relay, Cycle Cranker - Time Delay 5 Seconds			
323-0052	2	Socket, 8 Contact - Octal Type			
353-0015	1	Resistor, 3.5 Ohm, 10 Watt			
155-0360	1	Muffler, Critical Type			
155-0927	1	Tube, Exhaust			
140-0078	2	Bands, Muffler - Mounted On Housing			
405-1889	1	Shield, Rain			
505-0043	2	Elbow, 90° (1½")			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-18R SPEC 15993AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 4  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW  
 WIRING DIAGRAM NO. (ENG)612-4134-01(AC)612-4814-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		City Water Cooled Water Cooled Manifold Heat Exchanger Natural Gas Carburetor High Compression Pistons			
502-0257	1	Tee, Brass - Exhaust Manifold (3/8" Pipe)			
517-0059	1	Plug, Expansion (1-7/16" OD)			
503-0478	1	Hose, Water Inlet - 9" Lg.			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2019	1	Panel, Control - Upper			
307-1077	1	Relay, Time Delay - 3 Second			
323-0052	1	Socket, 8 Contact - Octal Type			

SPECIAL PARTS LIST FOR MODEL 15.ORJC-4R SPEC 15997AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG)612-2717-01(AC)612-4882-11

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed Model					
Mounted Fuel Tank					
Overspeed Cut Off					
220-2044	1	Stator, Wound			
201-2159	1	Rotor Assembly, Wound			
520-0799	4	Stud, Generator Through			
520-0791	1	Stud, Rotor Through			
322-0044	2	Light, Signal - Neon			
302-0491	3	Ammeter, AC 0-50A - 12.5 KW			
303-0201	1	Rheostat Assembly - Adjustable			
308-0203	1	Switch, Output Phase Selector			
301-3732	1	Panel, Control - Upper			
338-0755	1	Harness, Wiring			
501-0005	1	Line, Flex - Fuel (18½" Lg.)			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4R SPEC 16026AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG) 612-5108-01(AC) 612-4816-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Natural Gas Carburetor			
		High Compression Pistons			
		Water Jacket Heater			
		Oil Base Heater			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off - Dual Senders			
		High Water Temperature Cut Off - Dual Senders			
		Overcrank Cut Off			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil Pressure, High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, Overspeed Shutdown			
332-0943	2	Spacer, Relay Socket			
307-0848	1	Relay, Oil Pressure - To 15 Seconds			
323-0052	5	Socket, 8 Contact - Octal Type			
307-0734	1	Cycle Cranker, 5 Second Relay			
307-0696	1	Relay, 10 Second			
353-0015	1	Resistor, 3.5 Ohm, 10 Watt			
332-0612	2	Strip, Marker			
307-0778	3	Spring, Hold Down			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker - For 20 Place Block			
307-0819	3	Relay, Low Engine Temperature, Low Oil Pressure & High Water Temperature			
323-0760	1	Socket, Relay			
307-1143	1	Relay, Generating			
301-3241	1	Bracket, Relay Mounting			
301-2393	2	Bracket, Relay Mounting			
307-1157	1	Spring, Hold Down			

WIRING DIAGRAM NO. (ENG) 612-4912-01 (AC) 612-4816-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Note: Pennsylvania Approved					
Day Tank					
Water Jacket Heater					
Oil Base Heater					
Overspeed Cut Off					
Low Oil Pressure Cut Off - Dual Senders					
High Water Temperature Cut Off - Dual Senders					
Overcrank Cut Off					
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
307-0848	1	Relay, Oil Pressure - To 15 Seconds			
322-0004	4	Lamp, Plant, Low Oil Pressure High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, Overspeed			
332-0943	4	Spacer, Relay Socket			
307-0778	2	Spring, Hold Down			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker - For 20 Place Block			
307-0819	1	Relay, Low Engine Temperature			
307-0819	2	Relay, Low Oil Pressure & High Water Temperature			
323-0052	3	Socket, 8 Contact - Octal Type			
308-0005	1	Switch, Selector			
301-3252	1	Bracket, Relay Mounting			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Relay			
332-0612	1	Strip, Marker (Use With 3 Place Terminal Block)			
149-0558	1	Strainer, Regulator			
307-0829	1	Kit, Coil Replacement			
416-0325	1	Hydrometer, 3 Color Scale - Battery Tester			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4R SPEC 16035AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG)612-4989-01(AC)612-4816-0

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed Unit					
LPG Vapor Carburetor					
Muffler Mounted On Housing					
Water Jacket Heater					
Oil Base Heater					
Overspeed Cut Off					
Low Oil Pressure Cut Off - Dual Senders					
High Water Temperature Cut Off - Dual Senders					
Overcrank Cut Off					
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			
307-0655	3	Relay, Lop, Hwt, Overspeed Shutdown			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil Pressure, High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
301-3241	1	Bracket, Relay Mounting			
301-2393	1	Bracket, Relay Mounting			
323-0052	3	Socket, 8 Contact - Octal Type			
307-0819	3	Relay, Low Engine Temperature, Lop, High Water Temperature Pre Alarm			
307-1157	1	Spring, Relay Hold Down			
307-0848	1	Relay, Oil Pressure - To 15 Seconds			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Relay			
332-0943	2	Spacer, Relay Socket (3/8" OD)			
307-0778	3	Spring, Hold Down			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker - For 20 Place Block			
332-0612	1	Strip, Marker			
155-0360	1	Muffler, Critical Type			
155-0927	1	Tube, Exhaust			
140-0078	2	Bands, Muffler - Mounted On Housing			
405-1889	1	Shield, Rain			
505-0043	2	Elbow, 90° (1½")			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4XR131 SPEC 16035AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG)612-4912-01(AC)612-4817-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Note: Pennsylvania Approved Housed Unit LPG Vapor Carburetor Muffler Mounted On Housing Water Jacket Heater Oil Base Heater Overspeed Cut Off Low Oil Pressure Cut Off - Dual Senders High Water Temperature Cut Off - Dual Senders Overcrank Cut Off					
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2308	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
307-0848	1	Relay, Oil Pressure - To 15 Seconds			
322-0004	4	Lamp, Plant, Low Oil Pressure, High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, Overspeed			
307-0819	3	Relay, Low Oil Pressure, High Water Temperature, & Low Engine Temperature			
323-0052	3	Socket, 8 Contact - Octal Type			
308-0005	1	Switch, Selector			
301-3252	1	Bracket, Relay Mounting			
332-0943	4	Spacer, Relay Socket (3/8" OD)			
307-0778	3	Spring, Hold-Down			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker - For 20 Place Block			
332-0612	1	Strip, Marker			
323-0760	1	Socket, Relay			
307-1143	1	Relay, Generating			
149-0558	1	Strainer, Regulator			
307-0829	1	Kit, Coil Replacement			
416-0325	1	Hydrometer, 3 Color Scale - Battery Tester			
155-0360	1	Muffler, Critical Type			
155-0927	1	Tube, Exhaust			
140-0078	2	Bands, Muffler - Mounted On Housing			
405-1889	1	Shield, Rain			
505-0043	2	Elbow, 90° (1½")			

SPECIAL PARTS LIST FOR MODEL 1D. URJC-4R SPEC 16068AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4857-01(AC) 612-4816-07

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed Model					
Muffler Mounted On Housing					
Mounted Fuel Tank					
Water Jacket Heater					
Oil Base Heater					
Overspeed Cut Off					
Low Oil Pressure Cut Off					
High Water Temperature Cut Off					
Overcrank Cut Off					
332-1924	1	Cable, Tie - Spark Plug Leads			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			
307-0655	3	Relay, Lop, Hwt, Overspeed Shutdown			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil Pressure, High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
301-3241	1	Bracket, Relay Mounting			
323-0052	1	Socket, 8 Contact - Octal Type			
307-0819	1	Relay, Low Engine Temperature			
307-1157	1	Spring, Relay Hold Down			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Relay			
332-0943	2	Spacer, Relay Socket (3/8" OD)			
307-0778	1	Spring, Hold Down			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker - For 20 Place Block			
501-0005	1	Line, Fuel - Flex, 18½" Lg.			
155-0360	1	Muffler, Critical Type			
155-0927	1	Tube, Exhaust			
140-0078	2	Bands, Muffler - Mounted On Housing			
405-1889	1	Shield, Rain			
505-0043	2	Elbow, 90° (1½")			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4XR SPEC 16093AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG)612-2717-01(AC)612-4817-05

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed Unit					
Gas - Gasoline Carburetor					
Muffler Mounted On Housing					
Mounted Fuel Tank					
332-0941	1	Cable, Tie - Solenoid			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2308	1	Panel, Control - Upper			
155-0360	1	Muffler Critical Type			
155-0927	1	Tube, Exhaust			
140-0078	2	Bands, Muffler - Mounted On Housing			
405-1889	1	Shield, Rain			
505-0043	2	Elbow, 90° (1½")			
501-0005	1	Line, Fuel - Flex (18½" Lg.)			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-5DR SPEC 16093AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG) 612-2717-01(AC) 612-4818-07

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		Gas - Gasoline Carburetor			
		Muffler Mounted On Housing			
		Mounted Fuel Tank			
332-0941	1	Tie, Cable - Solenoid Coil Assembly			
520-0798	4	Stud, Generator through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			
155-0360	1	Muffler, Critical Type			
155-0927	1	Tube, Exhaust			
140-0078	2	Bands, Muffler - Mounted On Housing			
405-1889	1	Shield, Rain			
505-0043	2	Elbow, 90° (1½")			
501-0005	1	Line, Fuel - Flex (18½" Lg.)			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4XR SPEC 16154AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG) 612-2718-01(AC) 612-4817-11

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		Water Jacket Heater			
		Oil Base Heater			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Water Temperature Cut Off			
		Overcrank Cut Off			
332-1924	1	Cable, Tie - High Tension Lead Set			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2308	1	Panel, Control - Upper			
303-0201	1	Rheostat Assembly - Adjustable			
301-2125	1	Panel, Control - Lower			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, & Overspeed Shutdown			
322-0004	4	Lamp, Panel, Plant, Low Oil Pressure, High Water Temperature, & Overspeed			
322-0069	4	Holder, Lamp			
332-0795	1	Block, Terminal - Engine			
332-0862	1	Strip, Marker			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-3R SPEC 16155AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 4  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG)612-4134-01(AC)612-4815-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		City Water Cooled Water Cooled Manifold Skid & Battery Rack LPG Vapor Carburetor			
517-0059	1	Plug, Expansion (1-7/16" OD)			
503-0478	1	Hose, Water Inlet, 9" Lg.			
505-0376	1	Elbow, 45° (3/8")			
307-1077	1	Relay, Time Delay - 3 Second			
323-0052	1	Socket, 8 Contact - Octal Type			
301-2288	1	Panel, Control - Upper			
416-0522	1	Plate, Battery Mounting			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-3R SPEC 16179AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
**WIRING DIAGRAM NO.** (ENG)612-4857-01(AC)612-4815-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Natural Gas Carburetor			
		High Compression Pistons			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Water Temperature Cut Off			
		Overcrank Cut Off			
301-2288	1	Panel, Control - Upper			
307-0655	3	Relay, Lop, Hwt, Overspeed Shutdown			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil Pressure, High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
301-3241	1	Bracket, Relay Mounting			
323-0052	1	Socket, 8 Contact - Octal Type			
307-0819	1	Relay, Low Engine Temperature			
307-1157	1	Spring, Relay Hold Down			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Relay			
332-0943	2	Spacer, Relay Socket (3/8" OD)			
307-0778	1	Spring, Hold Down			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker - For 20 Place Block			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4R SPEC 16188AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 4  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG)612-4433-01(AC)612-4816-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		City Water Cooled			
		Water Cooled Manifold			
		Heat Exchanger			
		Natural Gas Carburetor			
		High Compression Pistons			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Water Temperature Cut Off			
		Overcrank Cut Off			
154-1224	1	Manifold, Intake			
502-0257	1	Tee, Brass - Exhaust Manifold (3/8" Pipe)			
517-0059	1	Plug, Expansion - Exhaust Manifold (1-7/16" OD)			
503-0478	1	Hose, Water Inlet - 9" Lg.			
148-0367	1	Switch, Vacuum - Regulator			
502-0053	1	Elbow, Street - Vacuum Switch			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil Pressure, High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, Overspeed			
332-0795	1	Block, Terminal - Engine			
332-0862	1	Strip, Marker			

SPECIAL PARTS LIST FOR **MODEL** 15.0RJC-4XR **SPEC** 16191AA  
 FOR STANDARD PARTS REFER TO **CATALOG** 974-0220 **KEY NO.** 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
**WIRING DIAGRAM NO.** (ENG)612-2717-01(AC)612-4817-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Natural Gas Carburetor			
		High Compression Pistons			
		Overspeed Cut Off			
		Water Jacket Heater			
		Oil Base Heater			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2308	1	Panel, Control - Upper			

SPECIAL PARTS LIST FOR MODEL 12.5RJC-4R SPEC 16196AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 3  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-2718-01(AC) 612-4816-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		City Water Cooled Water Cooled Manifold Heat Exchanger Gas - Gasoline Carburetor Water Jacket Heater Overspeed Cut Off Low Oil Pressure Cut Off High Water Temperature Cut Off Overcrank Cut Off			
517-0059	1	Plug, Expansion (1-7/16" OD)			
503-0478	1	Hose, Water Inlet, 9" Lg.			
505-0376	1	Elbow, 45° (3/8")			
502-0257	1	Tee, Pipe - Brass (3/8") - Exhaust Manifold			
130-0813	1	Line, Water			
504-0007	1	Cock, Shut Off - Fuel Pump			
502-0020	1	Elbow, Street Pipe - Fuel Pump			
332-0941	1	Tie, Cable - Solenoid Coil			
301-2204	1	Panel, Control - Upper			
307-0655	3	Relay, Emergency Latching			
320-0259	1	Relay, Cranking Limiter			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil Pressure, High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
332-0795	1	Block, Terminal - 16 Place			
332-0862	1	Strip, Marker (For 16 Place Block)			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-5DR SPEC 16200AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 4  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW  
**WIRING DIAGRAM NO.** (ENG) 612-2718-01(AC) 612-4818-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Natural Gas Carburetor			
		High Compression Pistons			
		City Water Cooled			
		Water Cooled Manifold			
		Heat Exchanger			
		Oil Base Heater			
		Water Jacket Heater			
		Skid & Battery Rack			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Water Temperature Cut Off			
		Overcrank Cut Off			
502-0257	1	Tee, Brass - Exhaust Manifold (3/8" Pipe)			
517-0059	1	Plug, Expansion (1-7/16" OD)			
503-0478	1	Hose, Water Inlet - 9" Lg.			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil Pressure, High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, Overspeed			
332-0862	1	Strip, Marker			
332-0795	1	Block, Terminal - Engine			
416-0522	1	Plate, Battery Mounting			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4R SPEC 16200AB  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 4  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
**WIRING DIAGRAM NO. (ENG) 612-5509-01 (AC) 612-5500-02**

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		City Water Cooled Water Cooled Manifold Heat Exchanger Skid & Battery Rack Water Jacket Heater Oil Base Heater Natural Gas Carburetor High Compression Pistons Overspeed Cut Off Low Oil Pressure Cut Off High Water Temperature Cut Off Overcrank Cut Off			
502-0257	1	Tee, Brass - Exhaust Manifold (3/8" Pipe)			
517-0059	1	Plug, Expansion - Exhaust Manifold (1-7/16" OD)			
503-0478	1	Hose, Water Inlet - 9" Lg.			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			
307-0655	3	Relay, Lop, Hwt, Overspeed Shutdown			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil Pressure High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker - For 20 Place Block			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-3R SPEC 16203AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG)612-2940-01(AC)612-4815-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Natural Gas Carburetor			
		High Compression Pistons			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Water Temperature Cut Off			
		Overcrank Cut Off			
301-2288	1	Panel, Control - Upper			
307-0655	3	Relay, Emergency Latching			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil Pressure High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
332-0795	1	Block, Terminal - 16 Place			
332-0862	1	Strip, Marker (For 16 Place Block)			
307-0734	1	Relay, Cycle Cranker - 5 Second			
307-0696	1	Relay, Cycle Cranker - 10 Second			
323-0052	2	Socket, 8 Contact - Octal Type			
353-0015	1	Resistor, 3.5 Ohm - 10 Watt			

SPECIAL PARTS LIST FOR MODEL 12.5RJC-5DR SPEC 16204AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 3  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-2717-01(AC)612-4818-11

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		City Water Cooled			
		Water Cooled Manifold			
		LPG Vapor Carburetor			
		Skid & Battery Rack			
517-0059	1	Plug, Expansion (1-7/16" OD)			
503-0478	1	Hose, Water Inlet, 9" Lg.			
505-0376	1	Elbow, 45° (3/8")			
303-0201	1	Rheostat Assembly-Adjustable			
301-2204	1	Panel, Control - Upper			
416-0522	1	Plate, Battery Mounting			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-18R SPEC 16209AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG)612-4989-01(AC)612-4814-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		Natural Gas Carburetor			
		High Compression Pistons			
		Water Jacket Heater			
		Oil Base Heater			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off - Dual Senders			
		High Water Temperature Cut Off - Dual Senders			
		Overcrank Cut Off			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2019	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
307-0848	1	Relay, Oil Pressure - To 15 Seconds			
322-0004	4	Lamp, Plant, Low Oil Pressure, High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, Overspeed			
307-0819	3	Relay, Low Oil Pressure, High Water Temperature, & Low Engine Temperature			
323-0052	3	Socket, 8 Contact - Octal Type			
332-0943	2	Spacer, Relay Socket (3/8" OD)			
307-0778	3	Spring, Hold-Down			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker - For 20 Place Block			
301-3241	1	Bracket, Relay Mounting			
301-2393	1	Bracket, Relay Mounting			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Relay			
332-0612	1	Strip, Marker (3 Place)			
307-1157	1	Spring, Hold-Down			

SPECIAL PARTS LIST FOR MODEL 12.5RJC-5DR SPEC 16210AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5109-01(AC)612-4818-06

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Model	155-0927	1	Tube, Exhaust
		Mounted Fuel Tank	140-0078	2	Bands, Muffler - Mounted
		Muffler Mounted On Housing			Housing
		Water Jacket Heater	405-1889	1	Shield, Rain
		Oil Base Heater	505-0043	2	Elbow, 90° (1½")
		Overspeed Cut Off			
		Low Oil Pressure Cut Off - Dual Senders			
		High Water Temperature Cut Off - Dual Senders			
		Overcrank Cut Off			
502-0058	1	Tee, Restricted - Front Cylinder Head			
301-2204	1	Panel, Control - Upper			
501-0005	1	Line, Flex - Fuel, 18½" Lg.			
301-2125	1	Panel, Control - Lower			
307-0848	1	Relay, Oil Pressure - To 15 Seconds			
322-0004	4	Lamp, Plant, Low Oil Pressure, High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, Overspeed			
332-0943	2	Spacer, Relay Socket			
307-0778	3	Spring, Hold Down			
332-1005	1	Block, Terminal - 20 Place			
307-0819	1	Relay, Low Engine Temperature			
307-0819	2	Relay, Low Oil Pressure & High Water Temperature			
323-0052	3	Socket, 8 Contact - Octal Type			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Relay			
332-0612	2	Strip, Marker (Use With 3 Place Terminal Block)			
332-1007	1	Strip, Marker			
301-3241	1	Bracket, Relay Mounting			
301-2393	1	Bracket, Relay Mounting			
307-1157	1	Spring, Hold Down			
155-0360	1	Muffler, Critical Type			

SPECIAL PARTS LIST FOR MODEL 12.5RJC-4XR SPEC 16227AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG)612-2717-01 (AC)612-4817-07

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Natural Gas Carburetor			
		High Compression Pistons			
		Water Jacket Heater			
		Oil Base Heater			
301-2308	1	Panel, Control - Upper			
303-0201	1	Rheostat Assembly - Adjustable			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4XR SPEC 16249AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-2718-01(AC)612-4817-05

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		Muffler Mounted On Housing			
		Mounted Fuel Tank			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Water Temperature Cut Off			
		Overcrank Cut Off			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2308	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, & Overspeed Shutdown			
322-0004	4	Lamp, Panel, Plant, Low Oil Pressure, High Water Temperature, & Overspeed			
322-0069	4	Holder, Lamp			
332-0795	1	Block, Terminal - Engine			
332-0862	1	Strip, Marker			
155-0360	1	Muffler, Critical Type			
155-0927	1	Tube, Exhaust			
140-0078	2	Bands, Muffler - Mounted On Housing			
405-1889	1	Shield, Rain			
505-0043	2	Elbow, 90° (1½")			
501-0005	1	Line, Fuel - Flex (18½" Lg.)			

SPECIAL PARTS LIST FOR MODEL 12.5RJC-4XR SPEC 16255AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4134-01(AC) 612-4817-07

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed Model					
Natural Gas Carburetor					
Muffler Mounted On Housing					
Water Jacket Heater					
High Compression Pistons					
307-1077	1	Relay, Time Delay - 3 Second			
323-0052	1	Socket, 8 Contact - Octal Type			
301-2308	1	Panel, Control - Upper			
155-0360	1	Muffler, Critical Type			
155-0927	1	Tube, Exhaust			
140-0078	2	Bands, Muffler - Mounted On Housing			
405-1889	1	Shield, Rain			
505-0043	2	Elbow, 90° (1½")			

SPECIAL PARTS LIST FOR MODEL 12.5RJC-3CR SPEC 16273AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-4857-01(AC)612-4814-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
LPG Vapor & Gasoline Carburetor Overspeed Cut Off Low Oil Pressure Cut Off High Water Temperature Cut Off Overcrank Cut Off			322-0069	4	Holder, Lamp
504-0007	1	Cock, Shut Off - Fuel Pump			
502-0020	1	Elbow, Fuel Pump Inlet			
332-0941	1	Tie, Cable - Solenoid Coil Assembly			
301-2019	1	Panel, Control - Upper			
320-0259	1	Relay, Cranking Limiter			
307-0655	3	Relay, Low Oil Pressure Shutdown, High Water Temp Shutdown & Overspeed Shutdown			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Relay			
332-0943	2	Spacer, 3/8" OD x 3/16" ID			
307-0819	1	Relay, Low Engine Temp			
307-0778	1	Spring, Holddown			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker (Use With 20 Place Block)			
301-2125	1	Panel, Control - Lower			
301-3241	1	Bracket, Relay Mounting			
323-0052	1	Socket, 8 Contact - Octal Type			
307-1157	1	Spring, Relay Holddown			
322-0004	6	Lamp, Pilot & Panel Lights (Used on Low Oil Pressure High Water Temp & Over- Speed Warning Lights)			

SPECIAL PARTS LIST FOR MODEL 12.5RJC-4R SPEC 16294AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG) 612-2718-01(AC) 612-4816-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Natural Gas Carburetor			
		Overspeed Cut Off			
		Water Jacket Heater			
		Low Oil Pressure Cut Off			
		High Water Temperature Cut Off			
		Overcrank Cut Off			
		Oil Base Heater			
301-2204	1	Panel, Control - Upper			
307-0655	3	Relay, Emergency Latching			
320-0259	1	Relay, Cranking Limiter			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil Pressure High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
332-0795	1	Block, Terminal (16 Place)			
332-0862	1	Strip, Marker - For 16 Place Block			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4R SPEC 16294AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-2718-01(AC)612-4816-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
LPG Vapor Carburetor					
Water Jacket Heater					
Oil Base Heater					
Overspeed Cut Off					
Low Oil Pressure Cut Off					
High Water Temperature Cut Off					
Overcrank Cut Off					
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil Pressure High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
332-0795	1	Block, Terminal - 16 Place			
332-0862	1	Strip, Marker (For 16 Place Block)			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, Overspeed Shutdown			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4R SPEC 16309AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4134-01(AC) 612-4816-12

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
LPG Vapor & Gasoline Carburetor					
332-0941	1	Tie, Cable - Solenoid Coil			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
307-1077	1	Relay, Time Delay - 3 Second			
323-0052	1	Socket, 8 Contact - Octal Type			
301-2204	1	Panel, Control - Upper			
303-0201	1	Rheostat Assembly - Adjustable			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-3R SPEC 16317AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG)612-2865-01(AC)612-4815-07

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Model			
		Natural Gas Carburetor			
		High Compression Pistons			
		Water Jacket Heater			
		Oil Base Heater			
301-2288	1	Panel, Control - Upper			
307-0734	1	Relay, Cycle Cranker - 5 Second			
307-0696	1	Relay, Cycle Cranker - 10 Second			
323-0052	2	Socket, 8 Contact - Octal Type			
353-0015	1	Resistor, 3.5 Ohm - 10 Watt			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-3R SPEC 16319AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-2865-01 (AC) 612-4815-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Natural Gas Carburetor			
		High Compression Pistons			
		Water Jacket Heater			
		Oil Base Heater			
301-2288	1	Panel, Control - Upper			
307-0734	1	Relay, Cycle Cranker - 5 Second			
307-0696	1	Relay, Cycle Cranker - 10 Second			
323-0052	2	Socket, 8 Contact - Octal Type			
353-0015	1	Resistor, 3.5 Ohm - 10 Watt			

SPECIAL PARTS LIST FOR MODEL 15.0RJG-99R SPEC 16324AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
**WIRING DIAGRAM NO.** (ENG)612-4989-01(AC)612-5129-17

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed Unit					
Muffler Mounted On Housing					
Voltage Regulator Filter					
Overspeed Cut Off					
Low Oil Pressure Cut Off - Dual Senders					
High Water Temperature Cut Off - Dual Senders					
Overcrank Cut Off					
234-0532	1	Baffle, Air			
220-2308	1	Stator, Exciter - Wound			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
201-2313	1	Rotor Assembly - Wound			
220-2653	1	Stator Assembly - Wound			
301-2204	1	Panel, Control - Upper			
303-0201	1	Rheostat Assembly - Adjustable			
300-1654	1	Board, Voltage Regulator			
301-2125	1	Panel, Control - Lower			
307-0848	1	Relay, Oil Pressure - To 15 Seconds			
322-0004	4	Lamp, Plant, Low Oil Pressure High Water Temperature, & Overspeed			
322-0069	4	Holder, Lamp			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, Overspeed			
307-0819	3	Relay, Low Oil Pressure, High Water Temperature, & Low Engine Temperature			
323-0052	3	Socket, 8 Contact - Octal Type			
332-0943	2	Spacer, Relay Socket (3/8" OD)			
307-0778	3	Spring, Hold-Down			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker - For 20 Place Block			
301-3241	1	Bracket, Relay Mounting			
301-2393	1	Bracket, Relay Mounting			
332-0612	1	Strip, Marker			
323-0760	1	Socket, Relay			
307-1143	1	Relay, Generating			
307-1157	1	Spring, Hold-Down			
155-0360	1	Muffler, Critical Type			
155-0927	1	Tube, Exhaust-13" Long X 1½"			
140-0078	2	Bands, Muffler - Mounted On Housing			
505-0043	2	Elbow, 90° (1½")			
405-1889	1	Shield, Rain (Muffler)			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-5DR SPEC 16330AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5131-01(AC) 612-4818-07

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed Unit			155-0360	1	Muffler, Critical Type
LPG Vapor Carburetor			155-0927	1	Tube, Exhaust
Muffler Mounted On Housing			140-0078	2	Bands, Muffler - Mounted Housing
Water Jacket Heater			405-1889	1	Shield, Rain
Oil Base Heater			505-0043	2	Elbow, 90° (1½")
Overspeed Cut Off					
Low Oil Pressure Cut Off - Dual Senders					
High Water Temperature Cut Off - Dual Senders					
Overcrank Cut Off					
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			
301-2574	1	Panel, Control - Lower			
307-0848	1	Relay, Oil Pressure - To 15 Seconds			
322-0004	4	Lamp, Plant, Low Oil Pressure High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, Overspeed			
307-0819	3	Relay, Low Oil Pressure, High Water Temperature, & Low Engine Temperature			
323-0052	5	Socket, 8 Contact - Octal Type			
332-0943	2	Spacer, Relay Socket (3/8" OD)			
307-0778	3	Spring, Hold-Down			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker - For 20 Place Block			
301-3241	1	Bracket, Relay Mounting			
301-2393	2	Bracket, Relay Mounting			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Relay			
332-0612	2	Strip, Marker (3 Place)			
307-1157	1	Spring, Hold-Down			
307-1186	1	Relay, Time Delay - Total Crank 1 To 300 Seconds On Pickup			
307-0696	1	Relay, Cycle Cranker Time Delay 10 Seconds			
307-0734	1	Relay, Cycle Cranker Time Delay 5 Seconds			

SPECIAL PARTS LIST FOR MODEL 12.5RJC-4R SPEC 16334AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-4857-01(AC)612-4970-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
LPG Gas Carburetor					
Water Jacket Heater					
Overspeed Cut Off					
Low Oil Pressure Cut Off					
High Water Temperature Cut Off					
Overcrank Cut Off					
Oil Base Heater					
301-2204	1	Panel, Control - Upper			
307-0655	3	Relay, Emergency Latching			
320-0259	1	Relay, Cranking Limiter			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil Pressure High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
323-0052	1	Socket, 8 Contact - Octal Type			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Relay			
332-0943	2	Spacer, Relay Socket			
307-0819	1	Relay, Low Engine Temperature			
307-0778	1	Spring, Hold Down			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker - For 20 Place Block			
301-3241	1	Bracket, Relay Mounting			
307-1157	1	Spring, Hold Down			
302-0810	1	Meter, Frequency			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4XR SPEC 16377AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-2717-01(AC)612-4817-11

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		Gas - Gasoline Carburetor			
		Muffler Mounted On Housing			
		Water Jacket Heater			
		Oil Base Heater			
332-0941	1	Cable, Tie - Solenoid			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2308	1	Panel, Control - Upper			
303-0201	1	Rheostat Assembly - Adjustable			
155-0360	1	Muffler, Critical Type			
155-0927	1	Tube, Exhaust			
140-0078	2	Bands, Muffler - Mounted On Housing			
405-1889	1	Shield, Rain			
505-0043	2	Elbow, 90° (1½")			