

The following catalog has gaps in its page numbers, or doesn't have any numbers. We have chosen to leave the page numbering in the order that Acrobat assigns it.

SPECIAL PARTS LIST FOR MODEL \_\_\_\_\_ SPEC \_\_\_\_\_  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 (ENG)  
 WIRING DIAGRAM NO. 612-2718-01 (AC) 612-2719-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Natural Gas Carburetor			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Water Temperature Cut Off			
		Overcrank Cut Off			
120-0551	1	Cup Assembly, Oil Pump Intake			
167-0504	4	Plug, Spark			
502-0043	1	Elbow, Male - Inverted			
166-0307	1	Distributor Assembly, Includes Gear			
515-0103	1	Key, Fan			
518-0015	1	Ring, Retaining			
211-0152	1	Bell, End (Used With Overspeed Switch)			
517-0093	2	Plug, Dot Button (1/2" Dia.)			
307-0655	3	Relay, Emergency Latching			
320-0259	1	Relay, Cranking Limiter			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil Pressure, High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
332-0795	1	Block, Terminal - 16 Place			
332-0862	1	Strip, Marker (For 16 Place Block)			
337-0044	1	Strap, Ground			
301-0648	1	Plate, Ground			
508-0063	2	Grommet (3-3/8" OD)			
301-1551	1	Panel, Control - Upper			

FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-2940-01(AC)612-2719-14

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed Model					
LPG Vapor Carburetor					
Water Jacket Heater					
Oil Base Heater					
Overspeed Cut Off					
Low Oil Pressure Cut Off					
High Water Temperature Cut Off					
Overcrank Cut Off					
505-0019	1	Bushing, Reducer			
502-0043	1	Elbow, Male - Inverted			
120-0551	1	Cup Assembly - Oil Pump Intake			
167-0504	4	Plug, Spark			
220-0843	1	Stator Assembly, Wound			
515-0103	1	Key, Fan			
518-0015	1	Ring, Retaining			
517-0093	2	Button, Dot (1/2")			
301-1551	1	Panel, Control - Upper			
301-0648	1	Plate, Ground			
307-0655	3	Relay, Emergency Latching			
320-0259	1	Relay, Cranking Limiter			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil Pressure High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
323-0052	2	Socket, 8 Contact - Octal Type			
332-0862	1	Strip, Marker			
307-0734	1	Relay, Cycle Cranker - 5 Second			
307-0696	1	Relay, 10 Second			
353-0015	1	Resistor, 3.5 Ohm, 10 Watt			
332-0795	1	Block, Terminal - Engine			

SPECIAL PARTS LIST FOR MODEL 15.0RUC-3DA SPEC 150701  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-2940-01(AC)612-1593-14

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		LPG Vapor Carburetor			
		Water Jacket Heater			
		Oil Base Heater			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Water Temperature Cut Off			
		Overcrank Cut Off			
502-0043	1	Elbow, Male - Inverted			
120-0551	1	Cup Assembly - Oil Pump Intake			
167-0504	4	Plug, Spark			
515-0103	1	Key, Fan			
518-0015	1	Ring, Retaining			
517-0093	2	Button, Dot (1/2")			
211-0152	1	End Bell, Exciter Adapter			
220-0877	1	Stator Assembly, Wound			
301-2138	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil Pressure High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
307-0655	3	Relay, Emergency Latching			
323-0052	2	Socket, 8 Contact - Octal Type			
332-0862	1	Strip, Marker			
307-0734	1	Relay, Cycle Cranker - 5 Second			
307-0696	1	Relay, 10 Second			
353-0015	1	Resistor, 3.5 Ohm, 10 Watt			
332-0795	1	Block, Terminal - Engine			

FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 4  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-2717-01(AC) 612-4814-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		City Water Cooled			
		Water Cooled Manifold			
		Natural Gas Carburetor			
		High Compression Pistons			
		Skid & Battery Rack			
517-0059	1	Plug, Expansion (1-7/16" OD)			
503-0478	1	Hose, Water Inlet - 9" Lg.			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2019	1	Panel, Control - Upper			
416-0522	1	Plate, Battery Mounting			

SPECIAL PARTS LIST FOR MODEL 13.0VDC-40A SPEC 13.0VDC-40A  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4839-01 (AC) 612-4817-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Natural Gas Carburetor			
		High Compression Pistons			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off - Dual Senders			
		High Water Temperature Cut Off - Dual Senders			
		Overcrank Cut Off			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2308	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
307-0848	1	Relay, Oil Pressure - To 15 Seconds			
322-0004	4	Lamp, Plant, Low Oil Pressure, High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, Overspeed			
307-0819	2	Relay, Low Oil Pressure, & High Water Temperature			
323-0052	4	Socket, 8 Contact - Octal Type			
307-0778	2	Spring, Hold-Down			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker - For 20 Place Block			
301-2393	2	Bracket, Relay Mounting			
332-0612	1	Strip, Marker (3 Place)			

FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-2717-01(AC)612-4815-07

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Model			
		LPG Vapor & Gasoline Carburetor			
		Muffler Mounted On Housing			
		Water Jacket Heater			
		Oil Base Heater			
332-0941	1	Tie, Cable - Solenoid Coil Assembly			
301-2288	1	Panel, Control - Upper			
155-0360	1	Muffler, Critical Type			
155-0927	1	Tube, Exhaust			
140-0078	2	Bands, Muffler - Mounted On Housing			
405-1889	1	Shield, Rain			
505-0043	2	Elbow, 90° (1½")			

SPECIAL PARTS LIST FOR MODEL \_\_\_\_\_ SPEC \_\_\_\_\_  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG)612-2717-01(AC)612-4816-07

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed Model					
LPG Vapor Carburetor					
Overspeed Cut Off					
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			

FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 1  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-2717-01(AC)612-4817-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Model LPG Vapor Carburetor Overspeed Cut Off			
301-2308	1	Panel, Control - Upper			

SPECIAL PARTS LIST FOR MODEL 12.0KJG-200 SPEC 974-0220 KEY NO. 2  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-2717-01 (AC) 612-4818-07

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
----------	------	-------------	----------	------	-------------

Housed Unit  
 LPG Vapor Carburetor  
 Overspeed Cut Off

520-0798	4	Stud, Generator Through
520-0790	1	Stud, Rotor Through
301-2204	1	Panel, Control - Upper

FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5487-01(AC)612-5486-07

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Model			
		LPG Vapor Carburetor			
		Overspeed Cut Off			
301-2288	1	Panel, Control - Upper			

SPECIAL PARTS LIST FOR MODEL LDJRG-4R SPEC 1397JAA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 4  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG)612-4134-01(AC)612-4816-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		City Water Cooled Water Cooled Manifold Heat Exchanger Natural Gas Carburetor Skid & Battery Rack Water Jacket Heater Oil Base Heater High Compression Pistons			
502-0257	1	Tee, Brass - Exhaust Manifold (3/8" Pipe)			
517-0059	1	Plug, Expansion - Exhaust Manifold (1-7/16" OD)			
503-0478	1	Hose, Water Inlet - 9" Lg.			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			
307-1077	1	Relay, Time Delay - 3 Second			
323-0052	1	Socket, 8 Contact - Octal Type			

FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-4857-01(AC)612-4816-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Natural Gas Carburetor			
		High Compression Pistons			
		Water Jacket Heater			
		Oil Base Heater			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Water Temperature Cut Off			
		Overcrank Cut Off			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, & Overspeed Shutdown			
322-0004	4	Lamp, Panel, Plant, Low Oil Pressure, High Water Temperature, & Overspeed			
322-0069	4	Holder, Lamp			
307-0819	1	Relay, Low Engine Temperature			
307-1157	1	Spring, Relay Hold Down			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Relay			
332-0943	2	Spacer, Relay Socket (3/8" OD)			
307-0778	1	Spring, Hold Down			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker - For 20 Place Block			
323-0052	1	Socket, 8 Contact - Octal Type			
301-3241	1	Bracket, Relay Mounting			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-3R SPEC 14022AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 4  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-2717-01 (AC)612-4815-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		City Water Cooled			
		Water Cooled Manifold			
		LPG Vapor Carburetor			
		Water Jacket Heater			
		Oil Base Heater			
517-0059	1	Plug, Expansion (1-7/16" OD)			
503-0478	1	Hose, Water Inlet - 9" Lg.			
301-2288	1	Panel, Control - Upper			

SPECIAL PARTS LIST FOR MODEL 14.5KJG-4K SPEC 14022AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 3  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-2717-01(AC) 612-4816-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		City Water Cooled Water Cooled Manifold Natural Gas Carburetor Water Jacket Heater			
517-0059	1	Plug, Expansion (1-7/16" OD)			
301-2204	1	Panel, Control - Upper			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-3R SPEC 14043AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG)612-2718-01(AC)612-4815-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Natural Gas Carburetor			
		High Compression Pistons			
		Water Jacket Heater			
		Oil Base Heater			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Water Temperature Cut Off			
		Overcrank Cut Off			
301-2288	1	Panel, Control - Upper			
307-0655	3	Relay, Emergency Latching			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil Pressure High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
332-0795	1	Block, Terminal - 16 Place			
332-0862	1	Strip, Marker (For 16 Place Block)			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4XR SPEC 14043AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG)612-2718-01(AC)612-4817-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Natural Gas Carburetor			
		High Compression Pistons			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Water Temperature Cut Off			
		Overcrank Cut Off			
		Water Jacket Heater			
		Oil Base Heater			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2308	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil Pressure High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
307-0655	3	Relay, Emergency Latching			
332-0862	1	Strip, Marker			
332-0795	1	Block, Terminal - Engine			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-3R SPEC 14043AB

FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2

(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5509-01 (AC) 612-5486-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Natural Gas Carburetor			
		High Compression Pistons			
		Water Jacket Heater			
		Oil Base Heater			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Water Temperature Cut Off			
		Overcrank Cut Off			
301-2288	1	Panel, Control - Upper			
307-0655	3	Latch Relay - Emergency			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil Pressure, High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker - For 20 Place Block			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4R SPEC 14043AB  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5509-01(AC)612-5500-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Natural Gas Carburetor					
High Compression Pistons					
Water Jacket Heater					
Oil Base Heater					
Overspeed Cut Off					
Low Oil Pressure Cut Off					
High Water Temperature Cut Off					
Overcrank Cut Off					
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			
307-0655	3	Latch, Relay - Emergency Stop & Alarm, Low Oil Pressure, High Water Temperature, & Overspeed			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil Pressure High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker - For 20 Place Block			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4XR SPEC 14043AB  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG)612-5509-01(AC)612-5501-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Natural Gas Carburetor			
		High Compression Pistons			
		Water Jacket Heater			
		Oil Base Heater			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Water Temperature Cut Off			
		Overcrank Cut Off			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2308	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, & Overspeed Shutdown			
322-0004	4	Lamp, Panel, Plant, Low Oil Pressure, High Water Temperature, & Overspeed			
322-0069	4	Holder, Lamp			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker - For 20 Place Block			

SPECIAL PARTS LIST FOR MODEL 15.ORJC-4R SPEC 14080AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG)612-2717-01(AC)612-4816-07

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		Natural Gas Carburetor			
		High Compression Pistons			
		Water Jacket Heater			
		Oil Base Heater			
		Overspeed Cut Off			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-3R SPEC 14125S  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-2717-01(AC)612-2719-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		LPG Vapor - Gasoline Carburetor			
		Oil Base Heater			
		Overspeed Cut Off			
505-0019	1	Bushing, Reducer			
502-0043	1	Elbow, Male - Inverted			
504-0007	1	Cock, Shut Off - Fuel Pump			
502-0020	1	Elbow, Street Pipe - Fuel Pump			
332-0941	1	Tie, Cable			
120-0551	1	Cup Assembly - Oil Pump Intake			
166-0307	1	Distributor Assembly,			
167-0504	4	Plug, Spark			
211-0152	1	End Bell, Exciter Adapter			
220-0843	1	Stator Assembly, Wound			
515-0103	1	Key, Fan			
518-0015	1	Ring, Retaining			
517-0093	2	Button, Dot (1/2")			
301-1551	1	Panel, Control, Upper			
337-0044	1	Strap, Ground			
301-0648	1	Plate, Ground			
508-0063	2	Grommet (3-3/8" OD)			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4R SPEC 14134AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW

WIRING DIAGRAM NO. (ENG)612-2717-01(AC)612-4816-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Natural Gas Carburetor			
		High Compression Pistons			
		Oil Bath Air Cleaner			
		Overspeed Cut Off			
505-0019	1	Bushing, Reducer			
502-0043	1	Elbow, Male - Inverted			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			

SPECIAL PARTS LIST FOR MODEL 12.5RJC-4R SPEC 14154AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 3  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-2717-01(AC)612-4816-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		City Water Cooled			
		Water Cooled Manifold			
		Natural Gas Carburetor			
		Overspeed Cut Off			
		Skid And Battery Rack			
517-0059	1	Plug, Expansion (1-7/16" OD)			
503-0478	1	Hose, Water Inlet, 9" Lg.			
505-0376	1	Elbow, 45° (3/8")			
301-2204	1	Panel, Control - Upper			
416-0522	1	Plate, Battery Mounting			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4R SPEC 14157AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-4134-01(AC)612-4816-07

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		Muffler Mounted On Housing			
		Water Jacket Heater			
		Oil Base Heater			
		Overspeed Cut Off			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			
307-1077	1	Relay, Time Delay - 3 Second			
323-0052	1	Socket, 8 Contact - Octal Type			
155-0360	1	Muffler, Critical Type			
155-0927	1	Tube, Exhaust			
140-0078	2	Bands, Muffler - Mounted On Housing			
405-1889	1	Shield, Rain			
505-0043	2	Elbow, 90° (1½")			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4R SPEC 14181AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 4  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-2718-01(AC)612-4816-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		City Water Cooled			
		Water Cooled Manifold			
		Gas - Gasoline Carburetor			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Water Temperature Cut Off			
		Overcrank Cut Off			
505-0376	1	Elbow - 45° (3/8")			
517-0059	1	Plug, Expansion - Exhaust Manifold (1-7/16" OD)			
332-0941	1	Tie, Cable - Solenoid Coil			
503-0478	1	Hose, Water Inlet - 9" Lg.			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			
307-0655	3	Latch, Relay - Emergency Stop & Alarm, Low Oil Pressure, High Water Temperature, & Overspeed			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil Pressure, High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
332-0795	1	Block, Terminal - Engine			
332-0862	1	Strip, Marker			

SPECIAL PARTS LIST FOR MODEL 12.5RJC-4R SPEC 14183AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-2718-01(AC)612-4816-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Water Temperature Cut Off			
		Overcrank Cut Off			
301-2204	1	Panel, Control - Upper			
307-0655	3	Relay, Emergency Latching			
320-0259	1	Relay, Cranking Limiter			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil Pressure High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
332-0795	1	Block, Terminal (16 Place)			
332-0862	1	Strip, Marker (For 16 Place Block)			

SPECIAL PARTS LIST FOR MODEL 15. ORJC-3R SPEC 14183AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG) 612-2718-01 (AC) 612-4815-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Water Temperature Cut Off			
		Overcrank Cut Off			
307-0655	3	Relay, Emergency Latching			
320-0259	1	Relay, Cranking Limiter			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil Pressure, High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
332-0795	1	Block, Terminal - 16 Place			
332-0862	1	Strip, Marker (For 16 Place Block)			
301-2288	1	Panel, Control - Upper			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4R SPEC 14183AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-2718-01(AC)612-4816-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Water Temperature Cut Off			
		Overcrank Cut Off			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper Wiring - Overspeed			
307-0655	3	Relay, Lop, Hwt, Overspeed Shutdown			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil Pressure, High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
332-0795	1	Block, Terminal - Engine			
332-0862	1	Strip, Marker			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-3R SPEC 14187AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4134-01 (AC) 612-4815-07

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Model			
		Muffler Mounted On Housing			
		Mounted Fuel Tank			
		Water Jacket Heater			
		Oil Base Heater			
307-1077	1	Relay, Time Delay - 3 Second			
323-0052	1	Socket, 8 Contact - Octal Type			
301-2288	1	Panel, Control - Upper			
155-0360	1	Muffler, Critical Type			
155-0927	1	Tube, Exhaust			
140-0078	2	Bands, Muffler - Mounted On Housing			
405-1889	1	Shield, Rain			
505-0043	2	Elbow, 90° (1½")			
501-0005	1	Line, Flex - Fuel (18½" Lg.)			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4R SPEC 14187AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG) 612-4134-01 (AC) 612-4816-07

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		Muffler Mounted On Housing			
		Mounted Fuel Tank			
		Water Jacket Heater			
		Oil Base Heater			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			
307-1077	1	Relay, Time Delay - 3 Second			
323-0052	1	Socket, 8 Contact - Octal Type			
155-0360	1	Muffler, Critical Type			
155-0927	1	Tube, Exhaust			
140-0078	2	Bands, Muffler - Mounted On Housing			
405-1889	1	Shield, Rain			
505-0043	2	Elbow, 90° (1½")			
501-0005	1	Line, Flex - Fuel (18½" Lg.)			

SPECIAL PARTS LIST FOR MODEL 12.5RJC-4XR SPEC 14218AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG)612-2717-01(AC)612-4817-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Model			
		LPG Vapor & Gasoline Carburetor			
		Muffler Mounted on Housing			
		Water Jacket Heater			
		Oil Base Heater			
		Overspeed Cut Off			
504-0007	1	Cock, Shut Off - Fuel Pump			
502-0020	1	Elbow, Street Pipe - Fuel Pump			
332-0941	1	Tie, Cable - Solenoid Coil Assembly			
301-2308	1	Panel, Control - Upper			
155-0360	1	Muffler, Critical Type			
155-0927	1	Tube, Exhaust			
140-0078	2	Bands, Muffler - Mounted On Housing			
405-1889	1	Shield, Rain			
505-0043	2	Elbow, 90° (1½")			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4R SPEC 14219AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 4  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG)612-4857-01(AC)612-4816-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		City Water Cooled			
		Water Cooled Manifold			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Water Temperature Cut Off			
		Overcrank Cut Off			
517-0059	1	Plug, Expansion - Exhaust Manifold (1-7/16" OD)			
503-0478	1	Hose, Water Inlet - 9" Lg.			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, & Overspeed Shutdown			
322-0004	4	Lamp, Panel, Plant, Low Oil Pressure, High Water Temperature, & Overspeed			
322-0069	4	Holder, Lamp			
307-0819	1	Relay, Low Engine Temperature			
307-1157	1	Spring, Relay Hold Down			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Relay			
332-0943	2	Spacer, Relay Socket (3/8" OD)			
307-0778	1	Spring, Hold Down			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker - For 20 Place Block			
323-0052	1	Socket, 8 Contact - Octal Type			
301-3241	1	Bracket, Relay Mounting			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4R31 SPEC 14285AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 4  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4912-01(AC)612-4816-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Note: Pennsylvania Approved Natural Gas Carburetor High Compression Pistons City Water Cooled Water Cooled Manifold Heat Exchanger Low Oil Pressure Cut Off - Dual Senders High Water Temperature Cut Off - Dual Senders Overcrank Cut Off Overspeed Cut Off			149-0558	1	Strainer, Regulator
			307-0829	1	Kit, Coil Replacement
			416-0325	1	Hydrometer, 3 Color Scale Battery Tester
			307-0833	1	Valve, Solenoid - Electric
			504-0019	1	Valve, Lock Shield - Manua
309-0179	1	Thermostat - Open 190 <sup>o</sup> F, Close 215 <sup>o</sup> F - Adapter Assembly			
502-0257	1	Tee, Brass - Exhaust Manifold (3/8" Pipe)			
517-0059	1	Plug, Expansion - Exhaust Manifold (1-7/16" OD)			
503-0478	1	Hose, Water Inlet - 9" Lg.			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			
320-0259	1	Relay, Cranking Limiter			
301-2125	1	Panel, Control - Lower			
307-0848	1	Relay, Oil Pressure - To 15 Seconds			
322-0004	4	Lamp, Plant, Low Oil Pressure High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, Overspeed			
332-0943	4	Spacer, Relay Socket			
307-0778	2	Spring, Hold Down			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker - For 20 Place Block			
307-0819	1	Relay, Low Engine Temperature			
307-0819	2	Relay, Low Oil Pressure & High Water Temperature			
323-0052	3	Socket, 8 Contact - Octal Type			
308-0005	1	Switch, Selector			
301-3252	1	Bracket, Relay Mounting			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Relay			
332-0612	1	Strip, Marker (Use With 3 Place Terminal Block)			

SPECIAL PARTS LIST FOR MODEL 12.5RJC-4R131 SPEC 14293AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-4911-01(AC)612-4816-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Note: Pennsylvania Approved LPG Vapor Carburetor Oil Base Heater Water Jacket Heater Overspeed Cut Off Low Oil Pressure Cut Off - Dual Senders High Water Temperature Cut Off - Dual Senders Overcrank Cut Off					
502-0058	1	Tee, Restricted Front - Cylinder Head			
301-2204	1	Panel, Control - Upper			
320-0259	1	Relay, Cranking Limiter			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil Pressure High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, Overspeed			
307-0848	1	Relay, Oil Pressure - To 15 Seconds			
332-0943	4	Spacer, Relay Socket			
307-0778	2	Spring, Hold Down			
332-1005	1	Block, Terminal - 20 Place			
332-1006	1	Strip, Marker (For 20 Place Block)			
307-0819	2	Relay, Low Oil Pressure & High Water Temperature			
323-0052	3	Socket, 8 Contact - Octal Type			
308-0005	1	Switch, Selector			
301-3241	1	Bracket, Relay			
307-1077	1	Relay, Time Delay Starting - 3 Seconds			
149-0558	1	Strainer, Regulator			
307-0829	1	Kit, Coil Replacement			
416-0325	1	Hydrometer, 3 Color Scale - Battery Tester			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-5DR SPEC 14327AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG)612-2865-01(AC)612-4818-07

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed Unit					
Overspeed Cut Off					
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			
307-0696	1	Relay, Cycle Cranker - Time Delay 10 Seconds			
307-0734	1	Relay, Cycle Cranker - Time Delay 5 Seconds			
323-0052	2	Socket, 8 Contact - Octal Type			
353-0015	1	Resistor, 3.5 Ohm, 10 Watt			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4R SPEC 14352AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-3024-01 (AC) 612-4816-17

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed Model					
LPG Vapor Carburetor					
Muffler Mounted On Housing					
Water Jacket Heater					
Oil Base Heater					
Overspeed Cut Off					
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			
303-0201	1	Rheostat Assembly - Adjustable			
332-0762	1	Strip, Marker			
332-0612	1	Switch, Remote - Close To Run - Open To Stop			
155-0360	1	Muffler, Critical Type			
155-0927	1	Tube, Exhaust			
140-0078	2	Bands, Muffler - Mounted On Housing			
405-1889	1	Shield, Rain			
505-0043	2	Elbow, 90° (1½")			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-3R SPEC 14354AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 4  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-2717-01 (AC) 612-4815-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		City Water Cooled Water Cooled Manifold Heat Exchanger LPG Vapor Carburetor Skid Base Assembly			
130-0813	1	Line, Water - Heat Exchanger To Cylinder Head			
502-0257	1	Tee, Brass - Exhaust Manifold (3/8" Pipe)			
517-0059	1	Plug, Expansion (1-7/16" OD)			
503-0478	1	Hose, Water Inlet - 9" Lg.			
416-0522	1	Plate, Battery			
301-2288	1	Panel, Control - Upper			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-3R SPEC 14380AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-2718-01(AC) 612-4815-12

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Water Temperature Cut Off			
		Overcrank Cut Off			
301-2288	1	Panel, Control - Upper			
303-0201	1	Rheostat Assembly - Voltage Adjustable			
307-0655	3	Relay, Emergency Latching			
320-0259	1	Relay, Cranking Limiter			
301-2125	1	Panel Control - Lower			
322-0004	4	Lamp, Plant, Low Oil Pressure, High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
332-0795	1	Block, Terminal - Engine			
332-0862	1	Strip, Marker			

SPECIAL PARTS LIST FOR MODEL 12.5RJC-4R SPEC 14431AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-2940-01(AC)612-4816-11

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Gas - Gasoline Carburetor			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Water Temperature Cut Off			
		Overcrank Cut Off			
504-0007	1	Cock, Shut Off - Fuel Pump			
502-0020	1	Elbow, Street Pipe - Fuel Pump			
332-0941	1	Tie, Cable - Solenoid Coil Assembly			
301-2204	1	Panel, Control - Upper			
307-0655	3	Relay, Emergency Latching			
320-0259	1	Relay, Cranking Limiter			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil Pressure High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
332-0795	1	Block, Terminal (16 Place)			
332-0862	1	Strip, Marker (For 16 Place Block)			
303-0201	1	Rheostat Assembly- Adjustable			
307-0696	1	Relay, 10 Second			
323-0052	2	Socket, 8 Contact - Octal Type			
307-0734	1	Relay, Cycle Cranker - 5 Second			
353-0015	1	Resistor, 3.5 Ohm - 10 Watt			

SPECIAL PARTS LIST FOR MODEL 12.5RJC-3R SPEC 14466AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-2718-01(AC)612-4815-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Natural Gas Carburetor			
		Overspeed Cut Off			
		Water Jacket Heater			
		Low Oil Pressure Cut Off			
		High Water Temperature Cut Off			
		Overcrank Cut Off			
		Oil Base Heater			
301-2288	1	Panel, Control - Upper			
307-0655	3	Relay, Emergency Latching			
320-0259	1	Relay, Cranking Limiter			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil Pressure High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
332-0795	1	Block, Terminal (16 Place)			
332-0862	1	Strip, Marker - For 16 Place Block			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-3R SPEC 14466AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-2718-01(AC)612-4815-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
LPG Liquid Carburetor					
Water Jacket Heater					
Oil Base Heater					
Overspeed Cut Off					
Low Oil Pressure Cut Off					
High Water Temperature Cut Off					
Overcrank Cut Off					
301-2288	1	Panel, Control - Upper			
307-0655	3	Relay, Emergency Latching			
320-0259	1	Relay, Cranking Limiter			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil Pressure High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
332-0795	1	Block, Terminal (16 Place)			
332-0862	1	Strip, Marker - For 16 Place Block			

SPECIAL PARTS LIST FOR MODEL 12.5RJC-5DR SPEC 14521AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-4134-01(AC)612-4818-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Water Jacket Heater			
		Oil Base Heater			
		Overspeed Cut Off			
167-1595	1	Lead Assembly, 24" (Resistor Type)			
167-1596	3	Lead Assembly, 12" (Resistor Type)			
332-1924	1	Cable, Tie			
307-1077	1	Relay, Time Delay - 3 Second			
323-0052	1	Socket, 8 Contact - Octal Type			
301-2204	1	Panel, Control - Upper			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4R SPEC 14552AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-4775-01(AC)612-4816-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Natural Gas Carburetor			
		High Compression Pistons			
		Water Jacket Heater			
		Oil Base Heater			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off - Dual Senders			
		High Water Temperature Cut Off - Dual Senders			
		Overcrank Cut Off			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			
307-0848	1	Relay, Oil Pressure - To 15 Seconds			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, Overspeed			
332-0943	4	Spacer, Relay Sockets (3/8" OD X 3/16" ID)			
307-0819	2	Relay, Low Oil Pressure & High Water Temperature Alarm			
323-0052	2	Socket, 8 Contact - Octal Type			
301-3252	1	Bracket, Relay Mounting			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil Pressure High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
307-0778	2	Spring, Hold Down			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker - For 20 Place Block			
332-0612	1	Strip, Marker (Use With 3 Place Block)			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Relay			
307-1157	1	Spring, Relay Hold Down			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4R SPEC 14561AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG) 612-2940-01 (AC) 612-4816-07

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed Model					
LPG Vapor Carburetor					
Muffler Mounted On Housing					
Water Jacket Heater					
Oil Base Heater					
Overspeed Cut Off					
Low Oil Pressure Cut Off					
High Water Temperature Cut Off					
Overcrank Cut Off					
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, Overspeed Shutdown			
322-0004	4	Lamp, Plant, Low Oil Pressure, High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
332-0795	1	Block, Terminal - 16 Place			
332-0862	1	Strip, Marker (For 16 Place Block)			
307-0734	1	Relay, Cycle Cranker - 5 Second			
307-0696	1	Relay, 10 Second			
323-0052	2	Socket, 8 Contact - Octal Type			
353-0015	1	Resistor, 3.5 Ohm, 10 Watt			
155-0360	1	Muffler, Critical Type			
155-0927	1	Tube, Exhaust			
140-0078	2	Bands, Muffler - Mounted On Housing			
405-1889	1	Shield, Rain			
505-0043	2	Elbow, 90° (1½")			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-18R SPEC 14561AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-2940-01(AC)612-4814-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		Muffler Mounted On Housing			
		LPG Vapor Carburetor			
		Water Jacket Heater			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Water Temperature Cut Off			
		Overcrank Cut Off			
		Oil Base Heater			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2019	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil Pressure High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
307-0655	3	Relay, Emergency Latching			
323-0052	2	Socket, 8 Contact - Octal Type			
332-0862	1	Strip, Marker			
307-0734	1	Relay, Cycle Cranker - 5 Second			
307-0696	1	Relay, 10 Second			
353-0015	1	Resistor, 3.5 Ohm, 10 Watt			
155-0360	1	Muffler, Critical Type			
155-0927	1	Tube, Exhaust			
140-0078	2	Bands, Muffler - Mounted On Housing			
405-1889	1	Shield, Rain			
505-0043	2	Elbow, 90° (1½")			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-18R SPEC 14570AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-2717-01(AC) 612-4814-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		Gas - Gasoline Carburetor			
		Mounted Fuel Tank			
		Muffler Mounted On Housing			
332-0941	1	Tie, Cable - Solenoid Coil Assembly			
520-0799	4	Stud, Generator Through			
520-0791	1	Stud, Rotor Through			
220-2044	1	Stator Assembly, Wound			
201-2159	1	Rotor Assembly, Wound			
301-2019	1	Panel, Control - Upper			
155-0360	1	Muffler, Critical Type			
155-0927	1	Tube, Exhaust			
140-0078	2	Bands, Muffler - Mounted On Housing			
405-1889	1	Shield, Rain			
505-0043	2	Elbow, 90° (1½")			
501-0005	1	Line, Fuel - Flex (18½" Lg.)			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4R31 SPEC 14571AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-4874-01(AC)612-4816-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Note: Pennsylvania Approved					
Natural Gas Carburetor					
High Compression Pistons					
Low Oil Pressure Cut Off - Dual Senders					
High Water Temperature Cut Off - Dual Senders					
Overcrank Cut Off					
Overspeed Cut Off					
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, & Overspeed Shutdown			
322-0004	4	Lamp, Panel, Plant, Low Oil Pressure, High Water Temperature, & Overspeed			
322-0069	4	Holder, Lamp			
307-0819	2	Relay, Low Oil Pressure, High Water Temperature			
307-0848	1	Relay, Oil Pressure - To 15 Seconds			
323-0052	2	Socket, 8 Contact - Octal Type			
332-0943	4	Spacer, Relay Socket (3/8" OD)			
307-0778	2	Spring, Hold Down			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker - For 20 Place Block			
308-0005	1	Switch, Selector			
301-3252	1	Bracket, Relay Mounting			
149-0558	1	Strainer, Regulator			
307-0829	1	Kit, Coil Replacement			
416-0325	1	Hydrometer, 3 Color Scale - Battery Tester			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4XR SPEC 14592AB  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-5509-01 (AC) 612-5501-05

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Water Temperature Cut Off			
		Overcrank Cut Off			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2308	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil Pressure High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, Overspeed			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker - For 20 Place Block			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-3R31 SPEC 14595AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 4  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-4874-01(AC)612-4815-07

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Note: Pennsylvania Approved Natural Gas Carburetor City Water Cooled Water Cooled Manifold Housed Model Overspeed Cut Off Low Oil Pressure Cut Off - Dual Senders High Water Temperature Cut Off - Dual Senders Overcrank Cut Off High Compression Pistons			405-1750	2	Cover, Radiator
			149-0558	1	Strainer, Natural Gas
			307-0829	1	Kit, Coil - Fuel Valve
			416-0325	1	Hydrometer, Battery - 3 Color Scale
			504-0019	1	Valve, Globe - Lockshield
			307-0833	1	Valve, Solenoid
309-0179	1	Thermostat - Open 190° F, Close 215° F - Adapter Assembly			
517-0059	1	Plug, Expansion (1-7/16" OD)			
505-0376	1	Elbow, 45° (3/8")			
503-0478	1	Hose, Water Inlet - 9" Lg.			
301-2288	1	Panel, Control - Upper			
301-2125	1	<b>Panel, Control - Lower</b>			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, & Overspeed Shutdown			
322-0004	4	Lamp, Panel, Plant, Low Oil Pressure, High Water Temperature, & Overspeed			
322-0069	4	Holder, Lamp (Used On Plant, Low Oil Pressure, High Water Temperature, & Overspeed Shutdown)			
307-0819	2	Relay, Low Oil Pressure, High Water Temperature			
307-0848	1	Relay, Oil Pressure - To 15 Seconds			
323-0052	2	Socket, 8 Contact - Octal Type			
332-0943	4	Spacer, Relay Socket (3/8" OD)			
307-0778	2	Spring, Hold Down			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker - For 20 Place Block			
308-0005	1	Switch, Selector			
301-3252	1	Bracket, Relay Mounting			
405-1132	1	Panel, Top - Housing			
405-1083	2	Door Assembly - Removable Panel			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4XR SPEC 14619AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 4  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG)612-2717-01(AC)612-4817-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		City Water Cooled			
		Water Cooled Manifold			
		Natural Gas Carburetor			
		Water Jacket Heater			
		Oil Base Heater			
		High Compression Pistons			
517-0059	1	Plug, Expansion (1-7/16" OD) Exhaust Manifold			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2308	1	Panel, Control - Upper			

SPECIAL PARTS LIST FOR MODEL 12.5RJC-18R SPEC 14634AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG)612-4134-01(AC)612-4814-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Natural Gas Carburetor			
		Water Jacket Heater			
		Oil Base Heater			
307-1077	1	Relay, Time Delay - 3 Second			
323-0052	1	Socket, 8 Contact - Octal Type			
301-2019	1	Panel, Control - Upper			

SPECIAL PARTS LIST FOR **MODEL** 12.5RJC-3R **SPEC** 14640AA  
 FOR STANDARD PARTS REFER TO **CATALOG** 974-0220 **KEY NO.** 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
**WIRING DIAGRAM NO.** (ENG)612-2717-01(AC)612-4958-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Natural Gas Carburetor			
		Water Jacket Heater			
		Oil Base Heater			
302-0809	1	Meter, Frequency - Optional - 120 Volt			
301-2288	1	Panel, Control - Upper			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-3R SPEC 14640AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-2717-01(AC)612-4958-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		LPG Vapor Carburetor Water Jacket Heater Oil Base Heater			
301-2288	1	Panel, Control - Upper			
302-0809	1	Meter, Frequency, 120 Volt			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4R SPEC 14644AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG)612-2717-01(AC)612-4816-12

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Natural Gas Carburetor			
		High Compression Pistons			
		Overspeed Cut Off			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			
303-0201	1	Rheostat Assembly - Adjustable			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4XR SPEC 14644AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
**WIRING DIAGRAM NO.** (ENG)612-2717-01(AC)612-4817-08

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Natural Gas Carburetor			
		High Compression Pistons			
		Overspeed Cut Off			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2308	1	Panel, Control - Upper			
303-0201	1	Rheostat Assembly - Adjustable			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-18R SPEC 14668AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-2717-01(AC)612-4814-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Gas - Gasoline Carburetor					
332-0941	1	Tie, Cable - Solenoid Coil Assembly			
520-0799	4	Stud, Generator Through			
520-0791	1	Stud, Rotor Through			
220-2044	1	Stator Assembly, Wound			
201-2159	1	Rotor Assembly, Wound			
301-2019	1	Panel, Control - Upper			

SPECIAL PARTS LIST FOR **MODEL** 12.5RJC-3R **SPEC** 14698AA  
 FOR STANDARD PARTS REFER TO **CATALOG** 974-0220 **KEY NO.** 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
**WIRING DIAGRAM NO.** (ENG) 612-2717-01(AC) 612-4958-06

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Model			
		Natural Gas Carburetor			
		Water Jacket Heater			
		Oil Base Heater			
302-0809	1	Meter, Frequency - Optional - 120 Volt			
301-2288	1	Panel, Control - Upper			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-3R SPEC 14698AA

FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2

(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-2717-01(AC)612-4958-07

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Model LPG Vapor Carburetor Water Jacket Heater Oil Base Heater			
301-2288	1	Panel, Control - Upper			
302-0809	1	Meter, Frequency, 120 Volt			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-3R31 SPEC 14722AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG)612-4912-01(AC)612-4815-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Note: Pennsylvania Approved Natural Gas Carburetor High Compression Pistons Low Oil Pressure Cut Off - Dual Senders High Water Temperature Cut Off - Dual Senders Overcrank Cut Off Overspeed Cut Off					
301-2288	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
307-0848	1	Relay, Oil Pressure - To 15 Seconds			
322-0004	4	Lamp, Plant, Low Oil Pressure, High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, Overspeed			
332-0943	4	Spacer, Relay Socket			
307-0778	3	Spring, Hold Down			
332-1005	1	Block, Terminal - 20 Place			
332-1006	1	Strip, Marker (For 20 Place Block)			
307-0819	3	Relay, Low Engine Temperature, Low Oil Pressure & High Water Temperature			
323-0052	3	Socket, 8 Contact - Octal Type			
308-0005	1	Switch, Selector			
301-3252	1	Bracket, Relay Mounting			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Relay			
332-0612	1	Strip, Marker (Use With 3 Place Terminal Block)			
149-0558	1	Strainer, Regulator			
307-0829	1	Kit, Coil Replacement			
416-0325	1	Hydrometer, 3 Color Scale - Battery Tester			

SPECIAL PARTS LIST FOR MODEL 15.0RJG-4R31 SPEC 14722AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-4912-01(AC)612-4816-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Note: Pennsylvania Approved Natural Gas Carburetor High Compression Pistons Overspeed Cut Off Low Oil Pressure Cut Off - Dual Senders High Water Temperature Cut Off - Dual Senders Overcrank Cut Off					
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			
320-0259	1	Relay, Cranking Limiter			
301-2125	1	Panel, Control - Lower			
307-0848	1	Relay, Oil Pressure - To 15 Seconds			
322-0004	4	Lamp, Plant, Low Oil Pressure High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, Overspeed			
332-0943	4	Spacer, Relay Socket			
307-0778	2	Spring, Hold Down			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker - For 20 Place Block			
307-0819	1	Relay, Low Engine Temperature			
307-0819	2	Relay, Low Oil Pressure & High Water Temperature			
323-0052	3	Socket, 8 Contact - Octal Type			
308-0005	1	Switch, Selector			
301-3252	1	Bracket, Relay Mounting			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Relay			
332-0612	1	Strip, Marker (Use With 3 Place Terminal Block)			
149-0558	1	Strainer, Regulator			
307-0829	1	Kit, Coil Replacement			
416-0325	1	Hydrometer, 3 Color Scale - Battery Tester			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4XR31 SPEC 14722AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG) 612-4912-01(AC) 612-4817-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Note: Pennsylvania Approved					
Natural Gas Carburetor					
High Compression Pistons					
Low Oil Pressure Cut Off - Dual Senders					
High Water Temperature Cut Off - Dual Senders					
Overcrank Cut Off					
Overspeed Cut Off					
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2308	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
307-0848	1	Relay, Oil Pressure - To 15 Seconds			
322-0004	4	Lamp, Plant, Low Oil Pressure, High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, Overspeed			
307-0819	3	Relay, Low Oil Pressure, High Water Temperature, & Low Engine Temperature			
323-0052	3	Socket, 8 Contact - Octal Type			
308-0005	1	Switch, Selector			
301-3252	1	Bracket, Relay Mounting			
332-0943	4	Spacer, Relay Socket (3/8" OD)			
307-0778	3	Spring, Hold-Down			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker - For 20 Place Block			
332-0612	1	Strip, Marker			
323-0760	1	Socket, Relay			
307-1143	1	Relay, Generating			
149-0558	1	Strainer, Regulator			
307-0829	1	Kit, Coil Replacement			
416-0325	1	Hydrometer, 3 Color Scale - Battery Tester			

SPECIAL PARTS LIST FOR MODEL 15.0RJG-4R SPEC 14738AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
**WIRING DIAGRAM NO.** (ENG) 612-2717-01 (AC) 612-4970-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Natural Gas Carburetor			
		High Compression Pistons			
		Overspeed Cut Off			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			
302-0810	1	Meter, Frequency - Pointer Type			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-18R SPEC 14759AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-2717-01(AC)612-4814-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Gas - Gasoline Carburetor			
		Water Jacket Heater			
		Oil Base Heater			
332-0941	1	Tie, Cable - Solenoid Coil Assembly			
520-0799	4	Stud, Generator Through			
520-0791	1	Stud, Rotor Through			
220-2044	1	Stator Assembly, Wound			
201-2159	1	Rotor Assembly, Wound			
301-2019	1	Panel, Control - Upper			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-18R SPEC 14771AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 4  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4134-01 (AC) 612-4814-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		City Water Cooled			
		Water Cooled Manifold			
		LPG Vapor Carburetor			
		Skid & Battery Rack			
517-0059	1	Plug, Expansion - Exhaust Manifold			
503-0478	1	Hose, Water Inlet - 9" Lg.			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
307-1077	1	Relay, Time Delay - 3 Second			
323-0052	1	Socket, 8 Contact - Octal Type			
301-2019	1	Panel, Control - Upper			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4R SPEC 14782AA

FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 4

(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4134-01(AC) 612-4816-12

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		City Water Cooled			
		Water Cooled Manifold			
		Natural Gas Carburetor			
		High Compression Pistons			
		Overspeed Cut Off			
517-0059	1	Plug, Expansion - Exhaust Manifold (1-7/16" OD)			
503-0478	1	Hose, Water Inlet - 9" Lg.			
505-0376	1	Elbow, 45° (3/8")			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			
307-1077	1	Relay, Time Delay - 3 Second			
323-0052	1	Socket, 8 Contact - Octal Type			
303-0201	1	Rheostat Assembly - Adjustable			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-3CR SPEC 14796AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG)612-2717-01(AC)612-4814-03

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed Model					
Gas - Gasoline Carburetor					
Muffler Mounted On Housing					
Water Jacket Heater					
Oil Base Heater					
504-0007	1	Cock, Shut Off - Fuel Pump			
502-0020	1	Elbow, Street - Fuel Pump			
332-0941	1	Tie, Cable - Solenoid Coil Assembly			
301-2019	1	Panel, Control - Upper			
155-0360	1	Muffler, Critical Type			
155-0927	1	Tube, Exhaust			
140-0078	2	Bands, Muffler - Mounted On Housing			
405-1889	1	Shield, Rain			
505-0043	2	Elbow, 90° (1½")			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4XR SPEC 14816AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG)612-2718-01(AC)612-4817-05

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed Unit					
Gas - Gasoline Carburetor					
Mounted Fuel Tank					
Overspeed Cut Off					
Low Oil Pressure Cut Off					
High Water Temperature Cut Off					
Overcrank Cut Off					
332-0941	1	Cable, Tie - Solenoid			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2308	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, & Overspeed Shutdown			
322-0004	4	Lamp, Panel, Plant, Low Oil Pressure, High Water Temperature, & Overspeed			
322-0069	4	Holder, Lamp			
332-0795	1	Block, Terminal - Engine			
332-0862	1	Strip, Marker			
501-0005	1	Line, Fuel - Flex (18½" Lg.)			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-18R SPEC 14822AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 4  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG) 612-2717-01 (AC) 612-4814-06

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Gas - Gasoline Carburetor			
		City Water Cooled			
		Water Cooled Manifold			
		Heat Exchanger			
332-0941	1	Tie, Cable - Solenoid Coil Assembly			
502-0257	1	Tee, Brass - Exhaust Manifold (3/8" Pipe)			
517-0059	1	Plug, Expansion (1-7/16" OD)			
503-0478	1	Hose, Water Inlet - 9" Lg.			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2019	1	Panel, Control - Upper			
303-0201	1	Rheostat Assembly - Adjustable			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4R SPEC 14847AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4857-01(AC) 612-4816-07

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed Model					
Muffler Mounted On Housing					
Overspeed Cut Off					
Low Oil Pressure Cut Off					
High Water Temperature Cut Off					
Overcrank Cut Off					
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, & Overspeed Shutdown			
322-0004	4	Lamp, Panel, Plant, Low Oil Pressure, High Water Temperature, & Overspeed			
322-0069	4	Holder, Lamp			
307-0819	1	Relay, Low Engine Temperature			
307-1157	1	Spring, Relay Hold Down			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Relay			
332-0943	2	Spacer, Relay Socket (3/8" OD)			
307-0778	3	Spring, Hold Down			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker - For 20 Place Block			
323-0052	1	Socket, 8 Contact - Octal Type			
301-3241	1	Bracket, Relay Mounting			
155-0360	1	Muffler, Critical Type			
155-0927	1	Tube, Exhaust			
140-0078	2	Bands, Muffler - Mounted On Housing			
405-1889	1	Shield, Rain			
505-0043	2	Elbow, 90° (1½")			

SPECIAL PARTS LIST FOR **MODEL** 12.5RJC-4R **SPEC** 14848AA  
 FOR STANDARD PARTS REFER TO **CATALOG** 974-0220 **KEY NO.** 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (ENG) 612-2718-01 (AC) 612-4816-06

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Model			
		Muffler Mounted On Housing			
		Water Jacket Heater			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Water Temperature Cut Off			
		Overcrank Cut Off			
		Oil Base Heater			
301-2204	1	Panel, Control - Upper			
307-0655	3	Relay, Emergency Latching			
320-0259	1	Relay, Cranking Limiter			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil Pressure High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
332-0795	1	Block, Terminal (16 Place)			
332-0862	1	Strip, Marker - For 16 Place Block			
155-0360	1	Muffler, Critical Type			
155-0927	1	Tube, Exhaust			
146-0078	2	Bands, Muffler - Mounted On Housing			
405-1889	1	Shield, Rain			
505-0043	2	Elbow, 90° (1½")			

SPECIAL PARTS LIST FOR MODEL 12.5RJC-3R SPEC 14890AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-2718-01(AC) 612-4815-11

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Overspeed Cut Off			
		Water Jacket Heater			
		Low Oil Pressure Cut Off			
		High Water Temperature Cut Off			
		Overcrank Cut Off			
167-1595	1	Lead Assembly (Resistor Type) 24"			
167-1596	3	Lead Assembly (Resistor Type) 12"			
332-1924	1	Cable, Tie			
301-2288	1	Panel, Control - Upper			
307-0655	3	Relay, Emergency Latching			
320-0259	1	Relay, Cranking Limiter			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil Pressure High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
332-0795	1	Block, Terminal (16 Place)			
332-0862	1	Strip, Marker - For 16 Place Block			
303-0201	1	Rheostat (With Voltage Adjustment)			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-3R SPEC 14893AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 4  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-2717-01(AC)612-4815-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		City Water Cooled Water Cooled Manifold LPG Vapor & Gasoline Carburetor Water Jacket Heater Oil Base Heater			
517-0059	1	Plug, Expansion - Exhaust Manifold			
332-0941	1	Tie Cable - Self Locking			
338-0297	1	Harness, Wiring - Engine To Control			
503-0478	1	Hose, Water Jacket Heater - 9" Lg.			
301-2288	1	Panel, Control - Upper			

SPECIAL PARTS LIST FOR **MODEL** 12.5RJC-18R **SPEC** 14897AA  
 FOR STANDARD PARTS REFER TO **CATALOG** 974-0220 **KEY NO.** 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (ENG)612-2717-01(AC)612-4814-06

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		LPG Vapor Carburetor			
301-2019	1	Panel, Control - Upper			
303-0201	1	Rheostat Assembly - Adjustable			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4XR SPEC 14899AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG)612-4857-01(AC)612-4817-05

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		Gas - Gasoline Carburetor			
		Muffler Mounted On Housing			
		Mounted Fuel Tank			
		Water Jacket Heater			
		Oil Base Heater			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Water Temperature Cut Off			
		Overcrank Cut Off			
332-0941	1	Tie, Cable - Solenoid Coil Assembly			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2308	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil Pressure High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, Overspeed			
307-0819	1	Relay, Low Engine Temperature			
323-0052	1	Socket, 8 Contact - Octal Type			
332-0943	2	Spacer, Relay Socket (3/8" OD)			
307-0778	1	Spring, Hold-Down			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker - For 20 Place Block			
323-0760	1	Socket, Relay			
307-1143	1	Relay, Generating			
301-3241	1	Bracket, Relay Mounting			
307-1157	1	Spring, Hold-Down			
501-0005	1	Line, Flex - Fuel (18½" Lg.)			
155-0360	1	Muffler, Critical Type			
155-0927	1	Tube, Exhaust			
140-0078	2	Bands, Muffler - Mounted On Housing			
405-1889	1	Shield, Rain			
505-0043	2	Elbow, 90° (1½")			

SPECIAL PARTS LIST FOR MODEL 12.5RJC-3CR131 SPEC 14911AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 3  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-4874-01(AC)612-5225-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Note: Pennsylvania Approved Natural Gas Carburetor City Water Cooled Overspeed Cut Off Low Oil Pressure Cut Off High Water Temperature Cut Off Overcrank Cut Off					
517-0059	1	Plug, Expansion (1-7/16" OD)			
502-0058	1	Tee, Restricted-Front Cylinder Head			
505-0135	3	Nipple, Half (3/8")			
503-0478	1	Hose, Water Inlet (9" Lg.)			
505-0376	1	Elbow (3/8" X 45°)			
309-0179	1	Thermostat			
320-0259	1	Relay, Cranking Limiter			
301-1788	1	Panel, Control - Upper			
322-0004	4	Lamp, Plant, Low Oil Pressure High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
307-0848	1	Relay, Oil Pressure, To 15 Seconds			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, Overspeed			
332-0943	4	Spacer, Relay Sockets (3/8" OD X 3/16" ID)			
307-0819	2	Relay, Low Oil Pressure & High Water Temperature Alarm			
323-0052	2	Socket, 8 Contact - Octal Type			
301-3252	1	Bracket, Relay Mounting			
307-0778	2	Spring, Hold Down			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker - For 20 Place Block			
308-0005	1	Switch, Selector - Toggle			
301-2125	1	Panel, Control - Lower			
149-0558	1	Strainer, Regulator			
307-0829	1	Kit, Coil Replacement			
416-0325	1	Hydrometer, 3 Color Scale - Battery Tester			
504-0019	1	Valve, Lock Shield - Manual			
307-0833	1	Valve, Solenoid - Electric			

SPECIAL PARTS LIST FOR MODEL 12.5RJC-3CR31 SPEC 14912AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4874-01 (AC) 612-5225-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Note: Pennsylvania Approved Natural Gas Carburetor High Compression Pistons Overspeed Cut Off Low Oil Pressure Cut Off High Water Temperature Cut Off Overcrank Cut Off					
320-0259	1	Relay, Cranking Limiter			
301-1788	1	Panel, Control - Upper			
322-0004	4	Lamp, Plant, Low Oil Pressure High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
307-0848	1	Relay, Oil Pressure, To 15 Seconds			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, Overspeed			
332-0943	4	Spacer, Relay Sockets (3/8" OD X 3/16" ID)			
307-0819	2	Relay, Low Oil Pressure & High Water Temperature Alarm			
502-0058	1	Tee, Restricted - Front Cylinder Head			
323-0052	2	Socket, 8 Contact - Octal Type			
301-3252	1	Bracket, Relay Mounting			
307-0778	2	Spring, Hold Down			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker - For 20 Place Block			
308-0005	1	Switch, Selector - Toggle			
301-2125	1	Panel, Control - Lower			
149-0558	1	Strainer, Regulator			
307-0829	1	Kit, Coil Replacement			
416-0325	1	Hydrometer, 3 Color Scale - Battery Tester			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-18R31 SPEC 14912AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4874-01(AC) 612-5226-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Note: Pennsylvania Approved Natural Gas Carburetor High Compression Pistons Overspeed Cut Off Low Oil Pressure Cut Off - Dual Senders High Water Temperature Cut Off - Dual Senders Overcrank Cut Off					
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-1788	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
307-0848	1	Relay, Oil Pressure - To 15 Seconds			
322-0004	4	Lamp, Plant, Low Oil Pressure High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, Overspeed			
307-0819	2	Relay, Low Oil Pressure & High Water Temperature			
323-0052	2	Socket, 8 Contact - Octal Type			
308-0005	1	Switch, Selector			
301-3252	1	Bracket, Relay Mounting			
332-0943	4	Spacer, Relay Socket (3/8" OD)			
307-0778	2	Spring, Hold-Down			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker - For 20 Place Block			
149-0558	1	Strainer, Regulator			
307-0829	1	Kit, Coil Replacement			
416-0325	1	Hydrometer, 3 Color Scale - Battery Tester			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-18R SPEC 14934AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-4989-01(AC)612-4814-04

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed Unit					
Natural Gas Carburetor					
High Compression Pistons					
Muffler Mounted On Housing					
Water Jacket Heater					
Overspeed Cut Off					
Low Oil Pressure Cut Off - Dual Senders					
High Water Temperature Cut Off - Dual Senders					
Overcrank Cut Off					
Oil Base Heater					
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2019	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
307-0848	1	Relay, Oil Pressure - To 15 Seconds			
322-0004	4	Lamp, Plant, Low Oil Pressure, High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, Overspeed			
307-0819	3	Relay, Low Oil Pressure, High Water Temperature, & Low Engine Temperature			
323-0052	3	Socket, 8 Contact - Octal Type			
332-0943	2	Spacer, Relay Socket (3/8" OD)			
307-0778	3	Spring, Hold-Down			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker - For 20 Place Block			
301-3241	1	Bracket, Relay Mounting			
301-2393	1	Bracket, Relay Mounting			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Relay			
332-0612	1	Strip, Marker (3 Place)			
307-1157	1	Spring, Hold-Down			
155-0360	1	Muffler, Critical Type			
155-0927	1	Tube, Exhaust			
140-0078	2	Bands, Muffler - Mounted On Housing			
405-1889	1	Shield, Rain			
505-0043	2	Elbow, 90° (1½")			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4R SPEC 14957AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-4989-01(AC)612-4816-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Water Jacket Heater			
		Oil Base Heater			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off - Dual Senders			
		High Water Temperature Cut Off - Dual Senders			
		Overcrank Cut Off			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			
307-0655	3	Relay, Lop, Hwt, Overspeed Shutdown			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil Pressure, High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
301-3241	1	Bracket, Relay Mounting			
301-2393	1	Bracket, Relay Mounting			
323-0052	3	Socket, 8 Contact - Octal Type			
307-0819	3	Relay, Low Engine Temperature, Lop, High Water Temperature Pre Alarm			
307-1157	1	Spring, Relay Hold Down			
307-0848	1	Relay, Oil Pressure - To 15 Seconds			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Relay			
332-0943	2	Spacer, Relay Socket (3/8" OD)			
307-0778	3	Spring, Hold Down			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker - For 20 Place Block			
332-0612	1	Strip, Marker			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-5DR SPEC 14962AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4990-01 (AC) 612-4818-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Gas - Gasoline Carburetor			
		Water Jacket Heater			
		Oil Base Heater			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Water Temperature Cut Off			
		Overcrank Cut Off			
332-0941	1	Tie, Cable - Solenoid Coil Assembly			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil Pressure High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, & Overspeed			
307-0819	1	Relay, Low Engine Temperature			
323-0052	3	Socket, 8 Contact - Octal Type			
301-3252	1	Bracket, Relay Mounting			
332-0943	4	Spacer, Relay Socket (3/8" OD)			
307-0778	1	Spring, Hold-Down			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker - For 20 Place Block			
332-0612	1	Strip, Marker			
323-0760	1	Socket, Relay			
307-1143	1	Relay, Generating			
307-0696	1	Relay, Cycle Cranker - Time Delay 10 Seconds			
307-0734	1	Relay, Cycle Cranker - Time Delay 5 Seconds			
353-0015	1	Resistor, 3.5 Ohm - 10 Watt			

SPECIAL PARTS LIST FOR MODEL 12.5RJC-18R SPEC 14969AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 3  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-4775-01(AC)612-4814-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		City Water Cooled Water Cooled Manifold Heat Exchanger LPG Vapor Carburetor Overspeed Cut Off Low Oil Pressure Cut Off - Dual Senders High Water Temperature Cut Off - Dual Senders Overcrank Cut Off			
309-0179	1	Thermostat			
130-0813	1	Line, Water			
502-0257	1	Tee, Brass - Exhaust Manifold (3/8" Pipe)			
517-0059	1	Plug, Expansion (1-7/16" OD)			
502-0058	1	Tee, Restricted Front - Cylinder Head			
503-0478	1	Hose - Water Inlet, 9" Lg.			
301-2019	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Low Oil Pressure, High Water Temperature, Overspeed, Plant			
322-0069	4	Holder, Lamp			
320-0259	1	Relay, Cranking Limiter			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, Overspeed			
307-0848	1	Relay, Oil Pressure - To 15 Seconds			
307-0819	2	Relay, Low Oil Pressure & High Water Temperature			
323-0052	2	Socket, 8 Contact - Octal Type			
332-0943	4	Spacers			
307-0778	2	Spring, Hold Down			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker - For 20 Place Block			
332-0612	1	Strip, Marker (Use With 3 Place Terminal Block)			
301-3252	1	Bracket, Relay Mounting			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Relay			
307-1157	1	Spring, Hold Down			

SPECIAL PARTS LIST FOR MODEL 15.ORJC-18R131 SPEC 14969AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 4  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-4874-01(AC)612-5226-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Note: Pennsylvania Approved LPG Vapor Carburetor City Water Cooled Water Cooled Manifold Heat Exchanger Overspeed Cut Off Low Oil Pressure Cut Off - Dual Senders High Water Temperature Cut Off - Dual Senders Overcrank Cut Off					
309-0179	1	Thermostat - Open 190°, Close 215°			
502-0257	1	Tee, Brass - Exhaust Manifold (3/8" Pipe)			
517-0059	1	Plug, Expansion (1-7/16" OD)			
503-0478	1	Hose, Water Inlet - 9" Lg.			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-1788	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
307-0848	1	Relay, Oil Pressure - To 15 Seconds			
322-0004	4	Lamp, Plant, Low Oil Pressure, High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, Overspeed			
307-0819	2	Relay, Low Oil Pressure, & High Water Temperature			
323-0052	2	Socket, 8 Contact - Octal Type			
308-0005	1	Switch, Selector			
301-3252	1	Bracket, Relay Mounting			
332-0943	4	Spacer, Relay Socket (3/8" OD)			
307-0778	2	Spring, Hold-Down			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker - For 20 Place Block			
149-0558	1	Strainer, Regulator			
307-0829	1	Kit, Coil Replacement			
416-0325	1	Hydrometer, 3 Color Scale - Battery Tester			

SPECIAL PARTS LIST FOR **MODEL** 12.5RJC-18R **SPEC** 14975AA  
 FOR STANDARD PARTS REFER TO **CATALOG** 974-0220 **KEY NO.** 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (ENG)612-4989-01 (AC)612-4814-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Natural Gas Carburetor			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off - Dual Senders			
		High Water Temperature Cut Off - Dual Senders			
		Overcrank Cut Off			
502-0058	1	Tee, Restricted Front - Cylinder Head			
301-2019	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Low Oil Pressure, High Water Temperature, Overspeed, Plant			
322-0069	4	Holder, Lamp			
320-0259	1	Relay, Cranking Limiter			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature Overspeed			
307-0848	1	Relay, Oil Pressure - To 15 Seconds			
307-0819	2	Relay, Low Oil Pressure & High Water Temperature			
323-0052	3	Socket, 8 Contact - Octal Type			
332-0943	2	Spacers			
307-0778	3	Spring, Hold Down			
332-1005	1	Block, Terminal - 20 Place			
332-1006	1	Strip, Marker (For 20 Place Block)			
332-0612	1	Strip, Marker (Use With 3 Place Terminal Block)			
301-3241	1	Bracket, Relay Mounting			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Relay			
307-1157	1	Spring, Hold Down			
307-0819	1	Relay, Low Engine Temperature			
301-2393	1	Bracket, Relay Mounting			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4XR SPEC 14976AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-2717-01(AC) 612-4817-05

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		Muffler Mounted On Housing			
		Day Tank			
		Water Jacket Heater			
		Oil Base Heater			
504-0007	1	Cock, Shut Off - Fuel Pump			
502-0020	1	Elbow, Street Pipe - Fuel Pump			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2308	1	Panel, Control - Upper			
155-0360	1	Muffler, Critical Type			
155-0927	1	Tube, Exhaust			
140-0078	2	Bands, Muffler - Mounted On Housing			
405-1889	1	Shield, Rain			
505-0043	2	Elbow, 90° (1½")			

WIRING DIAGRAM NO. (ENG) 612-4995-01 (AC) 612-4996-12

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		City Water Cooled			
		Water Cooled Manifold			
		Natural Gas Carburetor			
		High Compression Pistons			
		Water Jacket Heater			
		Oil Base Heater			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Water Temperature Cut Off			
		Overcrank Cut Off			
517-0059	1	Plug, Expansion - Exhaust Manifold (1-7/16" OD)			
503-0478	1	Nose, Water Inlet - 9" Lg.			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2540	1	Panel, Control - Upper			
303-0201	1	Rheostat Assembly - Adjustable			
323-0383	1	Receptacle - Duplex, 15 Amp, 120 Volt			
301-2125	1	Panel, Control - Lower			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, & Overspeed Shutdown			
322-0004	4	Lamp, Panel, Plant, Low Oil Pressure, High Water Temperature, & Overspeed			
322-0069	4	Holder, Lamp			
307-0819	1	Relay, Low Engine Temperature			
301-3252	1	Bracket, Relay Mounting			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Relay			
332-0943	2	Spacer, Relay Socket (3/8" OD)			
307-0778	1	Spring, Hold Down			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker - For 20 Place Block			
323-0052	2	Socket, 8 Contact - Octal Type			
301-3252	1	Bracket, Relay Mounting			
307-1077	1	Relay, Time Delay Start - 3 Second (Remote)			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-3R SPEC 14989AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG)612-4989-01(AC)612-4815-07

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Model			
		Combination Carburetor			
		Muffler Mounted On Housing			
		Water Jacket Heater			
		Oil Base Heater			
		Day Tank			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off - Dual Senders			
		High Water Temperature Cut Off - Dual Senders			
		Overcrank Cut Off			
332-0941	1	Tie, Cable - Solenoid Coil Assembly			
301-2288	1	Panel, Control - Upper			
307-0655	3	Relay, Lop, Hwt, Overspeed Shutdown			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil Pressure, High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
301-3241	1	Bracket, Relay Mounting			
301-2393	1	Bracket, Relay Mounting			
323-0052	3	Socket, 8 Contact - Octal Type			
307-0819	3	Relay, Low Engine Temperature, Lop, High Water Temperature Pre Alarm			
307-1157	1	Spring, Relay Hold Down			
307-0848	1	Relay, Oil Pressure - To 15 Seconds			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Relay			
332-0943	2	Spacer, Relay Socket (3/8" OD)			
307-0778	3	Spring, Hold Down			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker - For 20 Place Block			
332-0612	1	Strip, Marker			
155-0360	1	Muffler, Critical Type			
155-0927	1	Tube, Exhaust			
140-0078	2	Bands, Muffler - Mounted On Housing			
405-1889	1	Shield, Rain			
505-0043	2	Elbow, 90° (1½")			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4XR SPEC 15028AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
**WIRING DIAGRAM NO.** (ENG)612-2718-01(AC)612-4817-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
LPG Vapor Carburetor					
Overspeed Cut Off					
Low Oil Pressure Cut Off					
High Water Temperature Cut Off					
Overcrank Cut Off					
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2308	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, & Overspeed Shutdown			
322-0004	4	Lamp, Panel, Plant, Low Oil Pressure, High Water Temperature, & Overspeed			
322-0069	4	Holder, Lamp			
332-0795	1	Block, Terminal - Engine			
332-0862	1	Strip, Marker			

SPECIAL PARTS LIST FOR MODEL 15.ORJC-3R SPEC 15034AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-4989-01(AC)612-4815-12

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Natural Gas Carburetor			
		High Compression Pistons			
		Water Jacket Heater			
		Oil Base Heater			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off - Dual Senders			
		High Water Temperature Cut Off - Dual Senders			
		Overcrank Cut Off			
102-0549	1	Base, Oil			
301-2288	1	Panel, Control - Upper			
303-0201	1	Rheostat Assembly - Adjustable			
307-0655	3	Relay, Lop, Hwt, Overspeed Shutdown			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil Pressure, High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
301-3241	1	Bracket, Relay Mounting			
301-2393	1	Bracket, Relay Mounting			
323-0052	3	Socket, 8 Contact - Octal Type			
307-0819	3	Relay, Low Engine Temperature, Lop, High Water Temperature Pre Alarm			
307-1157	1	Spring, Relay Hold Down			
307-0848	1	Relay, Oil Pressure - To 15 Seconds			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Relay			
332-0943	2	Spacer, Relay Socket (3/8" OD)			
307-0778	3	Spring, Hold Down			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker - For 20 Place Block			
332-0612	1	Strip, Marker			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4R SPEC 15035AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-2718-01(AC)612-4816-07

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		Natural Gas Carburetor			
		High Compression Pistons			
		Water Jacket Heater			
		Oil Base Heater			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Water Temperature Cut Off			
		Overcrank Cut Off			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			
307-0655	3	Latch, Relay - Emergency Stop & Alarm, Low Oil Pressure, High Water Temperature, & Overspeed			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil Pressure High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
332-0795	1	Block, Terminal - Engine			
332-0862	1	Strip, Marker			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4XR SPEC 15035AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG)612-2718-01(AC)612-4817-05

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		Natural Gas Carburetor			
		High Compression Pistons			
		Water Jacket Heater			
		Oil Base Heater			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Water Temperature Cut Off			
		Overcrank Cut Off			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2308	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil Pressure, High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, Overspeed			
332-0862	1	Strip, Marker			
332-0795	1	Block, Terminal - Engine			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-5DR SPEC 15037AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-2717-01(AC) 612-4818-17

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		Muffler Mounted On Fuel Tank			
		Mounted Fuel Tank			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			
303-0201	1	Rheostat Assembly - Adjustable			
155-0360	1	Muffler, Critical Type			
155-0927	1	Tube, Exhaust			
140-0078	2	Bands, Muffler - Mounted On Housing			
405-1889	1	Shield, Rain			
505-0043	2	Elbow, 90° (1½")			
501-0005	1	Line, Fuel - Flex (18½" Lg.)			

SPECIAL PARTS LIST FOR MODEL 15.0RJJC-4XR SPEC 15038AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4857-01 (AC) 612-4817-11

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Unit			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Water Temperature Cut Off			
		Overcrank Cut Off			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2308	1	Panel, Control - Upper			
303-0201	1	Rheostat Assembly - Adjustable			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil Pressure High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, Overspeed			
307-0819	1	Relay, Low Engine Temperature			
323-0052	1	Socket, 8 Contact - Octal Type			
332-0943	2	Spacer, Relay Socket (3/8" OD)			
307-0778	1	Spring, Hold-Down			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker - For 20 Place Block			
323-0760	1	Socket, Relay			
307-1143	1	Relay, Generating			
301-3241	1	Bracket, Relay Mounting			
307-1157	1	Spring, Hold-Down			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-9XR SPEC 15058AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-5000-01(AC)612-4892-08

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Natural Gas Carburetor			
		High Compression Pistons			
		Water Jacket Heater			
		Oil Base Heater			
		Overspeed Cut Off			
		Low Oil Pressure Cut Off			
		High Water Temperature Cut Off			
		Overcrank Cut Off			
320-0551	1	Breaker, Circuit - 25 Amp, 3 Pole, 600 Vac			
303-0201	1	Rheostat Assembly - Adjustable			
301-3736	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
322-0004	4	Lamp, Plant, Low Oil Pressure, High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, & Overspeed			
307-0819	1	Relay, Low Engine Temperature			
323-0052	1	Socket, 8 Contact - Octal Type			
332-0943	2	Spacer, Relay Socket (3/8" OD)			
307-0778	1	Spring, Hold-Down			
332-1005	1	Block, Terminal (20 Place)			
332-1007	1	Strip, Marker - For 20 Place Block			
332-0612	1	Strip, Marker			
323-0760	1	Socket, Relay			
307-1143	1	Relay, Generating			
307-0597	1	Relay, Alarm			
301-3241	1	Bracket, Relay Mounting			
307-1157	1	Spring, Hold-Down			

SPECIAL PARTS LIST FOR MODEL 12.5RJC-18R SPEC 15062AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG)612-2717-01(AC)612-4816-06

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed Model					
Mounted Fuel Tank					
220-2043	1	Stator, Wound			
201-2158	1	Rotor Assembly, Wound			
520-0790	1	Stud, Rotor Through			
520-0798	4	Stud, Generator Through			
301-2204	1	Panel, Control - Upper			
501-0005	1	Line, Fuel - Flex, 18½" Lg.			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-3R31 SPEC 15114AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG) 612-4912-01 (AC) 612-4815-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Note: Pennsylvania Approved Natural Gas Carburetor High Compression Pistons Low Oil Pressure Cut Off - Dual Senders High Water Temperature Cut Off - Dual Senders Overcrank Cut Off Overspeed Cut Off					
301-2288	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
307-0848	1	Relay, Oil Pressure - To 15 Seconds			
322-0004	4	Lamp, Plant, Low Oil Pressure, High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, Overspeed			
332-0943	4	Spacer, Relay Socket			
307-0778	3	Spring, Hold Down			
332-1005	1	Block, Terminal - 20 Place			
332-1006	1	Strip, Marker (For 20 Place Block)			
307-0819	3	Relay, Low Engine Temperature, Low Oil Pressure & High Water Temperature			
323-0052	3	Socket, 8 Contact - Octal Type			
308-0005	1	Switch, Selector			
301-3252	1	Bracket, Relay Mounting			
307-1143	1	Relay, Generating			
323-0760	1	Socket, Relay			
332-0612	1	Strip, Marker (Use With 3 Place Terminal Block)			
149-0558	1	Strainer, Regulator			
307-0829	1	Kit, Coil Replacement			
416-0325	1	Hydrometer, 3 Color Scale - Battery Tester			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4XR31 SPEC 15114AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (ENG)612-4912-01(AC)612-4817-02

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Note: Pennsylvania Approved					
Natural Gas Carburetor					
High Compression Pistons					
Low Oil Pressure Cut Off - Dual Senders					
High Water Temperature Cut Off - Dual Senders					
Overcrank Cut Off					
Overspeed Cut Off					
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2308	1	Panel, Control - Upper			
301-2125	1	Panel, Control - Lower			
307-0848	1	Relay, Oil Pressure - To 15 Seconds			
322-0004	4	Lamp, Plant, Low Oil Pressure, High Water Temperature, Overspeed			
322-0069	4	Holder, Lamp			
307-0655	3	Relay, Low Oil Pressure, High Water Temperature, Overspeed			
307-0819	3	Relay, Low Oil Pressure, High Water Temperature, & Low Engine Temperature			
323-0052	3	Socket, 8 Contact - Octal Type			
308-0005	1	Switch, Selector			
301-3252	1	Bracket, Relay Mounting			
332-0943	4	Spacer, Relay Socket (3/8" OD)			
307-0778	3	Spring, Hold-Down			
332-1005	1	Block, Terminal (20 Place)			
332-1006	1	Strip, Marker - For 20 Place Block			
332-0612	1	Strip, Marker			
323-0760	1	Socket, Relay			
307-1143	1	Relay, Generating			
149-0558	1	Strainer, Regulator			
307-0829	1	Kit, Coil Replacement			
416-0325	1	Hydrometer, 3 Color Scale - Battery Tester			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4R SPEC 15117AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (ENG)612-2717-01(AC)612-4816-17

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
		Housed Model			
		Mounted Fuel Tank			
		Water Jacket Heater			
		Overspeed Cut Off			
		Oil Base Heater			
332-1924	1	Cable, Tie - Spark Plug Leads			
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			
303-0291	1	Rheostat Assembly - Adjustable			
501-0005	1	Line, Fuel - Flex, 18½" Lg.			

SPECIAL PARTS LIST FOR MODEL 15.0RJC-4R SPEC 15118AA  
 FOR STANDARD PARTS REFER TO CATALOG 974-0220 KEY NO. 2  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
**WIRING DIAGRAM NO.** (ENG) 612-2717-01 (AC) 612-4816-07

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Housed Model LPG Vapor Carburetor Water Jacket Heater Oil Base Heater					
520-0798	4	Stud, Generator Through			
520-0790	1	Stud, Rotor Through			
301-2204	1	Panel, Control - Upper			